

Appendix A

Annex

A.1 Process introduction

A.1.1 Introduction

Continuous Casting

Continuous casting (CC) is the hot forming technique which lead from molten

Bibliography

- [1] J Barglik, D Dołęga, and A Smagór. Coupled temperature-electromagnetic-flow fields in electro- magnetic stirrer with rotating magnetic field. *Modelling for material processing*, (8):299–304, 2010.
- [2] M. Barna, B. Willers, M. Javurek, J. Reiter, and S. Eckert. Investigations of the liquid steel flow in slab casters with electromagnetic brakes and round bloom casters with electromagnetic stirring. In *8th European Continuous Casting Conference 2014*, page 10, 2014.
- [3] Martin Barna, Mirko Javurek, Jürgen Reiter, and Markus Lechner. Numerical simulations of mould electromagnetic stirring for round bloom strands. In *Bhm*, pages 518–522, 2009.
- [4] M. Barna, M. Javurek, J. Reiter, J. Watzinger, B. Kaufmann, and M. Kirschen. Numerical Simulations of the Continuous Casting of Steel with Electromagnetic Braking and Stirring. *International Journal of Multiphysics*, (2):231–238, 2010.
- [5] G. Brian, R. Singh, R. Chaudhary, and P. Vanka. Flow Control with Ruler Electromagnetic Braking (EMBr) in Continuous Casting of Steel Slabs. In *Fifth Baosteel Biennial Academic Conference*, pages 1–10, 2013.
- [6] K Brunelli, F Dughiero, M Forzan, I Lombardi, A Marconi, S Wen, and M. Zordan. Directional solidification experiments on g2.5 i-dss furnace - demonstrator of sikelor project. In *Internatiolnal conference on Heating by Electromagnetic Sources*, pages 633–639, 2016.
- [7] K. Ayata, T. Mori, T. Fujimoto, T. Ohnishi, and I. Wakasugi. Improvement of Macrosegregation in Continuously Cast Bloom and Billet by Electromagnetic Stirring. Technical Report 11, Transactions ISIJ, 1984.
- [8] R. Chaudhary, B. G. Thomas, and S. P. Vanka. Effect of electromagnetic ruler braking (embr) on transient turbulent flow in continuous slab casting using large eddy simulations. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 43(3):532–553, 2012.

- [9] A. Cramer, V. Galindo, and M. Zennaro. Frequency dependence of an alternating magnetic field driven flow. volume 51, pages 133–147, 2015.
- [10] K. Cukierski and B. G. Thomas. Flow control with local electromagnetic braking in continuous casting of steel slabs. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 39(1):94–107, 2008.
- [11] O. Desjardins and V. Moureau. Methods for multiphase flows with high density ratio. In *Center for Turbulence Research Proceedings of the Summer Program*, pages 313–322, 2010.
- [12] M. Dubke, K. H. Tacke, K. H. Spitzer, and K. Schwerdtfeger. Flow fields in electromagnetic stirring of rectangular strands with linear inductors: Part II. computation of flow fields in billets, blooms, and slabs of steel. *Metallurgical Transactions B*, 19(4):595–602, 1988.
- [13] M. Dubke, K. H. Tacke, K. H. Spitzer, and K. Schwerdtfeger. Flow fields in electromagnetic stirring of rectangular strands with linear inductors: Part I. theory and experiments with cold models. *Metallurgical Transactions B*, 19(4):581–593, 1988.
- [14] F. Dughiero, M. Forzan, C. Pozza, and A. Tolomio. Experimental results in industrial environment of the i-DSS furnace. In *International Scientific Colloquium Modelling for Electromagnetic Processing*, pages 73–78, Hannover, 2014.
- [15] N. El-Kaddah and T.T. Natarajan. Electromagnetic stirring of steel: Effect of stirrer design on mixing in horizontal electromagnetic stirring of steel slabs. In *Second International Conference on CFD in the Minerals and Process Industries*, pages 339–344, 1999.
- [16] V. Fireteanu, E. Rousset, E. Chauvin, and N. Chouard. Simultaneous Induction Heating and Electromagnetic Stirring of a Molten Glass Bath. In *8th International Conference on Electromagnetic Processing of Materials*, 2016.
- [17] K. Fujisaki. In-mold electromagnetic stirring in continuous casting. *IEEE Transactions on Industry Applications*, 37(4):1098–1104, 2001.
- [18] K. Fujisaki, K. Wajima, and M. Ohki. 3D magnetohydrodynamics analysis method for free surface molten metal. *IEEE Transactions on Magnetics*, 36(4):1325–1328, 2000.
- [19] P. Galdiz, J. Palacios, J.L. Arana, and B. G. Thomas. Round continuous casting with EMS-CFD coupled. In *European Continuous Casting Conference*, pages 1–10, 2014.

- [20] M. Y. Ha, H. G. Lee, and S. H. Seong. Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake. *Journal of Materials Processing Technology*, 133:322–339, 2003.
- [21] G. Haijun, L. Xinzhong, F. Xueyi, Q. Juhong, X. Daming, and G. Jingjie. Numerical simulation of flow and heat transfer of continuous cast steel slab under traveling magnetic field, 2013.
- [22] Y. Haiqi, W. Baofeng, L. Huiqin, and L. Jianchao. Influence of electromagnetic brake on flow field of liquid steel in the slab continuous casting mold. *Journal of Materials Processing Technology*, 202(1-3):179–187, 2008.
- [23] Y. Haiqi and Z. Miaoyong. Three-dimensional magnetohydrodynamic calculation for coupling multiphase flow in round billet continuous casting mold with electromagnetic stirring. *IEEE Transactions on Magnetics*, 46(1):82–86, 2010.
- [24] C. Heinicke. *Local Lorentz Force Velocimetry for liquid metal duct flows*. PhD thesis, Technischen Universität at Ilmenau, 2013.
- [25] L. C. Hibbeler and B. G. Thomas. Mold slag entrainment mechanisms in continuous casting molds. In *Iron and Steel Technology Conference*, volume 10, pages 121–136, 2013.
- [26] R. Hirayama, K. Fujisaki, and T. Yamada. Dual in-mold electromagnetic stirring in continuous casting. *IEEE Transactions on Magnetics*, 40(4):2095–2097, 2004.
- [27] O.J. Ilegbusi and J. Szekely. Mathematical Modeling of the electromagnetic stirring of Molten Metal-Solid suspensions. *Transactions of the Iron and Steel Institute of Japan*, 28:73–79, 1988.
- [28] M. Javurek, M. Barna, P. Gittler, K. Rockenschaub, and M. Lechner. Flow modelling in continuous casting of round bloom strands with electromagnetic stirring. *Steel Res. Int.*, 79(August):617–626, 2008.
- [29] B. I. Jung, C. H. Jung, T. K. Han, and Y. H. Kim. Electromagnetic stirring and Sr modification in A356 alloy. *Journal of Materials Processing Technology*, 111:5–9, 2001.
- [30] H. Ki. Level set method for two-phase incompressible flows under magnetic fields. *Computer Physics Communications*, 181(6):999–1007, 2010.

- [31] A. Kumar and P. Dutta. Modeling of transport phenomena in continuous casting of non-dendritic billets. *International Journal of Heat and Mass Transfer*, 48(17):3674–3688, 2005.
- [32] S. Kunstreich, T. Gautreau, J. Y. Ren, A. Codutti, F. Guastini, and M. Petronio. Development and Validation of Multi-Mode EMB, a New Electromagnetic Brake for Thin Slab Casters. 2014.
- [33] J.D. Lavers. State of the Art of Numerical Modelling for Electromagnetic Processing of Metallic Material. In *International Scientific Colloquium Modelling for Electromagnetic Processing*, number 1, pages 5–10, Hannover, 2008.
- [34] C. Li and B. G Thomas. Maximum casting speed for continuous cast steel billets based on sub-mold bulging computation. In *85th Steelmaking conf. proc., ISS*, pages 109–130, Nashville, 2002.
- [35] S. Lin and S. Kuo. Electromagnetic Force Predictions of a Stand Electromagnetic Stirring System Using an Analytical Model. Technical Report 21, China Steel Technical Report, 2008.
- [36] Z. Q. Liu, F. S. Qi, B. K. Li, and S. C P Cheung. Modeling of bubble behaviors and size distribution in a slab continuous casting mold. *International Journal of Multiphase Flow*, 79:190–201, 2016.
- [37] M. Maldovan, J. Príncipe, G. Sánchez, A. Pignotti, and M. B. Goldschmit. Numerical Modeling of Continuous Casting of Rounds with Electromagnetic Stirring. In *European Congress on Computational Methods in Applied Sciences and Engineering*, number September, pages 11–14, 2000.
- [38] J. Meyer, F. Durand, R. Ricou, and C. Vives. Steady flow of liquid aluminum in a rectangular-vertical ingot mold, thermally or electromagnetically activated. *Metallurgical Transactions B*, 15(3):471–478, 1984.
- [39] S. Milind. *Linear Electromagnetic Stirrer*. PhD thesis, Indian Institute of Science, 2005.
- [40] H. K. Moffatt. Electromagnetic stirring. *Physics Fluids A*, 3(5):1336–1343, 1991.
- [41] D.A. Musaeva, E. Baake, and V.K. Ilin. Experimental Investigation of Al-Alloy Directional Solidification in Pulsed Electromagnetic Field. In *Materials Science Forum*, volume 870, pages 471–476, 2016.

- [42] D. Musaeva, V. K. Ilyin, V. Geža, and E. Baake. Experimental investigation of low-frequency pulsed Lorentz force influence on the motion of Galinstan melt. *St. Petersburg Polytechnical University Journal: Physics and Mathematics*, 2(3):193–200, 2016.
- [43] D. Musaeva, V.K. Ilin, and V. Geza. Numerical simulation of the melt flow in an induction crucible furnace driven by a Lorentz force pulsed at low frequency. *MAGNETO HYDRODYNAMICS*, 51(4):771–783, 2015.
- [44] J. Nakashima and T. Toh. Improvement of continuously cast slabs by decreasing nonmetallic inclusions. Technical Report 104, Nippon Steel Technical Report, 2013.
- [45] T. T. Natarajan and N. El-Kaddah. Finite element analysis of electromagnetically driven flow in sub-mold stirring of steel billets and slab sand Slabs. *ISIJ International*, 38(7):680–689, 1998.
- [46] T. T. Natarajan and N. El-Kaddah. Finite element analysis of electromagnetic and fluid flow phenomena in rotary electromagnetic stirring of steel. *Applied Mathematical Modelling*, 28(1):47–61, 2004.
- [47] M Pal. *Modeling of Induction Stirred Ladles*. PhD thesis, Royal Institute of Technology, 2012.
- [48] A. Pedcenko, A. Bojarevics, J. Priede, G. Gerbeth, and R. Hermann. Velocity measurements in the liquid metal flow driven by a two-phase inductor. *Experiments in Fluids*, 54(6), 2013.
- [49] P. Ramírez-López, R. D. Morales, R. Sánchez-Pérez, L. G. Demedices, and O. Dávila. Structure of turbulent flow in a slab mold. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 36(6):787–800, 2005.
- [50] M. Rywotycki, Z. Malinowski, J. Giełżecki, and A. Gołdasz. Modelling Liquid Steel Motion Caused by Electromagnetic Stirring in Continuous Casting Steel Process. *Archives of Metallurgy and Materials*, 59(2), 2014.
- [51] S. Satou and K. Fujisaki. Evaluation of the influence of the time-varying electromagnetic component in M-EMS on flow at the free surface. *Electrical Engineering in Japan (English translation of Denki Gakkai Ronbunshi)*, 177(3):62–68, 2011.
- [52] T. Shih, W. W. Liou, A. Shabbir, Z. Yang, and J. Zhu. A new $k\epsilon$ eddy viscosity model for high Reynolds number turbulent flows. *Computers Fluids*, 24(3):227–238, 1995.

- [53] R. Singh, B.G. Thomas, and S.P. Vanka. Large Eddy Simulations of Double-Ruler Electromagnetic Field Effect on Transient Flow During Continuous Casting. *Metall. Mater. Trans. B*, 45(3):1098–1115, 2014.
- [54] O. Sjoden and M. Venini. Use of Electromagnetic Equipment for Slab and Thin Slab Steel Continuous Caster. *Association of Metallurgical Engineers of Serbia*, 13:11–20, 2007.
- [55] K. H. Spitzer, M. Dubke, and K. Schwerdtfeger. Rotational electromagnetic stirring in continuous casting of round strands. *Metallurgical Transactions B*, 17(1):119–131, 1986.
- [56] C. Stelian and D. Vizman. Numerical modeling of frequency influence on the electromagnetic stirring of semiconductor melts. *Crystal Research and Technology*, 41(7):645–652, 2006.
- [57] J. Stiller, K. Koal, K. Frana, and R. Grundmann. Stirring of melts using rotating and travelling magnetic fields. In *Fifth International Conference on CFD in the Process Industries*, number December, pages 1–5, Melbourne, 2006.
- [58] Y. Q. Su, Y. J. Xu, L. Zhao, J. J. Guo, and H. Z. Fu. Effect of electromagnetic force on melt induced by traveling magnetic field. *Transactions of Nonferrous Metals Society of China (English Edition)*, 20(4):662–667, 2010.
- [59] B. G. Thomas, Q. Yuan, B. Zhao, and S. P. Vanka. Transient Fluid-Flow Phenomena in the Continuous Steel-Slab Casting Mold and Defect Formation. *Journal of Metals – electronic edition*, (December), 2006.
- [60] B.G. Thomas and R. Chaudhary. State of the art in electromagnetic flow control in continuous casting of steel slabs: modeling and plant validation. In *6th International conference electromagnetic processing of materials*, volume 6, pages 19–24, 2009.
- [61] B. G. Thomas. Industry implementation of mathematical models: Examples in steel processing. In *Iron and Steel Technology Conference*, volume 7, pages 70–87, 2010.
- [62] B. G. Thomas and F. M. Najjar. Finite element modelling of turbulent fluid flow and heat transfer in continuous casting. *Applied Mathematical Modelling*, 15(5):226–243, 1991.
- [63] B. G. Thomas, H. Bai, S. Sivaramakrishnan, and S. P. Vanka. Detailed Simulation of Flow in Continuous Casting of Steel using K- ϵ , LES , and PIV. In *International Symposium on Cutting Edge of Computer Simulation of Solidification and Processes*, pages 113–128, Osaka, Japan, 1999.

- [64] B. G. Thomas and L. Zhang. Mathematical Modeling of Fluid Flow in Continuous Casting. *ISIJ International*, 41(10):1181–1193, 2001.
- [65] L. Vese and T. Chan. A multiphase level-set framework for image segmentation using the Mumford and Shah model. *International Journal of Computer Vision*, 50(3):271–279, 2002.
- [66] C. Vivès. Effects of forced electromagnetic vibrations during the solidification of aluminum alloys: Part I. solidification in the presence of crossed alternating electric fields and stationary magnetic fields. *Metallurgical and Materials Transactions B*, 27(3):445–455, 1996.
- [67] H. D. Wang, M. Y. Zhu, and H. Q. Yu. Numerical analysis of electromagnetic field and flow field in high casting speed slab continuous casting mold with traveling magnetic field. *Journal of Iron and Steel Research International*, 17(9):25–30, 2010.
- [68] S. Yanqing, X. Yanjin, Z. Lei, Z. Tiejun, W. Shiping, and G. Jingjie. Study on traveling magnetic field casting of sheet component. *China foundary*, 7(3):259–264, 2010.
- [69] K. Yokota and K. Fujisaki. Electromagnetic Coil Designed by Magneto-Hydro-Dynamic-Simulation. Technical Report 89, Nippon Steel Technical Report, 2004.
- [70] M. Yuan, L. Cao, Y. Xu, and X. Song. Numerical Simulation on Effects of Electromagnetic Force on the Centrifugal Casting Process of High Speed Steel Roll. *Modeling and Numerical Simulation of Material Science*, 2014(January):20–24, 2014.
- [71] Q. Yuan, S. Sivaramakrishnan, S. P. Vanka, and B. G. Thomas. Computational and experimental study of turbulent flow in a 0.4-scale water model of a continuous steel caster. *Metallurgical and Materials Transactions B*, 35(B):967–982, 2004.
- [72] Q. Yuan, B. Zhao, P. Vanka, and B. G. Thomas. Study of Computational Issues in Simulation of Transient Flow in Continuous Casting. *Materials Science and Technology*, 76:33–43, 2004.
- [73] D. Zhang, L. Nastac, D. Zhang, and L. Nastac. Numerical Modeling of the Nanodispersion during Ultrasonic and Electromagnetic Stirring Processing of Al-Based Nanocomposites. In *8th International Conference on Electromagnetic Processing of Materials*, 2016.

- [74] H. Zhang, H. Nagaumi, Y. Zuo, and J. Cui. Coupled modeling of electromagnetic field, fluid flow, heat transfer and solidification during low frequency electromagnetic casting of 7XXX aluminum alloys. Part 1: Development of a mathematical model and comparison with experimental results. *Materials Science and Engineering A*, 448(1-2):189–203, 2007.
- [75] B. Zhao, B. G. Thomas, S. P. Vanka, and R. J. O'Malley. Transient fluid flow and superheat transport in continuous casting of steel slabs. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 36(6):801–823, 2005.
- [76] G. Zhu, J. Xu, Z. Zhang, Y. Bai, and L. Shi. Annular electromagnetic stirring-a new method for the production of semi-solid A357 aluminum alloy slurry. *Acta Metallurgica Sinica (English Letters)*, 22(6):408–414, 2009.