# LaTeX News

Issue 35, June 2022 — DRAFT version for upcoming release

## Contents

## Introduction

### Document metadata interface

Until recently there was no dedicated location to declare settings that affect a document as a whole. Settings had to be placed somewhere in the preamble or as class options or sometimes even as package options. For some such settings this may cause issues, e.g., setting the PDF version is only possible as long as the PDF output file has not yet been opened which can be caused by loading one or the other package.

For the "LaTeX Tagged PDF project" [1] further metadata about the whole document (and its processing) need to be specified and again this data should be all placed in a single well-defined place.

For this reason we introduce the new command `\DocumentMetadata` to unify all such settings in one place. The command expects a key/value list that describes all document metadata for the current document. It is only allowed to be used at the very beginning of the document, i.e., the declaration has to be placed *before* `\documentclass` and will issue an error if found later.

At this point in time we only provide the bare command in the format, the actual processing of the key/value is defined externally and the necessary code will be loaded if the command is used. This scheme is chosen for two reasons: by adding the command in the kernel it is available to everybody without the need to load a special package using `\RequirePackage`. The actual processing, though, is external so that we can easily extend the code (e.g., offering additional keys or changing the internal processing) while the above mentioned project is progressing. Both together allows users to immediately benefit from intermediate results produced as part of the project, as well as offering the LaTeX Project Team the flexibility to enable such intermediate results (for test purposes or even production use) in-between and independently of regular LaTeX releases. Over time, tested and approved functionality can then seamlessly move into the kernel at a later stage without any alterations to documents already using it. At the same time, not using the new consolidated interface means that existing documents are in no way affected by the work that is carried out and is in a wider alpha or beta test phase.

Documentation about the new command and

already existing keys are in `l3meta.pdf` and `documentmetadata-support.pdf` and also in the documentation of the `pdfmanagement-testphase` package.

### The latex-lab bundle

We added a new `latex-laboratory` bundle in which we place new code that is going to be available only through a `\DocumentMetadata` declaration and that is—most importantly—work under development and subject to change without further notice. This means, that commands and interfaces provided there may get altered or removed again after some public testing. The code can be accessed through the `\DocumentMetadata` key `testphase`. Currently supported values are `phase-I` and `phase-II` that enable code of the tagged PDF project (phase-I is frozen and phase-II the phase we are currently working on). With

`\DocumentMetadata{testphase=phase-II}`

you currently enable tagging for paragraphs and footnotes, more document elements will follow soon.

For more detailed testing it is also possible to pass other values to `testphase`, for example, the first incarnation of a template design interface based on `l3keys` can be accessed through the value `prototype`, thus

`\DocumentMetadata{testphase={phase-II,prototype}}`

will enable all of phase-II plus the draft template interface (which is not yet integrated in phase-II).

Eventually, code will move (once considered stable) from the testphase into the LaTeX kernel itself. Tagging will continue to require a `\DocumentMetadata` declaration, but you will then be able to drop the `testphase` key setting.

### New or improved commands

#### A keyval approach to option handling

The classical LaTeX $2_\varepsilon$ method for handling options, using `\ProcessOptions`, treats each entry in the list as a string. Many package authors have sought to extend this handling by treating each entry as a key–value pair (keyval) instead. To-date, this has required the use of additional packages, for example `kvoptions`.

The LaTeX team have for some time offered the package `l3keys2e` to allow keyvals defined using the L3 programming layer module `l3keys` to act as package options. This ability has now been integrated directly into the kernel. As part of this integration, the syntax for processing keyval options has been refined, such that

`\ProcessKeyOptions`

will now automatically pick up the package name as the key *family*, unless explicitly given as an optional argument.

`\ProcessKeyOptions[family]`

To support creating key options for this mechanism, the new command `\DeclareKeys` has been added. This works using the same general approach as `l3keys` or `pgfkeys`: each key has one or more *properties* which define its behavior.

Options for packages which use this new approach will not be checked for clashes by the kernel. Instead, each time a `\usepackage` or `\RequirePackage` line is encountered, the list of options given will be passed to `\ProcessKeyOptions`. Options which can only be given the first time a package is loaded can be marked using the property `.usage = load`, and will result in a warning if used in a subsequent package loading line.

Package options defined in this way can also be set within a package using the new command `\SetKeys`, which again takes an optional argument to specify the *family*, plus a mandatory one for the options themselves.

#### Floating point and integer calculations

The L3 programming layer offers expandable commands for calculating floating point and integer values, but so far these functions have only been available to programmers, because they require `\ExplSyntaxOn` to be in force. To make them easily available at the document-level, the small package `xfp` defined `\fpeval` and `\inteval`.

An example of use could be the following:

```
\LaTeX{} can now compute:
\[ \frac{\sin (3.5)}{2} + 2\cdot 10^{-3}
   = \fpeval{sin(3.5)/2 + 2e-3}          \]
```

which produces the following output:

LaTeX can now compute:

$$\frac{\sin(3.5)}{2} + 2 \cdot 10^{-3} = -0.1733916138448099$$

These two commands have now been moved into the kernel and in addition we also provide `\dimeval` and `\skipeval`. The details of their syntax are described in `usrguide3.pdf`. The command `\fpeval` offers a rich syntax allows for extensive calculations whereas the other three commands are essentially thin wrappers for `\numexpr`, `\dimexpr`, and `\glueexpr`—therefore inheriting some syntax peculiars and limitations in expressiveness.

```
\newcommand\calulateheight[1]{%
  \setlength\textheight{\dimeval{\topskip
        + \baselineskip * \inteval{#1-1}}}}
```

The above, for example, calculates the appropriate `\textheight` for a given number of text lines.

*(github issue 711)*

*CamelCase commands for changing arguments to csnames*
It is sometimes helpful to "construct" a command
name on the fly rather than providing it as a single
`\...` token. For these kind of tasks the LaTeX3
programming layer offers a general mechanism (in form
of `\exp_args:N...` and `\cs_generate_variant:Nn`).
However, when declaring new document-level commands
with `\NewDocumentCommand` or `\NewCommandCopy`, etc.
the L3 programming layer may not be active, and even
if it is, mixing CamelCase syntax with L3 programming
syntax is not really a good approach. We have therefore
added the commands `\UseName` and `\ExpandArgs` to
assist in such situations, e.g.,

```
\NewDocumentCommand\newcopyedit{mO{red}}
  {\newcounter{todo#1}%
   \ExpandArgs{c}\NewDocumentCommand{#1}{s m}%
     {\stepcounter{todo#1}%
      \IfBooleanTF {##1}%
         {\todo[color=#2!10]%
            {\UseName{thetodo#1}: ##2}}%
         {\todo[inline,color=#2!10]%
            {\UseName{thetodo#1}: ##2}}%
     }%
  }
```

which provides a declaration mechanism for copyedit
commands, so that `\newcopyedit{FMi}[blue]` then
defines `\FMi` (and the necessary counter).

The command `\ExpandArgs` can be useful with the ar-
gument `cc` or `Nc` in combination with `\NewCommandCopy`
if the old or new command name or both need construct-
ing. Finally, there is `\UseName` which takes its argument
and turns it into a command (i.e., a CamelCase version
of `\@nameuse` (LaTeX 2ε) or `\use:c` (L3 programming
layer)) which was also used in the example above.

*(github issue 735)*

*Testing for (nearly) empty arguments*
In addition to `\IfNoValueTF` to test if an optional
argument was provided or not, there is now also
`\IfBlankTF`, which tests if the argument is empty or
contains only blanks. Based on the result it selects a true
or false code branch. As usual, the variants `\IfBlankT`
and `\IfBlankF` are also provided for use when only
one branch leads to some action. Further details and
examples are given in `usrguide3.pdf`.

This test can also be useful if you set up key/value
options and want to test if a key was specified without
giving a value or through specifying "*key* = ,".

*Better allocator for Lua command ids*
In LuaTeX we already had the `\newluafunction` macro
which allocates a Lua function identifier which can
be used to define commands with `\luadef`. But this
always required two steps: `\newluafunction` defines

the passed control sequence as an integer, which then
has to be used to define the actual Lua command
with `\luadef`. After that, the integer is no longer
needed. This was inconsistent with other allocators.
Therefore we added two new allocators `\newluacmd` and
`\newexpandableluacmd` which directly define a control
sequences invoking the allocated Lua function. The first
one defines a non-expandable Lua command, the second
one an expandable one. Of course, the associated Lua
function still has to be defined by assigning a function to
the `lua.get_functions_table()` table. The required
index is available in `\allocationnumber`.

An example could be

```
\newluacmd \greeting
\directlua {
lua.get_functions_table()
   [tex.count.allocationnumber]
  = function()
    local name = token.scan_argument()
    tex.sprint('Hello ', name, '!')
  end
}

\greeting{world}
```

*(github issue 536)*

## Code improvements

*`\protected` UTF-8 character definitions*
The characters defined via `utf8.def` are now defined
as `\protected` macros. This makes them safe to
use in expansion contexts where the classic `\protect`
mechanism is not enabled, notably L3 programming
layer e and x arguments.

Related to this change `\MakeUppercase` and
`\MakeLowercase` have been updated to use the Unicode-
aware case changing functions `\text_lowercase:n`
in place of the TeX-primitive `\lowercase`. A similar
change will be made in the textcase package.

Note for technical reasons these low level character
handling changes will not be rolled back if the format
version is rolled back using the latexrelease package
rollback mechanism. *(github issue 780)*

*A small update to `\obeylines` and `\obeyspaces`*
The plain TeX versions of `\obeylines` and `\obeyspaces`
make ^^M and ␣ active and force them to execute `\par`
and `\space`, respectively. Don Knuth makes a remark
in the TeXbook that one can then use a trick such as

```
\let\par=\cr \obeylines \halign{...
```

However, redefining `\par` like this is not really a great
idea in LaTeX, because it may lead to all kind of
problems. We have therefore changed the commands to
use an indirection: the active characters now execute

`\obeyedline` and `\obeyedspace`, which in turn do what the hardwired solution did before.

> But • this • means • that • it • is • now • possible • to • achieve • special • effects • in • a • safe • way. • This • paragraph, • for • example, • was • produced • by • making • `\obeyedspace` • generate • {\␣\textbullet\␣} • and • enabling • `\obeyspaces` • within • a • quote • environment.

Thus, if you are keen to use the plain TeX trick, you need to say `\let\obeyedlines=\cr` now.         *(github issue 367)*

### ltxdoc gets a nocfg option

The LaTeX sources are formatted with the `ltxdoc` class, which supports loading a local config file `ltxdoc.cfg`. In the past the LaTeX sources used such a file but it was not distributed. As a result reprocessing the LaTeX sources elsewhere showed formatting changes. We now distribute this file which means that it is loaded by default. With the option `nocfg` this can be prevented.

### doc upgraded to version 3

After roughly three decades the `doc` package gets a cautious uplift, as already announced at the TUG conference 2019—changes to `doc` are obviously always done in a leisurely manner.

Given that most documentation is nowadays viewed on screen, `hyperref` support is added and by default enabled (suppress it with option `nohyperref` or alternatively with `hyperref=false`) so the internal cross-reference are properly resolved including those from the index back into the document.

Furthermore, `doc` has now a general mechanism to define additional "doc" elements besides the two `Macro` and `Env` it did know in the past. This enables better documentation because you can now clearly mark different types of objects instead of simply calling them all "macros". If desired, they can be collected together under a heading in the index so that you have a section just with your document interface commands, or with all parameters, or . . .

The code borrows ideas from Didier Verna's `dox` package (although the document level interface is different) and it makes use of Heiko Oberdiek's `hypdoc` package, which at some point in the future will be completely integrated, given that its whole purpose it to patch `doc`'s internal commands to make them `hyperref`-aware.

All changes are expected to be upward compatible, but if you run into issues with older documentation using `doc` a simple and quick solution is to load the package as follows: `\usepackage{doc}[=v2]`

### doc can now show dates in change log

Up to now the change log was always sorted by version numbers (ignoring the date that was given in the `\changes` command). It can now be sorted by both version and date if you specify the option `reportchangedates` on package level and in that case the changes are displayed with

$$\langle version \rangle - \langle date \rangle$$

as the heading (instead of just $\langle version \rangle$), when using `\PrintChanges`.         *(github issue 531)*

### LuaTeX callback improvements

The LuaTeX callbacks `hpack_quality` and `vpack_quality` are now `exclusive` and therefore only allow a single handler. The previous type `list` resulted in incorrect parameters when multiple handlers were set, therefore this only makes an existing restriction more explicit.

Additionally the return value `true` for `list` callbacks is now handled internally and no longer passed on to the engine. This simplifies the handling of these callbacks and makes it easier to provide consistent interfaces for user defined `list` callbacks.

### Class proc supports twoside

The document class `proc`, which is a small variation on the `article` class, now supports the `twoside` option displaying different data in the footer line on recto and verso pages.         *(github issue 704)*

### Croatian character support

The default `inputenc` support has been extended to support the 9 characters DŽ, Dž, dž, LJ, Lj, lj, NJ, Nj, nj, input as single UTF-8 code points in the range U+01C4 to U+01CC.         *(github issue 723)*

### Cleanup of the Unicode declaration interface

When declaring encoding specific commands for the Unicode (TU) encoding some declarations (e.g., `\DeclareUnicodeComposite`) do not have an explicit argument for the encoding name, but instead use the command `\UnicodeEncodingName` internally. There was one exception though: `\DeclareUnicodeAccent` required an explicit encoding argument. This inconsistency has now been removed and the encoding name is always implicit. To avoid a breaking change for a few packages on CTAN `\DeclareUnicodeAccent` still accepts three arguments if the second argument is `TU` or `\UnicodeEncodingName`. Once all packages have been updated this code branch will get removed.

At the same time we added `\DeclareUnicodeCommand` and `\DeclareUnicodeSymbol` for consistency. They also use `\UnincodeEncodingName` internally, instead of requiring an encoding argument as their general purpose counterparts do.         *(github issue 253)*

## Bug fixes

### Using \DeclareUnicodeCharacter with C1 control points

An error in the UTF-8 handling for non-Unicode TeX, has prevented `\DeclareUnicodeCharacter` being used with characters in the range hex 80 to 9F, this has been corrected in this release. *(github issue 730)*

### Fix \ShowCommand when used with ltcmd

When `\ShowCommand` support was added for ltcmd in the previous release [6], a blunder in the code made it so that when `\ShowCommand` was used on a command defined with ltcmd, it only printed the meaning of the command in the terminal, but didn't stop for interaction as it does elsewhere (mimicking `\show`). The issue is now fixed. *(github issue 739)*

### Make \cite{} produce a warning

When the `\cite` command can't resolve a citation label it issue a warning "Citation '⟨*label*⟩' on page ⟨*page*⟩ undefined". However, due to some implementation details a completely empty argument was always silently accepted. Given that there are probably people who write `\cite{}` with the intention to fill in the correct label later it is rather unfortunate if that is not generating a warning that something in the document is still amiss. This has finally been corrected and a warning is now generated also in this case. *(github issue 790)*

## Changes to packages in the amsmath category

### amsopn Do not reset \operator@font

The package amsopn used to define `\operator@font` but this command is already provided by the LaTeX format (for at least 14 years). As a result the definition in amsopn is equivalent to a reset to the kernel definition, which is unnecessary and surprising if you alter the math setup (e.g., by loading a package) and at a later stage add amsmath, which then undoes part of your setup. For this reason the definition was taken out and amsmath/amsopn now relies on the format definition.

In the unlikely event that you want the resetting to happen, use

```
\makeatletter
 \def\operator@font{\mathgroup\symoperators}
 \makeatother
```

after loading the package. *(github issue 734)*

### amsmath Error in \shoveleft

If `\shoveleft` started out with the words "plus" or "minus" it was misunderstood as part of a rubber length and led either to an error or was swallowed without trace. By adding a `\relax` this erroneous scanning into the argument of `\shoveleft` is now prevented. *(github issue 714)*

## Changes to packages in the graphics category

### Color in formulas

While it is possible to color parts of a formula using `\color` commands the approach is fairly cumbersome. For example, to color an summation sign, but not its limits, you need four `\color` commands and some seemingly unnecessary set of braces to get coloring and spacing right:

```
\[ X = \color{red} \sum
% without {{ the superscript below is misplaced
                _{{\color{black} i=1}}
% without {{ the \sum is black
                ^{{\color{black} n}}
   \color{black}    % without it the x_i is red
   x_i            \]
```

Leave out any of the `\color` commands or any of the `{{...}}` will give you a wrong result instead of the desired

$$X = \sum_{i=1}^{n} x_i$$

So even if this is possible, it is not a very practical solution and furthermore there are a number of cases where it is impossible to color a certain part of a formula, for example, an opening symbol such as `\left(` but not the corresponding `\right)`.

We have therefore added the command `\mathcolor` to the color and xcolor package, which has the same syntax as `\textcolor`, but is specially designed for use in math and handles sub and superscripts and other aspects correctly and preserves correct spacing. Thus, the above example can now be written as

```
\[ X = \mathcolor{red}{\sum}_{i=1}^n x_i \]
```

This command is *only* allowed in formulas. For details and further examples, see `mathcolor.pdf`.

### Fix locating files with \graphicspath

If a call to `\includegraphics` asked for a file (say, `image`) without extension, and if both `A/image.pdf` and `B/image.tex` existed (both `A/` and `B/` in `\graphicspath`, but neither in a folder searched by kpse), then `A/image.pdf` would not be found, and a "file not found" error would be incorrectly thrown. The issue is now fixed and the graphics file is correctly found. *(github issue 776)*

*(https://tex.stackexchange.com/q/630167)*

## Changes to packages in the tools category

### multicol: Fix \newcolumn

The recently added `\newcolumn` didn't work properly if used in vertical mode, where it behaved like `\columnbreak`, i.e., spreading the column material out instead running the column short.

*(https://tex.stackexchange.com/q/624940)*

*bm: Fix for amsmath operators*

An internal command used in the definition of operator commands such as \sin in amsmath has been guarded in \bm to prevent internal syntax errors due to premature expansion.                                    *(github issue 744)*

## References

[1] Frank Mittelbach and Chris Rowley: *LaTeX Tagged PDF—A blueprint for a large project.*
`https://latex-project.org/publications/indexbyyear/2020/`

[2] *LaTeX documentation on the LaTeX Project Website.*
`https://latex-project.org/help/documentation/`

[3] LaTeX Project Team: *LaTeX 2ε news 31.*
`https://latex-project.org/news/latex2e-news/ltnews31.pdf`

[4] LaTeX Project Team: *LaTeX 2ε news 32.*
`https://latex-project.org/news/latex2e-news/ltnews32.pdf`

[5] LaTeX Project Team: *LaTeX 2ε news 33.*
`https://latex-project.org/news/latex2e-news/ltnews33.pdf`

[6] LaTeX Project Team: *LaTeX 2ε news 34.*
`https://latex-project.org/news/latex2e-news/ltnews34.pdf`