FEATURE SCREENING: STABLE ERROR-FOCUSED CONTRASTS

3 SUMMARIES

max · mean
active fraction

→

PER TASK

Association: s^V
Paired: $s^V - s^B$

→

OBSERVED EFFECT

mean focal group
− mean comparison

→

200 PERMUTATIONS

shuffle subtype labels
within the selected
transition population

→

E/V

observed effect
÷ permutation SD

Support: ≥12 focal tasks (DeepSeek); ≥5 (CodeLlama)

Retain the summary with largest |E/V| per feature; nominate top 10 per cell.

Both signs are retained. E/V is a permutation signal-to-noise score, not a z-score or p-value.

FOUR ERROR-FOCUSED SCREENING CELLS PER MODEL

DEEPSEEK BASE → FINE-TUNED

Within 215 improvements
119 contamination cases vs. 96 other improvements

ASSOCIATION · GLOBAL

PAIRED · GLOBAL

ASSOCIATION · LOCAL

PAIRED · LOCAL

40 nominations → 38 unique features

CODELLAMA BASE → MERGED

Within 291 regressions
50 logic/runtime cases vs. 241 other regressions

ASSOCIATION · GLOBAL

PAIRED · GLOBAL

ASSOCIATION · LOCAL

PAIRED · LOCAL

40 nominations → 32 unique features

Local: ±10% around normalized first textual divergence; an anchor, not an annotated error boundary.