


Nome: Lucas Sandro Rotermel Franco


Atividade 1

Código das rotas:



```
17 return view('welcome');
18 });
19
20 Route::prefix('/app')->Group(function() {
21     Route::get('/', function() {
22         return view('app');
23     });
24     Route::get('/user', function(){
25         return view('user');
26     });
27     Route::get('/profile', function(){
28         return view('profile');
29     });
30 });
31
```

Código das views: Profile:




```
1 <h1> Aqui a view Profile </h1>
2 <div>
3     <a href="http://localhost:8000/app/user">User</a><br>
4     <a href="http://localhost:8000/app/profile">Profile</a><br>
5     <a href="http://localhost:8000/app">App</a><br>
6 </div>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

```
30 | }}
31 |
+3 vendor: frames
4 app/Providers/RouteServiceProvider.php:63
Illuminate\Routing\RouteRegistrar::group(*~/home/lucassandro/agrupamentorotas/routes/web.php*)
5 app/Providers/RouteServiceProvider.php:47
App/Providers/RouteServiceProvider::mapWebRoutes()
lucassandro@lucassandro-VirtualBox:~/agrupamentorotas$ php artisan serve
Laravel development server started: http://127.0.0.1:8000
[Thu May 13 20:04:32 2021] 127.0.0.1:60246 [200]: /favicon.ico
```

User:




The screenshot shows the Visual Studio Code editor with the 'user.blade.php' file open. The file contains the following HTML code:

```
1 <h1> Aquil a view User </h1>
2 <div>
3   <a href="http://localhost:8080/app/user">User</a><br>
4   <a href="http://localhost:8080/app/profile">Profile</a><br>
5   <a href="http://localhost:8080/app">App</a><br>
6 </div>
```

The Explorer sidebar on the left shows the project structure for 'agrupamentorotas', including files like 'app.blade.php', 'profile.blade.php', 'user.blade.php', and 'welcome.blade.php'. The terminal at the bottom shows the output of the 'php artisan serve' command, indicating that the Laravel development server is running on http://127.0.0.1:8080.

App:




The screenshot shows the Visual Studio Code editor with the 'app.blade.php' file open. The file contains the following HTML code:

```
1 <h1> Aquil a view App </h1>
2 <div>
3   <a href="http://localhost:8080/app/user">User</a><br>
4   <a href="http://localhost:8080/app/profile">Profile</a><br>
5   <a href="http://localhost:8080/app">App</a><br>
6 </div>
```


The Explorer sidebar on the left shows the project structure for 'agrupamentorotas', including files like 'app.blade.php', 'profile.blade.php', 'user.blade.php', and 'welcome.blade.php'. The terminal at the bottom shows the output of the 'php artisan serve' command, indicating that the Laravel development server is running on http://127.0.0.1:8080.

Views no localhost:


App:



User:




Profile:



Atividade 2

Rotas:



```
File Edit Selection View Go Run Terminal Help
web.php - agrupamentorotas - Visual Studio Code


EXPLORER
  agrupamentorotas
    app
    Console
    Exceptions
    Http
    Controllers
    Middleware
      Authenticate.php
      CheckForMaintenanceMode.php
      EncryptCookies.php
      RedirectIfAuthenticated.php
      TrimStrings.php
      TrustHosts.php
      TrustProxies.php
      VerifyCsrfToken.php
    Kernel.php
    Providers
      User.php
    bootstrap
    config
    database
    public
    resources
      js
      lang
      sass
      views
        app.blade.php
        produtos.blade.php
        profile.blade.php
        user.blade.php
        welcome.blade.php
    routes
      api.php
      channels.php
      console.php
      web.php
    storage
    tests
    vendor
    editorconfig
    OUTLINE

routes > web.php
17 return view('welcome');
18 };
19
20 Route::prefix('/app')->Group(function() {
21     Route::get('/', function() {
22         return view('app');
23     })->name('app');
24
25     Route::get('/user', function(){
26         return view('user');
27     })->name('app.user');
28
29     Route::get('/profile', function(){
30         return view('profile');
31     })->name('app.profile');
32 });
33
34 Route::get('/produtos', function() {
35     return view('produtos');
36 })->name('meusprodutos');
37
38 Route::post('/requisicoes', function(Request $request) {
39     return 'Hello Post';
40 });
41

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE
1: php
lucassandro@lucassandro-VirtualBox:~/agrupamentorotas$ php artisan serve
Laravel development server started: http://127.0.0.1:8000
```

Views:

Produtos:




```
File Edit Selection View Go Run Terminal Help
produtos.blade.php - agrupamentorotas - Visual Studio Code

EXPLORER
  agrupamentorotas
    app
    Console
    Exceptions
    Http
    Controllers
    Middleware
      Authenticate.php
      CheckForMaintenanceMode.php
      EncryptCookies.php
      RedirectIfAuthenticated.php
      TrimStrings.php
      TrustHosts.php
      TrustProxies.php
      VerifyCsrfToken.php
    Kernel.php
    Providers
      User.php
    bootstrap
    config
    database
    public
    resources
      js
      lang
      sass
      views
        app.blade.php
        produtos.blade.php
        profile.blade.php
        user.blade.php
        welcome.blade.php
    routes
      api.php
      channels.php
      console.php
      web.php
    storage
    tests
    vendor
    editorconfig
    OUTLINE

resources > views > produtos.blade.php
1 <h3>Produtos</h3>
2
3 <div>
4     <a href="{{route('app.user')}}">User</a><br>
5     <a href="{{route('app.profile')}}">Profile</a><br>
6     <a href="{{route('app')}}">App</a><br>
7     <a href="{{route('meusprodutos')}}">Meus produtos</a><br>
8 </div>
9
10 <ol>
11     <li>Notebook </li>
12     <li>Impressora </li>
13     <li>Mouse </li>
14 </ol>
```

User:




Visual Studio Code interface showing the 'user.blade.php' file in the 'resources > views' directory. The code contains a view title 'Aqui a view User' and three links: 'User', 'Profile', and 'App'. The terminal shows the Laravel development server running on http://127.0.0.1:8000.

```
1 <h1> Aqui a view User </h1>
2 <div>
3   <a href="{{route('app.user')}}">User</a><br>
4   <a href="{{route('app.profile')}}">Profile</a><br>
5   <a href="{{route('app')}}">App</a><br>
6   <a href="{{route('meusprodutos')}}">Meus produtos</a><br>
7 </div>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

lucassandro@lucassandro-VirtualBox:~/agrupamentorotas php artisan serve
Laravel development server started: http://127.0.0.1:8000

Profile:




Visual Studio Code interface showing the 'profile.blade.php' file in the 'resources > views' directory. The code contains a view title 'Aqui a view Profile' and three links: 'User', 'Profile', and 'App'. The terminal shows the Laravel development server running on http://127.0.0.1:8000.

```
1 <h1> Aqui a view Profile </h1>
2 <div>
3   <a href="{{route('app.user')}}">User</a><br>
4   <a href="{{route('app.profile')}}">Profile</a><br>
5   <a href="{{route('app')}}">App</a><br>
6   <a href="{{route('meusprodutos')}}">Meus produtos</a><br>
7 </div>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

lucassandro@lucassandro-VirtualBox:~/agrupamentorotas php artisan serve
Laravel development server started: http://127.0.0.1:8000

App:




The screenshot shows the Visual Studio Code editor with the file `app.blade.php` open. The file content is as follows:

```
1 <h1> Aqui a view App </h1>
2 <div>
3     <a href="{{route('app.user')}}">User</a><br>
4     <a href="{{route('app.profile')}}">Profile</a><br>
5     <a href="{{route('app')}}">App</a><br>
6     <a href="{{route('meusprodutos')}}">Meus produtos</a><br>
7 </div>
```


The Explorer sidebar on the left shows the project structure, including the `views` directory where `app.blade.php` is located. The terminal at the bottom shows the command `php artisan serve` being executed, resulting in the message: `Laravel development server started: http://127.0.0.1:8000`.

Telas:


Produtos:



User:



App:



A screenshot of a web browser window. The address bar shows the URL "127.0.0.1:8000/app/profile". The page content is mostly blank, with a few links visible on the left side: "User", "Profile", "App", and "Meus produtos". The browser's tab bar at the top shows several open tabs, including "Gmail - email da Google", "SIGAA - Sistema Integra...", "syntax error, unexpected", "127.0.0.1:8000/app/profile", "RESTClient, a debugger", and "Laravel". The left sidebar of the browser shows various application icons.