



Evidence



```
pgAdmin 4
File Object Tools Edit View Window Help

testdb/postgres@Transforms X
Microsoft Windows [versão 10.0.26100.4946]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Program Files\PostgreSQL\16\pgAdmin 4\runtime>"C:\Program Files\PostgreSQL\16\pgAdmin 4\runtime\psql (16.10, server 15.14 (Debian 15.14-1.pgdg13+1))
psql (16.10, server 15.14 (Debian 15.14-1.pgdg13+1))
WARNING: Console code page (850) differs from Windows code page (1252)
8-bit characters might not work correctly. See psql reference
page "Notes for Windows users" for details.
Type "help" for help.

testdb=#
testdb=#
testdb=# CREATE TABLE orders (
testdb(# id SERIAL PRIMARY KEY,
testdb(# product_name TEXT,
testdb(# quantity INT,
testdb(# order_date DATE DEFAULT CURRENT_DATE
testdb(# );
testdb=#
testdb=# CREATE TABLE
testdb=# CREATE SUBSCRIPTION orders_sub
testdb=# CONNECTION 'host=pg_master port=5432 dbname=testdb user=postgres password=postgres'
testdb=# PUBLICATION orders_pub
testdb=# WITH (copy_data = true, create_slot = true, enabled = true);
ERROR: could not connect to the publisher: connection to server at "pg_master" (172.18.0.2), port 543
2 failed: FATAL: database "testdb" does not exist
testdb=# CREATE SUBSCRIPTION orders_sub
testdb=# CONNECTION 'host=pg_master port=5432 dbname=testdb user=postgres password=postgres'
testdb=# PUBLICATION orders_pub
testdb=# WITH (copy_data = true, create_slot = true, enabled = true);
ERROR: could not connect to the publisher: connection to server at "pg_master" (172.18.0.2), port 543
2 failed: FATAL: database "testdb" does not exist
testdb=# CREATE SUBSCRIPTION orders_sub
testdb=# CONNECTION 'host=pg_master port=5432 dbname=testdb user=postgres password=postgres'
testdb=# PUBLICATION orders_pub
testdb=# WITH (copy_data = true, create_slot = true, enabled = true);
NOTICE: created replication slot "orders_sub" on publisher
CREATE SUBSCRIPTION
testdb=#
testdb=# select * from orders;
id | product_name | quantity | order_date
-----
1 | Laptop | 2 | 2025-08-24
2 | Mouse | 10 | 2025-08-24
3 | Keyboard | 5 | 2025-08-24
(3 rows)

testdb=# CREATE PUBLICATION orders_pub FOR TABLE orders;
CREATE PUBLICATION
testdb=# select * from orders;
id | product_name | quantity | order_date
-----
1 | Laptop | 2 | 2025-08-24
2 | Mouse | 10 | 2025-08-24
3 | Keyboard | 5 | 2025-08-24
4 | Monitor | 3 | 2025-08-24
5 | Headset | 7 | 2025-08-24
(5 rows)

testdb=#
```

- ▼ Servers (3)
 - ▼ pg_master
 - ▼ Databases (2)
 - > postgres
 - ▼ testdb
 - > Casts
 - > Catalogs
 - > Event Triggers
 - > Extensions
 - > Foreign Data Wrappers
 - > Languages
 - > Publications
 - > Schemas
 - > Subscriptions
 - > Login/Group Roles
 - > Tablespaces
 - > PostgreSQL 16
 - ▼ pg_replica
 - ▼ Databases (2)
 - > postgres
 - ▼ testdb
 - > Casts
 - > Catalogs
 - > Event Triggers
 - > Extensions
 - > Foreign Data Wrappers
 - > Languages
 - > Publications
 - > Schemas
 - > Subscriptions
 - > Login/Group Roles
 - > Tablespaces