

# Tarefa 1


Nome: Lucas Alesterio Marques Vieira

Matricula: 11621ECP016

# **Testes**

1. Entrada de um gif:

Um arquivo gif.gif foi incluído na raiz do projeto para os testes, ao acessar <a href="http://localhost:4242/gif.gif">http://localhost:4242/gif.gif</a> podemos notar o retorno do mesmo:



Quando acessado foi retornado no console:

```
GET /gif.gif HTTP/1.1
Host: localhost:4242
Connection: keep-alive
Cache-Control: max-age=0
{\tt sec-ch-ua: "Google Chrome"; v="93", "Not; A Brand"; v="99", "Chromium"; v="93"}
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.63 Safari/537.36
Accept: \ text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, /; q=0.8, application/signed-exchange; v=b3; q=0.9, image/webp, 
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Encoding: gzip, deflate, br
\label{eq:accept-Language:pt-BR,pt;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6} Accept-Language: pt-BR,pt;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6
FileName: /qif.qif
```

2. Entrada de um arquivo index.html:

Tarefa 1

1

Um arquivo index.html foi incluído na raiz do projeto para os testes, ao acessar

http://localhost:4242/index.html, o retorno é:



#### Teste HTML!


### No console podemos obter:

```
GET /index.html HTTP/1.1
Host: localhost:4242
Connection: keep-alive
sec-ch-ua: "Google Chrome";v="93", " Not;A Brand";v="99", "Chromium";v="93"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.63 Safari/537.36
Accept: \ text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, /; q=0.8, application/signed-exchange; v=b3; q=0.9, image/webp, imag
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Encoding: gzip, deflate, br
Accept-Language: pt-BR,pt;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6
FileName: /index.html
```

#### 3. Entrada de um arquivo pdf.pdf:

Um arquivo pdf.pdf foi incluído na raiz do projeto para os testes, ao acessar temos:

Tarefa 1 2




#### No console podemos obter:

```
GET /pdf.pdf HTTP/1.1
Host: localhost:4242
Connection: keep-alive
sec-ch-ua: "Google Chrome";v="93", " Not;A Brand";v="99", "Chromium";v="93"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.63 Safari/537.36
Accept: \ text/html, application/xhtml+xml, application/xml; q=0.9, image/webp, image/apng, /; q=0.8, application/signed-exchange; v=b3; q=0.9, image/webp, imag
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Encoding: gzip, deflate, br
\label{eq:accept-Language: pt-BR,pt; q=0.9, en; q=0.8, en-GB; q=0.7, en-US; q=0.6} \\
FileName: /pdf.pdf
```

#### 3. Entrada de um arquivo image.jpg:

Um arquivo image.jpg foi incluído na raiz do projeto para os testes, ao acessar <a href="http://localhost:4242/image.jpg">http://localhost:4242/image.jpg</a> temos:

Tarefa 1



#### No console podemos obter:

```
GET /image.jpg HTTP/1.1
Host: localhost:4242
Connection: keep-alive
sec-ch-ua: "Google Chrome";v="93", " Not;A Brand";v="99", "Chromium";v="93"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.63 Safari/537.36
Accept: text/html, application/xhtml+xml, application/xml;q=0.9, image/webp, image/apng,/;q=0.8, application/signed-exchange;v=b3;q=0.9
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Encoding: gzip, deflate, br
Accept-Encoding: gzip, deflate, br
Accept-Language: pt-BR,pt;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6
FileName: /image.jpg
```

## 5. Acessando um arquivo inexistente:

Tarefa 1 4



./a.jpg não encontrado

```
GET /a.jpg HTTP/1.1

Host: localhost:4242
Connection: keep-alive
sec-ch-ua: "Google Chrome";v="93", " Not;A Brand";v="99", "Chromium";v="93"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/93.0.4577.63 Safari/537.36
Accept: text/html, application/xhtml+xml, application/xml;q=0.9, image/webp, image/apng, /;q=0.8, application/signed-exchange;v=b3;q=0.9
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Encoding: gzip, deflate, br
Accept-Language: pt-BR,pt;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6
FileName: /a.jpg
```

Tarefa 1 5