

PROJETO GESDANCE – PARCIAL 13-06-2024

Lucas Rafael Arcanjo-23087: lucasestudos324@gmail.com

Marcos Aurélio dos santos-10599 : advmarcosaureliosantos310@gmail.com



Sabrina Rodrigues

Admin



🏠 INÍCIO

Modulos

👥 Turmas

📅 Eventos

🎓 Alunos

👤 Professor


💰 Controle Financeiro

📎 Anexos

- Estamos trabalhando nos textos para o overleaf após alguns refinamentos feitos junto `a professora Cristiane.
- Finalizado o controle de presença.
- Feito ajustes em editar eventos.
- Estamos trabalhando em editar participantes do evento: Professores e alunos.
- Estamos trabalhando para estilizar a interface – disposição dos dados de forma mais harmônica.
- Fizemos correção de bugs – chamada dos ícones do modulo eventos-.
- Ajustamos BD e Diagrama de relacionamento – criou tabelas event_students e event_teachers.
- Criado um modal na página eventos – event_student e event_teacher-.

Abaixo alguns slides do Sistema no VsCode.

Tabelas do Banco de dados



Bd – tabela - Estudantes

Básico

Opções

Indexes (1)

Chaves-estrangeiras (0)

Verificar restrições (0)

Partições

Código CREATE

Código ALTER

Nome:

students

Comentário:

estudantes

Colunas:

Adicionar

Remover

Mover para cima

Mover para baixo

#	Nome	Tipo de dados	Tamanho/It...	Unsign...	Permitir...	Zerofill	Padrão	Comentário	Colaço	Expressão
1	id	INT	10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AUTO_INCREME...			
2	name	VARCHAR	100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
3	document	VARCHAR	50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
4	date_birth	DATE		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão			
5	phone	VARCHAR	20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL		utf8mb4_general_ci	
6	email	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL		utf8mb4_general_ci	
7	zipcode	VARCHAR	20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
8	street	VARCHAR	50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
9	number	VARCHAR	10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
10	district	VARCHAR	25	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
11	city	VARCHAR	25	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
12	state	VARCHAR	25	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	
13	reference	VARCHAR	50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nenhum padrão		utf8mb4_general_ci	

```

<?php
Victor Santos, há 2 meses • subindo os arquivos

Lucas Rafael, há 4 semanas | 2 authors (Victor Santos and others)
class StudentController extends Controller
{
    public function __construct()
    {
        parent::__construct();
    }

    /* Será a lista de dados */
    public function index()
    { //action

        $data = array();
        $filters = array();
        $Student = new Student();

        $limit = 18; //limite de itens por página
        $data['currentPage'] = "1"; //atual página

        if (!empty($_GET['p'])) { //caso na url tenha o p, a página atual passa a ter o valor de p
            $data['currentPage'] = $_GET['p'];
        }

        $offset = ($data['currentPage'] * $limit) - $limit; //determina de onde a lista começa

        $data['totalItems'] = $Student->getTotal($filters);
        $data['numberOfPages'] = ceil($data['totalItems'] / $limit); //determina o numero de páginas
        $data['list_student'] = $Student->getAll($limit, $offset, $filters);

        if (isset($_GET) && !empty($_GET)) {
            unset($_GET['p']);
            $data['gets_active'] = http_build_query($_GET);
        }

        //nome do template, nome da view, data
        $this->loadTemplate("admin", "admin/students/list", $data);
    }

    public function create()
    { //action

        $data = array();

```

Controller: StudentController

<?php

You, 4 weeks ago | 2 authors (Victor Santos and one other)

class Student extends Model



```
/*
 * Altere o nome da classe
 * Altere o nome da tabela
 * Altere os campos de acordo com o seu BD
 * Remova esse comentário ao concluir
 */
public function add($name, $document, $date_birth,$phone,$email,$zipcode,$street,$number,$complement,$district,$state,$city,$reference,$observation, $responsible_name_1, $telephone_number_of_the_representative_1, $responsible_name_2, $telephone_number_of_the_representative_2, $image, $image_voice_authorization_attachment)
{
    $sql = "INSERT INTO students (name, document, date_birth, phone, email, zipcode, street, number, complement, district, state, city, reference, observation, responsible_name_1, telephone_number_of_the_representative_1, responsible_name_2, telephone_number_of_the_representative_2, image, image_voice_authorization_attachment)
VALUES (:name, :document, :date_birth, :phone, :email, :zipcode, :street, :number, :complement, :district, :state, :city, :reference, :observation, :responsible_name_1, :telephone_number_of_the_representative_1, :responsible_name_2, :telephone_number_of_the_representative_2, :image, :image_voice_authorization_attachment)";

    echo "<pre>";
    $sql = $this->db->prepare($sql);
    $sql->bindValue(":name", $name);
    $sql->bindValue(":document", $document);
    $sql->bindValue(":date_birth", $date_birth);
    $sql->bindValue(":phone", $phone);
    $sql->bindValue(":email", $email);
    $sql->bindValue(":zipcode", $zipcode);
    $sql->bindValue(":street", $street);
    $sql->bindValue(":number", $number);
    $sql->bindValue(":complement", $complement);
    $sql->bindValue(":district", $district);
    $sql->bindValue(":state", $state);
    $sql->bindValue(":city", $city);
    $sql->bindValue(":reference", $reference);
    $sql->bindValue(":observation", $observation);
    $sql->bindValue(":responsible_name_1", $responsible_name_1);
    $sql->bindValue(":telephone_number_of_the_representative_1", $telephone_number_of_the_representative_1);
    $sql->bindValue(":responsible_name_2", $responsible_name_2);
    $sql->bindValue(":telephone_number_of_the_representative_2", $telephone_number_of_the_representative_2);
    $sql->bindValue(":image", $image);
    $sql->bindValue(":image_voice_authorization_attachment", $image_voice_authorization_attachment);

    $sql->execute();

    if ($sql->rowCount() > 0) {
        return true;
    } else {
        return false;
    }
}

public function update($name, $document, $date_birth,$phone,$email,$zipcode,$street,$number,$complement,$district,$state,$city,$reference,$observation, $responsible_name_1, $telephone_number_of_the_representative_1,$responsible_name_2, $telephone_number_of_the_representative_2,$image,$image_voice_authorization_attachment)
{
    $sql = "UPDATE students SET name = :name, document = :document, date_birth = :date_birth, phone = :phone, email = :email, zipcode = :zipcode, street = :street, number = :number, complement = :complement, district = :district, state = :state, city = :city, reference = :reference, observation = :observation, responsible_name_1 = :responsible_name_1, telephone_number_of_the_representative_1 = :telephone_number_of_the_representative_1, responsible_name_2 = :responsible_name_2, telephone_number_of_the_representative_2 = :telephone_number_of_the_representative_2, image = :image, image_voice_authorization_attachment = :image_voice_authorization_attachment";

    $sql = $this->db->prepare($sql);
    $sql->bindValue(":name", $name);
    $sql->bindValue(":document", $document);
    $sql->bindValue(":date_birth", $date_birth);
```

Model:
students

```

<div class="page">
    Victor Santos, há 2 meses • Editando os arquivos
    <div class="container-fluid">

        <!-- Advanced Select2 -->
        <div class="row clearfix">
            <div class="col-lg-12 col-md-12 col-sm-12">
                <div class="card">
                    <div class="header">
                        <h2>Cadastro de Alunos</h2>
                    </div>
                    <div class="body">
                        <form action="{<?- BASE_URL; ?>}student/store" method="post" enctype="multipart/form-data">

                            <fieldset>
                                <legend>Pessoais</legend>
                                <div class="row clearfix">
                                    <div class="col-lg-4 col-md-6">
                                        <div class="form-group">
                                            <label for="name">Nome: (*)</label>
                                            <input type="text" class="form-control" name="name" id="name" required="">
                                        </div>
                                    </div>


                                    <div class="col-lg-4 col-md-6">
                                        <label for="document">CPF: (*)</label>
                                        <input type="text" class="form-control" name="document" id="document" required="">
                                    </div>

                                    <div class="col-lg-4 col-md-6">
                                        <div class="form-group">
                                            <label for="date_birth">Data de Nascimento: (*)</label>
                                            <input type="date" class="form-control" name="date_birth" id="date_birth" required="">
                                        </div>
                                    </div>
                                </div>
                            </fieldset>
                            <fieldset>
                                <legend>Contato</legend>
                                <div class="row clearfix">
                                    <div class="col-lg-6 col-md-6">
                                        <div class="form-group">
                                            <label for="phone">Whatsapp / Telefone: (*)</label>
                                            <input type="text" class="form-control phone-number" name="phone" id="phone" required="">
                                        </div>
                                    </div>
                                    <div class="col-lg-6 col-md-6">

```

View:

admin-students-add.php



<div class="container-fluid">

View: admin-students-edit.php

<!-- Advanced Select2 -->

<div class="row clearfix">

<div class="col-lg-12 col-md-12 col-sm-12">

<div class="card">

<div class="header">

<h2>Editar Alunos</h2>

</div>

<div class="body">

<form action="<?= BASE_URL; ?>student/update/<?= \$info["id"]; ?>" method="post" enctype="multipart/form-data">

<fieldset>

<legend>Pessoais</legend>

<div class="row clearfix">

<div class="col-lg-4 col-md-6">

<div class="form-group">

<label for="name">Nome: (*)</label>

<input type="text" class="form-control" name="name" id="name" required="" value="<?= \$info["name"]; ?>">

</div>

</div>

<div class="col-lg-4 col-md-6">

<label for="document">Documento: (*)</label>

<input type="text" class="form-control" name="document" id="document" required="" value="<?= \$info["document"]; ?>">

</div>

<div class="col-lg-4 col-md-6">

<div class="form-group">

<label for="date_birth">Data de Nascimento: (*)</label>

<input type="date" class="form-control" name="date_birth" id="date_birth" required="" value="<?= date('Y-m-d', strtotime(\$info['date_birth']">

</div>

</div>

</div>

</fieldset>

<fieldset>

<legend>Contato</legend>

<div class="row clearfix">

<div class="col-lg-6 col-md-6">

<div class="form-group">

<label for="phone">Whatsapp / Telefone: (*)</label>

<input type="text" class="form-control phone-number" name="phone" id="phone" required="" value="<?= \$info["phone"]; ?>">

</div>

</div>

<div class="col-lg-6 col-md-6">

v views

v admin

> attachments

> events

> financial

> presentation

v students

🐘 add.php

🐘 edit.php

🐘 list.php

View: admin-students-list.php

views

admin

> attachments

> events

> financial

> presentation

students

add.php

edit.php

list.php

```

<div class="page">
  <div class="container-fluid">
    <div class="alert alert-success" role="alert">
    </div>
    <?php unset($_SESSION['success']); ?>
  <?php endif; ?>
  <div class="row clearfix">
    <div class="col-md-12">
      <div class="card">
        <div class="header">
          <h2>Lista de Alunos</h2>
          <a href="<? = BASE_URL; ?>Student/create" class="btn btn-primary btn-lg">Cadastrar Alunos</a>
        </div>
        <div class="body">
          <div class="table-responsive">
            <table class="table va_center mb-0">
              <thead>
                <tr>
                  <th>#</th>
                  <th>Nome</th>
                  <th>Contato</th>
                  <th>Cidade</th>
                  <th>Ações</th>
                </tr>
              </thead>
              <tbody>
                <?php if (count($list_student) != 0) : ?>
                  <?php foreach ($list_student as $key => $items) : ?>
                    <tr>
                      <td><? = $items['id']; ?></td>
                      <td><? = $items['name']; ?></td>
                      <td><a href="https://wa.me/55<? = $items['phone']; ?>>text=01%C3%A1+<? = $items['name']; ?>+...." target="_blank" rel="noopener noreferrer"></td>
                      <td>
                        <? = $items['city']; ?>
                      </td>
                      <td>
                        <a href="<? = BASE_URL; ?><? = $value['voice_video_authorization']; ?>" target="_blank" download class="btn btn-success btn-sm">Anexos</a>
                        <a href="#" class="btn btn-info btn-sm" data-toggle="modal" data-target="#exampleModal" title="Adicionar Turma" onclick="modalStudentId(
                          <a href="<? = BASE_URL; ?>Student/edit/<? = $items['id']; ?>">button type="button" class="btn btn-warning btn-sm" title="Editar"><i <
                          <a href="<? = BASE_URL; ?>Student/destroy/<? = $items['id']; ?>" onclick="return confirm('Deseja realmente excluir esse Aluno?');">bu
                        </td>
                      </tr>
                    </tr>
                  <?php endforeach; ?>
                <?php else : ?>
                  <tr>
                    <td colspan="5" class="text-center">Ainda não há Alunos cadastrados.</td>
                  </tr>
                </tbody>
              </table>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

Cadastrar aluno-estudante

Pessoais

Nome: (*)

CPF: (*)

Data de Nascimento: (*)

dd/mm/aaaa



Contato

Whatsapp / Telefone: (*)

E-mail:

Endereço

CEP: (*)

Rua: (*)

Número: (*)

Complemento:

Bairro: (*)

Estado:

Selecione um Estado



Cidade:

Selecione uma cidade



Referência:

Observação:

Nome do Responsável 1: (*)

Número de telefone do representante 1: (*)

Nome do Responsável 2:

Número de telefone do representante 2:

Imagem: (*)

Escolher arquivo

Nenhum ar...o escolhido

Autorização de imagem e voz: (*)

Escolher arquivo

Nenhum ar...o escolhido

Observação: (*)

Cadastrar

Lista de chamada: Turma- forró

Lista de Alunos - Turma: Forró

Visualizar todas chamadas

Informações Gerais

Data: (*)

31/05/2024



Hora: (*)


13:44



| # | Nome | Documento | Presença | Observação |
|----|-------------|----------------------|--------------------------|---------------------------|
| 11 | Janna Foley | Minima ea quia fugia | <input type="checkbox"/> | <div>está em viagem</div> |


Atualizar Presença

Modulo: Anotações com lista de alunos com pendência de pagamento

 Ges Dance

🏠 / Dashboard

🔍 Search...



Sabrina Rodrigues

Admin

📧

📷

✉️

🏠 INÍCIO

Modulos

Turmas

Eventos

Alunos

Professor

Controle Financeiro

Anexos

Dashboard

Número de Alunos

20

Eventos

2

Professores

1

Anotações

B

I

H

🔗

🖼️

📋

📋

</>

💬

🔍 Preview

Área destina a pequenas anotações - lembretes...

Salvar

Alunos com pendecia de pagamento

| # | Nome | Turma | Valor | Ação |
|---|--------|--------------|----------|---|
| 1 | Lucas | Forro | 50 Reais | <div><div>✍️</div><div>🗑️</div><div>💰</div></div> |
| 2 | Marcos | Dança Urbana | 65 Reais | <div><div>✍️</div><div>🗑️</div><div>💰</div></div> |
| 3 | Victor | Ritmos | 60 Reais | <div><div>✍️</div><div>🗑️</div><div>💰</div></div> |

O link do home do projeto:

<https://gesdance.infocept.com.br/> do

ADMIN:

<https://gesdance.infocept.com.br/ADMIN>

estão sendo atualizados constantemente
em tempo real

login: sabrinadanca@hotmail.com

senha: gesdance123