

## ATIVIDADE 01:

### Exercício 01:

1, 2 & 3)

```
Prompt de Comando

C:\Users\User>git -v
git version 2.44.0.windows.1

C:\Users\User>
```

### Exercício 02:

1, 2 & 3)

```
C:\Users\User>git config --global user.name "Lucas Cesar Silva Oliveira"

C:\Users\User>git config --global user.email "lucascesardev2023@gmail.com"

C:\Users\User>git config --global core.editor "code"

C:\Users\User>git config --global user.name
Lucas Cesar Silva Oliveira

C:\Users\User>git config --global user.email
lucascesardev2023@gmail.com

C:\Users\User>git config --global core.editor
code
```

```
C:\Users\User>git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.email=lucascesardev2023@gmail.com
user.name=Lucas Cesar Silva Oliveira
core.editor=code
```

Exercício 03:  
1 & 2)

LucasC-Dev21

Q Type **[Z]** to search


Overview

Repositories **3**

Projects

Packages

Stars



Lucas Cesar Silva Oliveira

LucasC-Dev21

Popular repositories

Servi-SY

Public

Ecommerce de serviços - Trabalho da faculdade

JavaScript

5 contributions in the last year

Contribution settings

2025

2024

Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug

Mon

Wed

Fri

Learn how we count contributions

Less  More

## ATIVIDADE 02:

### Exercício 01:

1, 2 & 3)


#### Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk (\*).

##### 1 General

Owner \*

 LucasC-Dev21 ▾

Repository name \*

aula-git-github

✓ aula-git-github is available.

Great repository names are short and memorable. How about [crispy-tribble](#)?


Description

0 / 350 characters

##### 2 Configuration

Choose visibility \*

Choose who can see and commit to this repository

 Public ▾


Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On ☒

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

 Node ▾


Add license

Licenses explain how others can use your code. [About licenses](#)

No license ▾

Create repository

4)



## Exercício 02:

1, 2, 3, 4 & 5)

```
C:\Users\User\Desktop> git clone https://github.com/LucasC-Dev21/aula-git-github
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.


C:\Users\User\Desktop>cd aula-git-github

C:\Users\User\Desktop\aula-git-github>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

## Exercício 03:

1, 2, & 3)



4)

```
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
       Teste.js

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\User\Desktop\aula-git-github>
```

5 & 6)

```
PS C:\Users\User\Desktop\aula-git-github> git add .
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
       new file:   Teste.js

PS C:\Users\User\Desktop\aula-git-github>
```

7, 8 & 9)

```
PS C:\Users\User\Desktop\aula-git-github> git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
[main 81eb56c] Primeiro commit do projeto: classe Java Teste vazia.
 1 file changed, 3 insertions(+)
 create mode 100644 Teste.js
PS C:\Users\User\Desktop\aula-git-github> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 375 bytes | 375.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github-estudo:LucasC-Dev21/aula-git-github.git
   5e72a56..81eb56c  main -> main
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\User\Desktop\aula-git-github>
```

10)

The screenshot shows the GitHub repository page for 'aula-git-github'. At the top, there's a repository name 'aula-git-github' with a 'Public' badge. Below it, there are buttons for 'Pin', 'Watch', and '0'. The repository has a 'main' branch, 1 branch, and 0 tags. A search bar 'Go to file' and buttons 'Add file' and 'Code' are present. The commit history shows a single commit by 'LucasC-Dev21' with the message 'Primeiro commit do projeto: classe Java Teste vazia.' and a timestamp of '81eb56c · 1 minute ago'. The commit details show three files: '.gitignore' (Initial commit, 15 minutes ago), 'README.md' (Initial commit, 15 minutes ago), and 'Teste.js' (Primeiro commit do projeto: classe Java Teste vazia., 1 minute ago).

## Exercício 04:

1 & 2)

The screenshot shows the GitHub file viewer for 'Teste.js'. The file is located in the 'aula-git-github' repository. The file content is as follows:

```
1 class Teste{
2   static main(){
3     const num1 = 3
4     const num2 = 5
5     let soma;
6     soma = num1 + num2;
7   }
8 }
```

The file has 8 lines (8 loc) and 132 Bytes. The 'Symbols' panel on the right shows the following symbols:

- class Teste
- func main

3)

```
nothing to commit, working tree clean
PS C:\Users\User\Desktop\aula-git-github> git fetch
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 986 bytes | 5.00 KiB/s, done.
From github-estudo:LucasC-Dev21/aula-git-github
81eb56c..e7b0442 main -> origin/main
PS C:\Users\User\Desktop\aula-git-github>
```

4)

The screenshot shows the VS Code editor with the 'Teste.js' file open. The Explorer panel on the left shows the file structure of the 'AULA-GIT-GITHUB' project, including '.gitignore', 'README.md', and 'Teste.js'. The editor window shows the following code:

```
1 class Teste{
2
3 }
```

5)


```
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)

nothing to commit, working tree clean
PS C:\Users\User\Desktop\aula-git-github>
```

6)

```
PS C:\Users\User\Desktop\aula-git-github> git pull
Updating 81eb56c..e7b0442
Fast-forward
 Teste.js | 9 ++++++--
 1 file changed, 7 insertions(+), 2 deletions(-)
PS C:\Users\User\Desktop\aula-git-github>
```

7)



```
EXPLORER
AULA-GIT-GITHUB
  .gitignore
  README.md
  Teste.js

Teste.js
1  class Teste{
2      static main(){
3          const num1 = 3
4          const num2 = 5
5          let soma;
6          soma = num1 + num2;
7      }
8  }
9
```

8)

```
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\User\Desktop\aula-git-github>
```

## Exercício 05:

1)

[aula-git-github](#) / Teste.js

```
LucasC-Dev21 Update2 Teste.js

Code Blame 10 lines (9 loc) · 159 Bytes

1  class Teste{
2    static main(){
3      const num1 = 3
4      const num2 = 5
5      let soma;
6      soma = num1 + num2;
7
8      console.log(soma)
9    }
10 }
```

2)

```
PS C:\Users\User\Desktop\aula-git-github> git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 960 bytes | 9.00 KiB/s, done.
From github-estudo:LucasC-Dev21/aula-git-github
   e7b0442..c496cec  main      -> origin/main
Updating e7b0442..c496cec
Fast-forward
 Teste.js | 2 ++
1 file changed, 2 insertions(+)
```

3)

```
EXPLORER
└─ AULA-GIT-GITHUB
   ├── .gitignore
   ├── README.md
   └── Teste.js

Teste.js
1  class Teste{
2    static main(){
3      const num1 = 3
4      const num2 = 5
5      let soma;
6      soma = num1 + num2;
7
8      console.log(soma)
9    }
10 }
11
```



4)

```
PS C:\Users\User\Desktop\aula-git-github> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```