

## Model Report

---

# Use Case Model

*Package in package 'Model'*

# Use Case Model diag

*Use Case diagram in package 'Us'*



# Model Report

---

EA 15.2 Unregistered Trial

EA 15.2 Unregistered Trial

EA 15.2 Unregistered Trial



# Model Report

---

## OUTGOING STRUCTURAL RELATIONSHIPS

 Generalization from Administra

## ASSOCIATIONS

 Association (direction: Unspecified)

Source: Public (Actor) Administration

 Association (direction: Unspecified)

# Model Report

---

## INCOMING STRUCTURAL RE

→ Generalization from Adminis

## ASSOCIATIONS

/ Association (direction: Unspe

Source: Public (Actor) Usuario

# Model Report

---

## CONNECTORS

↗ Extend «extend»      Source -

From:      agregar cines : UseCase

To:      Administrar cines : Us

↗ Extend «extend»      Source -

From:      eliminar cines : UseCa

To:      Administrar cines : Us

↗ Extend «extend»      Source -

From:      modificar cines : UseC

To:      Administrar cines : Us

# Model Report

---

## CONNECTORS

↗ Extend «extend»      Source -  
From:      administrar salas de ci  
To:      Administrar cines : UseCase

↗ Extend «extend»      Source -  
From:      agregar sala : UseCase  
To:      administrar salas de ci

↗ Extend «extend»      Source -  
From:      eliminar sala : UseCase  
To:      administrar salas de ci

# Model Report

---

## CONNECTORS

 **Include** «include» Source -

From: agregar funcion : UseCase

To: agregar sala : UseCase

 **Extend** «extend» Source -

From: agregar funcion : UseCase

To: ver listado de peliculas

 **Extend** «extend» Source -

From: agregar funcion : UseCase

To: administrar funciones

# Model Report

---

## CONNECTORS

↗ Extend «extend» Source -  
From: Comprar entradas a fun  
To: seleccionar funcion : Us

↗ Extend «extend» Source -  
From: pagar : UseCase, Publi  
To: Comprar entradas a fun

## eliminar cines

*UseCase in package 'Primary Use*

# Model Report

---

## CONNECTORS



**Extend** «extend»      Source -  
From:      eliminar sala : UseCas  
To:      administrar salas de ci

## iniciar sesion

*UseCase in package 'Primary Use*

## CONNECTORS

## Model Report

---

# modificar sala

*UseCase in package 'Primary Use Cases'*

## CONNECTORS



**Extend** «extend»      Source -  
From:      modificar sala : UseCase  
To:      administrar salas de ci

# Model Report

---

*UseCase in package 'Primary Use Cases'*

## CONNECTORS

 **Extend** «extend»      Source ->  
From:      seleccionar funcion : UseCases  
To:      ver cartelera : UseCases

 **Extend** «extend»      Source ->  
From:      Comprar entradas a función : UseCases  
To:      seleccionar funcion : UseCases

# Model Report

---

## CONNECTORS



**Extend** «extend»      Source -

From:      ver cartelera filtrada p

To:      ver cartelera : UseCase

# ver entradas compradas

*UseCase in package 'Primary UseCases'*

## CONNECTORS

# Model Report

---

## CONNECTORS

↗ Extend «extend» Source -

From: ver ventas por funcion

To: ver ventas : UseCase,

↗ Extend «extend» Source -

From: ver ventas por cine : U

To: ver ventas : UseCase,

↗ Extend «extend» Source -

From: ver ventas por pelicula

# Model Report

---

## CONNECTORS



**Extend** «extend»      Source -  
From:      ver ventas por cine : U  
To:      ver ventas : UseCase,

## ver ventas por función

*UseCase in package 'Primary UseCase'*

## CONNECTORS

# Model Report

---

## OUTGOING STRUCTURAL RELATIONSHIPS

 Generalization from Administra

## ASSOCIATIONS

 Association (direction: Unspecified)

Source: Public (Actor) Administration

 Association (direction: Unspecified)

# Model Report

---

## INCOMING STRUCTURAL RE

→ Generalization from Adminis

## ASSOCIATIONS

/ Association (direction: Unspe

Source: Public (Actor) Usuario

# Primary Use Cases

*Package in package 'Use Case Model'*

## Actualizar base de datos

*UseCase in package 'Primary Use Cases'*

# Model Report

---

## ASSOCIATIONS



Association (direction: Unspec)

Source: Public (Actor) Administration

# administrar funciones

*UseCase in package 'Primary Use Cases'*

# Model Report

---

## CONNECTORS

↗ Extend «extend»      Source -  
From:      eliminar sala : UseCas  
To:      administrar salas de ci

↗ Extend «extend»      Source -  
From:      modificar sala : UseCas  
To:      administrar salas de ci

# agregar cines

*UseCase in package 'Primary Use*

# Model Report

---

## agregar sala

*UseCase in package 'Primary Use Cases'*

### CONNECTORS

↗ **Include** «include»      Source  
From:      agregar sala : UseCase  
To:      agregar cines : UseCase

↗ **Extend** «extend»      Source -

# Model Report

---

## CONNECTORS

↗ **Extend** «extend»      Source -  
From:      crear funcion de pelicula  
To:            ver listado de peliculas

↗ **Include** «include»      Source -  
From:      crear funcion de pelicula  
To:            agregar sala : UseCase

**eliminar cines**

# Model Report

---

## CONNECTORS



**Extend** «extend»      Source -  
From:      eliminar sala : UseCas  
To:      administrar salas de ci

## iniciar sesion

*UseCase in package 'Primary Use*

## CONNECTORS

## Model Report

---

# modificar sala

*UseCase in package 'Primary Use Cases'*

## CONNECTORS



**Extend** «extend»      Source ->  
From:      modificar sala : UseCase  
To:      administrar salas de ciencia

# Model Report

---

## CONNECTORS

↗ **Extend** «extend»      Source ->  
From:      seleccionar funcion : UseCase  
To:            ver cartelera : UseCase

↗ **Extend** «extend»      Source ->  
From:      Comprar entradas a función : UseCase  
To:            seleccionar funcion : UseCase

# Model Report

---

## ver entradas comprada

*UseCase in package 'Primary Use Cases'*

### CONNECTORS

 **Extend** «extend»      Source ->  
From:      ver entradas comprada  
To:      iniciar sesion : UseCas

# Model Report

---

## CONNECTORS

↗ **Extend** «extend» Source -  
From: ver ventas por funcion  
To: ver ventas : UseCase,

↗ **Extend** «extend» Source -  
From: ver ventas por cine : U  
To: ver ventas : UseCase,

↗ **Extend** «extend» Source -  
From: ver ventas por pelicula  
To: ver ventas : UseCase,

↗ **Extend** «extend» Source -

# Model Report

---

## CONNECTORS



**Extend** «extend»      Source -  
From:      ver ventas por cine : U  
To:      ver ventas : UseCase,

## ver ventas por funcion

*UseCase in package 'Primary UseCase'*

## CONNECTORS