




ROOT



BUS_INTERFACE_UNIT



TEST_BUS_INTERFACE_UNIT

*SCRIPT GENERATOR TEST_BUS_INTERFACE_UNIT

```

ALIAS MIO_BUS = M/$IO$_BUS
ALIAS RD_BUS = $RD$_BUS
ALIAS WR_BUS = $WR$_BUS
ALIAS DIO = $DI$/DO
ALIAS DEN = $DEN$
ALIAS ALE = $ALE$
ALIAS ACO = $ACO$
ALIAS ONOFF = $ON$/OFF

```

```

PIN DPIN[0..7] = FLT
PIN DBUS[0..7] = FLT
PIN ABUS[0..7] = FLT
PIN MIO_BUS = FLT
PIN RD_BUS = FLT
PIN WR_BUS = FLT
PIN DIO = FLT
PIN DEN = FLT
PIN ALE = FLT
PIN ACO = FLT
PIN ONOFF

```

```

IF ONOFF = TRUE
  DPIN[0..7] = FLT
  DBUS[0..7] = FLT
  ABUS[0..7] = FLT
  MIO_BUS = FLT
  RD_BUS = FLT
  WR_BUS = FLT
  DIO = FLT
  DEN = FLT
  ALE = FLT
  ACO = FLT
ELSE
  DBUS[0..7] = $1A AFTER 3.5m
  DBUS[0..7] = $2B AFTER 5.5m
  DBUS[0..7] = $3C AFTER 7.5m
  DPIN[0..7] = $1A AFTER 13.5m
  DPIN[0..7] = $2B AFTER 15.5m
  DPIN[0..7] = $3C AFTER 17.5m
  ABUS[0..7] = $1A AFTER 3.5m
  ABUS[0..7] = $2B AFTER 5.5m
  ABUS[0..7] = $3C AFTER 7.5m
  ABUS[0..7] = $4D AFTER 9.5m
  ABUS[0..7] = $5E AFTER 11.5m
  ABUS[0..7] = $6F AFTER 13.5m
  DIO = 1 AFTER 1m
  DIO = 0 AFTER 10.5m
  DEN = 1 AFTER 1m
  DEN = 0 AFTER 3.5m
  DEN = 1 AFTER 20.5m
  ALE = 1 AFTER 1m
  ALE = 0 AFTER 3.5m
  ALE = 1 AFTER 10.5m
  ACO = 1 AFTER 1m
  ACO = 0 AFTER 4.5m
  ACO = 1 AFTER 14.5m
  MIO_BUS = 1 AFTER 1m
  MIO_BUS = 0 AFTER 8.5m
  MIO_BUS = 1 AFTER 12.5m
  RD_BUS = 1 AFTER 1m
  RD_BUS = 0 AFTER 8.5m
  RD_BUS = 1 AFTER 12.5m
  WR_BUS = 1 AFTER 1m
  WR_BUS = 0 AFTER 8.5m
  WR_BUS = 1 AFTER 12.5m
  SLEEP FOR 9.5m
  DBUS[0..7] = FLT
  SLEEP FOR 10m
  DPIN[0..7] = FLT
ENDIF

```

END

*ENDSCRIPT

*SCRIPT GENERATOR TEST_BIU_CLOCK

ALIAS ONOFF = \$ON\$/OFF

```

PIN ONOFF
PIN CLK = FLT

```

INT i

```

IF ONOFF = TRUE THEN
  CLK = FLT
ELSE
  FOR i = 0 TO 20 STEP 1
    SLEEP FOR 1m
    CLK = 0
    SLEEP FOR 1m
    CLK = 1
  NEXT i
ENDIF

```

END

*ENDSCRIPT

