









RAM

*SCRIPT GENERATOR RAM

ALIAS CE = \$CE\$
ALIAS OE = \$OE\$
ALIAS WE = \$WE\$
ALIAS READY = \$READY\$





PIN CE = 0
PIN OE = 1
PIN WE = 1
PIN READY = 1
PIN ADDR[0..7]

INT A

FOR A = 0 TO 255
 ADDR[0..7] = A
 SLEEP FOR 0.5m
 WE = 0
 SLEEP FOR 1m
 WE = 1
 SLEEP FOR 0.5m
NEXT A
READY = 0

END

*ENDSCRIPT



TEST_RAM

*SCRIPT GENERATOR TEST_RAM

ALIAS CE = \$CE\$
ALIAS OE = \$OE\$
ALIAS WE = \$WE\$
ALIAS DAT = DATA

PIN ADDR[0..7] = FLT
PIN DAT[0..7] = FLT
PIN CE = 1
PIN OE = 1
PIN WE = 1

INT A, D

// Check Programming
SLEEP FOR 1000m
CE = 0
OE = 0
FOR A = 0 TO 255
 ADDR[0..7] = A
 SLEEP FOR 1m
 NEXT A
ADDR[0..7] = FLT
CE = 1
OE = 1

// Read-Write-Read
SLEEP FOR 100m
CE = 0
ADDR[0..7] = \$A0
OE = 0
SLEEP FOR 1m
OE = 1
SLEEP FOR 1m
DAT[0..7] = \$55
SLEEP FOR 0.5m
WE = 0
SLEEP FOR 1m
WE = 1
SLEEP FOR 0.5m
DAT[0..7] = FLT
SLEEP FOR 1m
OE = 0
SLEEP FOR 1m
ADDR[0..7] = FLT
OE = 1
CE = 1

END

*ENDSCRIPT

