




ROOT



STACK_POINTER



TEST_STACK_POINTER

*SCRIPT GENERATOR TEST_STACK_POINTER

ALIAS ONOFF = \$ON\$/OFF
 ALIAS UPDOWN = UP/\$DOWN\$
 ALIAS CE = \$CE\$
 ALIAS IE = \$IE\$
 ALIAS OE = \$OE\$

PIN ONOFF
 PIN DBUS[0..7] = FLT
 PIN UPDOWN = FLT
 PIN CE = FLT
 PIN IE = FLT
 PIN OE = FLT

IF ONOFF = TRUE
 DBUS[0..7] = FLT
 UPDOWN = FLT
 CE = FLT
 IE = FLT
 OE = FLT

ELSE
 CE = 1 AFTER 1m
 CE = 0 AFTER 3.5m
 CE = 1 AFTER 52.5m
 IE = 1 AFTER 1m
 IE = 0 AFTER 8.5m
 IE = 1 AFTER 10.5m
 IE = 0 AFTER 20.5m
 IE = 1 AFTER 22.5m
 IE = 0 AFTER 40.5m
 IE = 1 AFTER 42.5m
 UPDOWN = 1 AFTER 1m
 UPDOWN = 0 AFTER 30.5m
 OE = 0 AFTER 1m
 OE = 1 AFTER 49.5m
 OE = 0 AFTER 50.5m
 DBUS[0..7] = \$OE AFTER 7.5m
 SLEEP FOR 10.5m
 DBUS[0..7] = FLT
 DBUS[0..7] = \$FE AFTER 9m
 SLEEP FOR 12m
 DBUS[0..7] = FLT
 DBUS[0..7] = \$11 AFTER 17m
 SLEEP FOR 20m
 DBUS[0..7] = FLT
 ENDIF

END

*ENDSCRIPT

*SCRIPT GENERATOR TEST_SP_CLOCK

ALIAS ONOFF = \$ON\$/OFF

PIN ONOFF
 PIN CLK = FLT

INT i

IF ONOFF = TRUE THEN
 CLK = FLT
 ELSE
 FOR i = 0 TO 26 STEP 1
 SLEEP FOR 1m
 CLK = 0
 SLEEP FOR 1m
 CLK = 1
 NEXT i

ENDIF

END

*ENDSCRIPT

