

data.ts

```

interface Product {
    type: string;
    name: string;
    price: string;
}

array products: Product = [
    {type: "Waffelart", name: "Waffel", price: "0,10"}, 
    {type: "...", name: "...", price: "..."}]

```

AD Eisdealer 2


```

classDiagram
    participant Mitarbeiter
    participant Daten as typieren der Daten
    Mitarbeiter --> Daten : in data.ts

```

rest siehe EO 4 Skizze

Eisdealer Use Cases



Eis dealer Skizze cdivid "shoppingCat"

ch1>

Eis dealer	
Cone	<input type="checkbox"/>
<small>div id="flavour"</small>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
Checkbox <small>id="checkbox"</small>	<input checked="" type="checkbox"/> flavour 1 <input type="radio"/> <input type="radio"/>
	<input type="checkbox"/> flavour 2 <input type="checkbox"/> <input type="checkbox"/>
<small>stepper amount</small>	

dropdown id="ConeColor"

Shopping Card	
	<input type="radio"/>

dropdown id="topping"

Topping	
Address ...	<input type="checkbox"/>
Email ...	<input type="checkbox"/>

Radio id="Shipping"

shippings 1 shippings 2

Validate Order	
----------------	--

