

Alignment Stats

Lucas Michel Todó, Cristina Bancells
Alfred Cortes and Juan R. Gonzalez

Barcelona Global Health Institute (ISGlobal), Campus PRBB

March 6, 2017

Contents

1	Importing Data	2
2	Plots	2
2.1	MAPQ	2
2.2	Fragment Length	33

1 Importing Data


First we import the data for every alignment:

```
#### Fetch files and create iterables ####  
file_names <- list.files("/home/lucas/ISGlobal/TestSet/align_tests/inputs/")  
file_names <- unique(lapply(file_names, function(x) substr(x,1,17)))  
  
dirs <- list.files("/home/lucas/ISGlobal/TestSet/align_tests/")[substr(list.files("/home/lucas/ISGlobal/TestSet/align_tests/"), 1, 17) %in% file_names]
```


2 Plots

2.1 MAPQ


```
for (dir in dirs){  
  for (x in file_names){  
    mapq <- read.csv2(file = paste0("/home/lucas/ISGlobal/TestSet/align_tests/", x, ".csv"))  
    df <- as.data.frame(as.numeric(mapq))  
    colnames(df) <- "MAPQ"  
    title <- x  
    print(ggplot(df, aes(x = MAPQ)) +  
          geom_histogram(binwidth = 1) +  
          labs(x = "MAPQ", y = "Count") +  
          ggtitle(title) +  
          theme(plot.title = element_text(hjust = 0.5)) +  
          scale_x_continuous(breaks = seq(0, 45, by = 2), limits = c(0,48)) +  
          scale_y_continuous(breaks = seq(0,80000, by = 5000)))  
  
    plot.new()  
    print(table(df > 5))  
  }  
}
```




```
##  
## FALSE TRUE  
## 32237 77763
```




```
##  
## FALSE  TRUE  
## 10747 99253
```




```
##  
## FALSE TRUE  
## 36833 73167
```


```
##  
## FALSE  TRUE  
##  2265    5
```




```
##  
## FALSE  TRUE  
## 15355 94645
```




```
##  
## FALSE TRUE  
## 30779 79221
```




```
##  
## FALSE  TRUE  
## 10396 99604
```


```
##  
## FALSE TRUE  
## 35707 74293
```




```
##  
## FALSE  TRUE  
##  2265    5
```



```
##  
## FALSE  TRUE  
## 14955 95045
```




```
##  
## FALSE TRUE  
## 31263 78737
```





```
##  
## FALSE  TRUE  
## 11487 98513
```


E5K9_14457_ACTTGA



```
##  
## FALSE TRUE  
## 4521 9328
```



```
##  
## FALSE  TRUE  
##  2264    6
```




```
##  
## FALSE  TRUE  
## 15614 94386
```



2.2 Fragment Length

```
for (dir in dirs){
  for (x in file_names){
    lens <- read.csv2(file = paste0("/home/lucas/ISGlobal/TestSet/align_tests/"),
    abs_lens <- abs(as.numeric(lens))
    for (element in abs_lens){
      if (element > 3000){abs_lens[element] <- 0}
    }
    df <- as.data.frame(abs_lens[abs_lens != 0])
    colnames(df) <- "len"
    title <- x
    print(ggplot(df, aes(x = len)) +
      geom_histogram(bins = 100) +
      labs(x = "Lengths", y = "Count") +
      ggtitle(title) +
      theme(plot.title = element_text(hjust = 0.5)) +
      scale_x_continuous(breaks = seq(75, 550, by = 25), limits = c(75,550)))
    plot.new()
  }
}
```


```
## Warning: Removed 947157 rows containing non-finite values (stat_bin).
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 26 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 20 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 1242026 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 948769 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 2966 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 1542 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```





```
## Warning: Removed 2 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 1244840 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 2216571 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 3892 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```




```
## Warning: Removed 268 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```



```
## Warning: Removed 1 rows containing missing values (geom_bar).
```



```
## Warning: Removed 1888585 rows containing non-finite values (stat_bin).  
## Warning: Removed 1 rows containing missing values (geom_bar).
```



```

mapq <- read.csv2(file = "/home/lucas/ISGlobal/TestSet/align_tests/params_1/A7K9
df <- as.data.frame(as.numeric(mapq))
colnames(df) <- "MAPQ"
title <- "A7K9_14456_TTAGGC"
print(ggplot(df, aes(x = MAPQ)) +
      geom_histogram(binwidth = 1) +
      labs(x = "MAPQ", y = "Count") +
      ggtitle(title) +
      theme(plot.title = element_text(hjust = 0.5)) +
      scale_x_continuous(breaks = seq(0, 45, by = 2), limits = c(0,48)) +
      scale_y_continuous(breaks = seq(0,80000, by = 5000)))

```

And some text after.




Figure 1: Tralala