

World Mall – Mini App fix pass (send/verify/guest), live feed, UI trim, profiles, default light theme

Goal: Make the World Mall Mini App fully usable: guests and verified can **send messages from World App**, live feed shows, UI is tidy, and verified users have basic profiles. Keep the web version working the same.

Do all tasks below. Use the exact file hints. Run acceptance checks after each section.

1) Robust session in WebView (cookie + header)

Why: iOS/Android WebViews can drop cookies. We need a dual path.

Client

- **File:** `client/src/lib/session.ts` (create if missing)
 - Export `getSessionId()` that:
 1. Reads from `localStorage['wm_sid']`.
 2. If absent, `POST /api/session` to create one; store it in `localStorage['wm_sid']`.
- **File:** `client/src/lib/api.ts` (or wherever fetch wrappers live)
 - Ensure every request adds `headers: {'X-Session': <getSessionId()>}`. If you're already setting `credentials: 'include'`, keep that. We want BOTH cookie and header.
- **File:** `client/src/pages/global-square.tsx` and any composer component
 - Before first send, call `await getSessionId()` to guarantee an id exists.

Server

- **File:** `server/routes.ts` (or middleware)
 - In `handleGuestSession` (or equivalent), accept **either** cookie `wm_sid` or header `X-Session / Authorization: Bearer`.
 - If only header exists, **set/refresh** the cookie too (HttpOnly, SameSite=Lax in dev, None+Secure in prod).
- **New endpoint:** `POST /api/session`
 - Returns `{sid}` (existing or new). Ensure it also sets the cookie.

Acceptance:

- In Mini App (iOS), open Global Square. Without verifying, send a short message. It **succeeds** and shows in web Preview feed.
- In browser (web), guest sends still work.

2) Make Mini App prefer polling for live feed

Client

- **File:** `client/src/hooks/use-websocket.ts` (or wherever live updates handled)
 - Detect Mini App (`window?.minikit` / user-agent fallback) and set `strategy = 'poll'`.
 - Poll `/api/messages?room=global&since=<lastId>` every 2–3s in Mini App only.
- **File:** `client/src/pages/landing.tsx`
 - The “Live from Global Square” preview must use the same polling fallback when in Mini App context.

Acceptance:

- In Mini App, the “Live from Global Square” updates within ~3s of new posts.
-

3) World ID verify → server v2 (Cloud) → upgrade role

Client

- **File:** `client/src/hooks/use-auth-role.ts`
 - After verify success, call `POST /api/verify/worldid` with the proof and **include X-Session header**.
 - On `{ok:true, role:'verified'}`, update local auth store and **hide** verify/guest controls in the composer.
- **File:** `client/src/pages/global-square.tsx`
 - If `role === 'verified'`, hide the “Verify for Full Access” area and the “Guest Mode” chip.

Server

- **File:** `server/routes.ts` in `/api/verify/worldid`
 - Ensure we associate the verification with the **session id** we resolved in Task 1 (cookie or header).
 - Return `{ok:true, role:'verified'}` and set `wm_uid` cookie + keep session mapping.

Acceptance:

- In Mini App, tap **Verify**, complete flow, and then **send a 100+ char** message (should succeed). Verify UI hides guest/verify controls.
-

4) Landing & room UI trim (clean, friendly)

Copy & layout

- **File:** `client/src/pages/landing.tsx`
 - Keep hero title **World Mall**.
 - Subtitle: **“Talk. Learn. Build. Connect.”** (remove “One human, one voice.”)
 - Replace “Verify with World ID” big button with a **small shield icon button** to the right of “Enter Global Square”. Tooltip: “Verify to unlock full chat”.
 - Remove/Hide **Admin Access** button (leave route but no visible CTA).
 - Remove the yellow “open in World App” banner in web; keep a small hint text only on web if necessary.

Room UI

- **File:** `client/src/components/message-item.tsx`
 - Remove mic icon, the star/heart/laugh cluster.
 - Add compact controls:  (**upvote**),  (**downvote**),  (**star**),  (**grey emoji launcher**).
 - Emoji launcher opens a small popover with a few defaults (👍 ❤️ 😂 🔥) and a “+ custom” disabled stub.
- **File:** `client/src/components/report-modal.tsx`
 - Add an overflow “...” menu on each message: **Report**, **Mute**, **Block user** (block/mute can be stubs with toast for now; report should call the existing endpoint).

Acceptance:

- Landing shows new copy and smaller shield button.
 - Message items show the new action row; mic & old right-corner cluster are gone.
-

5) Profiles (verified-only edit, everyone can view)

Schema

- **File:** `shared/schema.ts`
 - For `humans` table, add nullable columns: `avatarUrl`, `mbti`, `zodiac`, `ageSmallInt`.

- Add index on `handle`.
- Update insert/update schemas & types. Run `npm run db:push`.

API

- **Server endpoints:**
 - `GET /api/profile/:handle` → returns public fields and counts.
 - `PUT /api/me/profile` (verified only) → accepts `{avatarUrl?, mbti?, zodiac?, age?}` and updates the current human by `wm_uid` / session.

Client

- **File:** `client/src/components/profile-modal.tsx`
 - View mode for other users (open from tapping a username).
 - If viewing own profile and verified → show **Edit** button (opens a simple form with avatar picker (URL upload for now), MBTI dropdown, Zodiac dropdown, Age numeric).
- **File:** `client/src/pages/global-square.tsx`
 - Ensure clicking an author chip opens the profile lightbox.

Acceptance:

- As verified user, open your profile, edit MBTI/zodiac/age → save → reopen and see changes.
- Viewing others shows read-only.

6) Hide the referral dashboard for now

- **File:** wherever the referrals route is linked (landing + header)
 - If feature flag `ENABLE_REFERRALS !== 'true'`, hide link and route should render a small “Coming soon” page, not a red X.

Acceptance:

- No more big red X; either hidden or “Coming soon”.

7) Theme: default light, toggle + sunrise/sunset

- **File:** `client/index.html`
 - Set `<html data-theme="light">` as hard default.

- **File:** `client/src/index.css` (or theme provider)
 - Ensure theme reads from `document.documentElement.dataset.theme` without FOUC.
- **File:** `client/src/components/ThemeToggle.tsx` (or create)
 - Toggle with 4 options: **Light / Dark / System / Auto (Sunrise→Sunset)**. Persist as `localStorage['wm_theme']`.
- **File:** `client/src/App.tsx` (or root)
 - On mount, read `wm_theme`, set `data-theme`, and set `<meta name="theme-color">` accordingly to avoid white flash.

Acceptance:

- Preview loads **light** on first paint. Toggle persists across reloads.
-

8) Mini App detection helper

- **File:** `client/src/lib/platform.ts`
 - Export `isMiniApp()` that checks injected MiniKit bridge or UA hint.
- Use this in: polling strategy, hiding web-only banners, etc.

Acceptance:

- In Mini App, we see polling; in web, we use WS/SSE where possible.
-

9) Smaller composer & shield-only verify

- **File:** `client/src/pages/global-square.tsx`
 - Replace large “Verify for Full Access” stripe with a **shield icon** next to the Guest Mode chip.
 - When verified, hide both the chip and shield (composer just shows “Say hello 🙌”).

Acceptance:

- After verification, no guest/verify controls are visible.
-

10) Observability & dev aids

- **Server:** Add structured logs for:
 - `session.resolve` (source=cookie|header, sid=..., ua=MiniApp|Web)
 - `message.create` (role, room, length, outcome)
 - `verify.worldid` (ok/fail, nullifierHashHashed prefix)
- **Client dev:** Add a small hidden “Debug” route `/debug` that shows:
 - role, sid, miniApp detection, and last 10 logs from `/api/logs` (dev only).

Acceptance:

- When your iPhone fails, `/debug` shows sid and miniApp=true; server logs show whether header/cookie was used.

11) Tests to run (manual)

1. **Guest in Mini App:** open, type “Hi from guest”, press Send → message appears; preview list updates within ~3s.
2. **Verify flow:** verify, composer grows to 240 chars, guest/verify UI disappears; send a 120-char message → succeeds.
3. **Web parity:** web guest + verified flows still work.
4. **Profiles:** open someone’s chip → profile shows. Edit your own (verified) → data persists.
5. **UI:** no mic icon, new action row (   ). Overflow menu includes report/mute/block.

12) Guardrails & flags

- Add `.env.example` entries:
 - `ENABLE_REFERRALS=false`
 - `POLL_INTERVAL_MS=2500`
- Make sure app still runs if World ID envs are missing (guest-only mode).

Notes for the agent

- Respect existing file naming; if a file doesn’t exist, create it in the suggested path.
- Keep the database migration minimal and `run npm run db:push`.
- Do not break production deploy: keep server listening on `process.env.PORT || 5000`, 0.0.0.0.

- Maintain cookie **and** header session mechanisms.
-

After this runs

- Re-open the Mini App, try sending as guest and as verified.
 - If send still fails on your iPhone, visit </debug> and tell me:
 - `sid`, `miniApp=true/false`, and whether `session.resolve` logs show `header` or `cookie`.
- This will pinpoint remaining session/cookie quirks quickly.
-

Extra: design trims you asked for (already included above)

- Landing copy = **Talk. Learn. Build. Connect.**
- Shield replaces big “Verify” block.
- Remove mic & reaction cluster; add compact vote/star/emoji.
- Profiles with avatar/MBTI/zodiac/age (verified edit only).
- Hide referrals until enabled.