

White Rabbit X — Compatibilidad técnica

Referencia autoritativa generada desde la fuente actual y el manifiesto de sets — EA 1.11 — 127 inputs — 3738 sets

Alcance y fuentes de verdad

La fuente define inputs, valores y funciones; el manifiesto define cada set, estado, ruta y SHA-256. El archivo Quantum antiguo es solo histórico.

EA SHA-256: D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973.

Manifest SHA-256: E96B9E4050F8EA8B764E187BD6CC1E907AE2AE8C4A6489C9EF2D3317C6003F75.

Material generado; los identificadores coinciden exactamente con la EA.

Telemetría de ciclos del panel

El panel usa los mismos snapshots que el cálculo de lotes y el cierre de cestas.

- La actualización periódica por tick se limita a una vez por segundo; inicio y eventos de trading pueden refrescar inmediatamente.
- Balance y Equity son de toda la cuenta. El P&L cerrado es el cambio desde OnInit; P&L abierto y posiciones son el estado actual filtrado por Symbol + Magic.
- Martingale muestra por BUY/SELL pérdidas consecutivas, número e importe bruto de pérdidas, recuperado, déficit y objetivo = déficit × Multiplicador.
- Superar MaxMartingaleSteps hace hard reset: descarta el déficit y la siguiente orden usa lote base. Máximo una posición abierta por lado.
- D'Alembert muestra nivel actual y próximo lote normalizado para BUY/SELL.
- Grid muestra piernas/volumen, realizado con costes, P&L abierto, P&L del ciclo, objetivo congelado al inicio y restante.
- La ancla es la posición confirmada más reciente. BUY exige estrictamente anchor – ATR × DistanciaMinima por debajo; SELL estrictamente por encima; el progreso se expresa en ATR.
- Separate termina solo el ciclo del lado que queda flat; Unified termina cuando ambos lados quedan flat. Órdenes en tránsito retrasan el reset.
- El objetivo dispara la solicitud de cierre; comisión, tasas y slippage de salida pueden dejar el resultado final algo por debajo.
- InterfaceLanguage conserva 11 idiomas. Auto usa inglés en Tester y el idioma del terminal en vivo; etiquetas sin traducción usan inglés.

Compatibilidad y restricciones

Son reglas conservadoras; el bróker puede imponer límites más estrictos.

- Percentage y Fixed-R requieren AtivarStop=true.
- Grid: solo Monetary/Fixed Lot, Recovery_None y cuenta hedging.
- Grid requiere take, DistanciaMinima positivo y límite de al menos dos posiciones.
- Mientras la cesta siga abierta, las pérdidas realizadas, swap, comisión y tasas del ciclo permanecen incluidos en el resultado necesario para alcanzar el objetivo; la ganancia aislada de una pierna no los borra.

- En Grid_SeparateProfit, BUY y SELL tienen ciclos independientes. Si desaparecen todas las posiciones de un lado, termina su ciclo; una entrada posterior inicia otro sin arrastrar el déficit cerrado.
- D'Alembert: Fixed Lot, Grid_Disabled y DAlembertStep>0.
- Martingale respeta MaxMartingaleSteps y MaxMartingaleLot.
- OnOppositeOrder exige hedging, ambos lados y grid apagado.
- Backtest de noticias requiere CSV en Common\Files.
- El horario usa tiempo del servidor.
- Valide suffix y especificaciones con cada bróker.

Motores de señal y métodos de entrada

Los seis motores comparten reversión, cruce signal/reference y baseline/reference. And exige la misma vela cerrada; All admite cualquiera.

- EntryIndicator: MACD, EMA_Cross, Momentum, Stochastic, TRIX, RSI, CCI, WPR, DeMarker, MFI, OsMA, Ichimoku.
- EntryMethod: Reversal, SignalCross, ReferenceCross, ReversalAndSignalCross, ReversalAndReferenceCross, SignalAndReferenceCross, All.
- PositionSizeMode: Percentage, Monetary, FixedLot, FixedR.
- RecoveryMode: None, Martingale, DAlembert.
- GridMode: Disabled, SeparateProfit, UnifiedProfit.

News filter and CSV workflow

Live mode reads the MT5 Economic Calendar in broker-server time and blocks new entries if the calendar query fails. Backtests cannot read that live calendar: run MQL5\Scripts\White Rabbit News Exporter on a live/demo chart, cover the entire test interval, and write NewsCSVFile to the terminal Common\Files folder. The semicolon-delimited header is datetime;currency;importance;event_name, where importance 2 is moderate and 3 is high. Use the same broker/server timezone; for suffixed or non-FX symbols set ExportMoedas and NewsMoedasManual explicitly. Manual currencies take precedence over automatic symbol parsing.

Grid cycle and ATR spacing

Every additional grid leg is measured from the newest already-confirmed position on that side and must satisfy $ATR \times DistanciaMinima$. The initial order cannot recursively trigger another leg in the same calculation event; it becomes the anchor on the following cycle. Individual grid take-profits are disabled: Separate mode evaluates independent BUY/SELL cycles against frozen monetary targets and ends a side when it becomes flat; Unified evaluates the aggregate BUY+SELL basket and ends when both sides are flat. Realized commissions, swap, fees and stopped legs remain in the result while the corresponding cycle is open. The target triggers a close request, so actual exit costs and slippage can leave the final result slightly below it. Live cycle state is persisted across an EA restart. Grid is hedging-only and must be reoptimized after any EA, broker-contract or cost change.

Estados y decisión

Se conserva el estado exacto y se mapea de forma conservadora a USE, REOPTIMIZE, RESEARCH o HOLD.

Sistema	Gestión	Sets
01_SLTP	Stop Loss + Take Profit as ATR multiples	356
02_SLTP_ORGANIC	SL + organic take anchored on the last trade	356
03_TRAIL_ONLY	SL + trailing, no TP: let it run	356
04_SLTP_TRAIL	SL + TP + trailing behind	356
05_BE_TRAIL	Mandatory breakeven + trailing	356
06_REVERSAL_EXIT	Closes on the indicator's opposite signal	356
07_GRID_SEPARATE	Grid with a target per side (hedging account)	356
08_GRID_UNIFIED	Grid with a single basket target (hedging account)	356
09_MARTINGALE	Lot doubles after a loss, one position per side	356
10_DALEMBERT	Lot grows in arithmetic steps after a loss	356
11_SIGNAL_ONLY	No SL and no TP: measures the raw signal	356

Diagnostics and supplied utilities

The Experts/Journal tab is authoritative for rejected inputs, OrderCheck failures, news-calendar errors and close retries. Compile and run MQL5\Scripts\WhiteRabbit Filters SelfTest; its final line must report zero failures. Use White Rabbit News Exporter to build the test CSV, then verify its date range, currencies, delimiter and Common\Files location before a news-enabled backtest.

Aviso de riesgo

Ninguna EA, set ni resultado histórico garantiza el futuro. Valide OOS y en demo.

EA SHA-256: D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973 EA
version: 1.12