

White Rabbit X — WFO Optimization Guide

Authoritative reference generated from the current EA source and set manifest — EA 1.11 — 127 inputs — 3738 sets

Mind the date. With WFO enabled, OnTester compares the real end of the test against `input_end_date` and returns zero if the test ended earlier (80-hour tolerance). A wrong date zeroes every pass and the whole optimization looks broken. Set `input_end_date` to the same end date configured in the Strategy Tester.

Scope and source of truth

The EA source defines the input schema, defaults, enumerations and current feature surface. The set manifest defines every preset, family, status, path and integrity hash. Older Quantum material is historical only and must not be used to operate the current release.

EA SHA-256: D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973.

Manifest SHA-256: E96B9E4050F8EA8B764E187BD6CC1E907AE2AE8C4A6489C9EF2D3317C6003F75.

Generated material. Parameter identifiers remain exactly as declared by the EA.

Walk-forward method

Use chronological in-sample, out-of-sample and forward-demo segments. Keep spreads, commissions, swaps and slippage realistic. Reject unstable parameter islands and any result that depends on one trade, one market regime or a broker-specific artifact. With a Custom step, a positive `wfo_customStepSizePercent` is a percentage of the in-sample window; a negative value such as -61 means a fixed 61-day out-of-sample step.

Safe workflow

Change one matrix at a time and retain complete evidence for each promotion decision.

- Confirm that the EX5, audited source, set schema and manifest belong to the same release.
- Copy the library to `MQL5\Profiles\Tester` or select it when loading Strategy Tester Inputs.
- Map each asset to the broker's exact symbol, suffix, session, profit currency and contract size.
- Browse by class and asset: each asset carries the 11 system types (01_SLTP to 11_SIGNAL_ONLY), one set per side (BUY/SELL; BOTH for the unified grid) and two entry variants — MULTI contests indicators 0–10 on a single axis, ICHIMOKU has its own file.
- Phase 1 is region discovery: run the genetic optimizer on the set as shipped — the full entry group (indicator, method, timeframe, applied price, periods), the system's exits and the filter switches, all at once.
- From the following rounds on, lock (Y→N) the written inputs — enums and booleans — decided by the previous phase and keep only the numeric ones open; each filter's tuning only enters if its switch survived enabled.
- The ATR entry filter (`EntradaATR`) exists only in the grid systems; everywhere else it stays off by design.
- Validate the winner on real ticks: the divergence against OHLC and the out-of-sample retention decide, never in-sample profit.
- After the real-tick pass, switch position sizing to Percentage and run again: only promote if it passes too — and that is the mode the set should trade in.
- Run chronological in-sample, out-of-sample and forward-demo phases with realistic costs.
- For news tests, generate `WhiteRabbit_News.csv` for the full date range and every required currency.
- Run `WhiteRabbit Filters SelfTest` and proceed only when its final line reports zero failures.

- Check Status, RelativePath and SHA256 in the manifest before promoting a result.
- USE is explicit authorization for a defined environment; REOPTIMIZE, RESEARCH and HOLD are not live presets.

Manifest statuses and release disposition

The exact manifest status is preserved. For a conservative release decision it is also mapped to USE, REOPTIMIZE, RESEARCH or HOLD. Only an explicit USE status is treated as ready for the defined environment.

System	Management	Sets
01_SLTP	Stop Loss + Take Profit as ATR multiples	356
02_SLTP_ORGANIC	SL + organic take anchored on the last trade	356
03_TRAIL_ONLY	SL + trailing, no TP: let it run	356
04_SLTP_TRAIL	SL + TP + trailing behind	356
05_BE_TRAIL	Mandatory breakeven + trailing	356
06_REVERSAL_EXIT	Closes on the indicator's opposite signal	356
07_GRID_SEPARATE	Grid with a target per side (hedging account)	356
08_GRID_UNIFIED	Grid with a single basket target (hedging account)	356
09_MARTINGALE	Lot doubles after a loss, one position per side	356
10_DALEMBERT	Lot grows in arithmetic steps after a loss	356
11_SIGNAL_ONLY	No SL and no TP: measures the raw signal	356

Modeling mode: use real ticks

In the Strategy Tester's **Settings** tab, **Modeling** field:

Every tick based on real ticks <- use this OHLC 1 minute <- only 01_SLTP and 02_SLTP_ORGANIC

This is not a preference. Measuring the same set in both modes across three years, the OHLC mode **understated losses by 3.3x on trailing systems and 23x on grid** — always in the optimistic direction. Only fixed SL/TP stayed within 3%.

The cause is structural: trailing and grid depend on **when** price touched each level inside the bar. OHLC mode interpolates that from four prices per minute and smooths away exactly the adverse excursions that would have closed the position. Optimizing a trailing system on interpolated bars selects parameters that survived a price path which never happened.

Real ticks cost roughly 20x more time per pass. It is worth it: that is the difference between a result and a number.

If you must save time, save it in the right place

Signals are evaluated at BAR CLOSE, so choosing indicator, method or timeframe gives the same entry instant in both modes. Stop, target and trailing, on the other hand, depend on the intrabar path.

So use each model where it is reliable: OHLC to narrow the switches (indicator, method, timeframe, periods) and real ticks for the exit geometry. With the signal locked the search space collapses by orders of magnitude, and real ticks stop being prohibitive.

Fixed-R to research, percentage to trade

Optimize in **Fixed-R**: with the base capital frozen, passes stay comparable to each other and across symbols. +40R on gold and +40R on EURUSD mean the same thing, while "+3,200 USD" means nothing without knowing the lot and the balance.

Live, **Percentage** usually makes more sense: it tracks the account, compounds as it grows and cuts exposure as it shrinks — protection Fixed-R cannot give, because it deliberately ignores the running balance. Both modes report in R, so the record stays readable after the switch.

That is why the circuit only saves an approved set after repeating the final pass in Percentage mode: if the result does not hold under compounding, it was not ready — and the validated set ships in that mode.

Risk warning

No EA, preset, indicator, optimization or historical result guarantees future performance. Validate symbol mapping, costs, execution, out-of-sample data and forward demo behavior before assuming financial risk.

EA SHA-256: D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973 EA
version: 1.12