

White Rabbit X — set 생태계 가이드

현재 EA 소스와 set 매니페스트에서 생성한 공식 참조 — EA 1.11 — 127 inputs — 3738 sets

범위와 기준 데이터

EA 소스가 inputs, 기본값, 기능을 정의하고 매니페스트가 각 set의 상태, 경로, SHA - 256을 정의합니다. 구 Quantum 자료는 기록용입니다.

EA SHA - 256:

D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973. Manifest

SHA - 256: E96B9E4050F8EA8B764E187BD6CC1E907AE2AE8C4A6489C9EF2D3317C6003F75.

자동 생성 문서이며 파라미터 식별자는 EA와 정확히 같습니다.

설치와 첫 실행

일치하는 EX5를 설치하고 Tester Inputs에서 set을 로드한 뒤 정확한 심볼과 Journal을 확인합니다.

검색된 set 라이브러리

개수는 파일과 매니페스트에서 읽습니다. 각 set은 연구 가설입니다. Counts and fingerprints were read at generation time.

Folder	Sets	Purpose
01_Forex	168	Per - asset baselines — Forex.
02_Metals	18	Per - asset baselines — Metals.
03_Cryptocurrencies	36	Per - asset baselines — Cryptocurrencies.
04_Indices_Energies	42	Per - asset baselines — Indices Energies.
05_US_Stocks_CFD	300	Per - asset baselines — US Stocks CFD.
06_Research_Matrix	935	Controlled one - axis research.
07_Entry_System_Matrix	3360	Indicator × entry method × management matrix.
08_Filter_Stack_Matrix	320	Signal - filter stack combinations.
09_Risk_Engine_Matrix	130	Compatible sizing, risk and recovery models.
10_Exit_Stack_Matrix	720	Exit - control stack combinations.

상태와 배포 판단

원래 상태를 유지하고 USE, REOPTIMIZE, RESEARCH, HOLD로 보수적으로 매핑합니다.

시스템	관리 방식	세트
01_SLTP	Stop Loss + Take Profit as ATR multiples	356
02_SLTP_ORGANIC	SL + organic take anchored on the last trade	356
03_TRAIL_ONLY	SL + trailing, no TP: let it run	356
04_SLTP_TRAIL	SL + TP + trailing behind	356
05_BE_TRAIL	Mandatory breakeven + trailing	356
06_REVERSAL_EXIT	Closes on the indicator's opposite signal	356
07_GRID_SEPARATE	Grid with a target per side (hedging account)	356
08_GRID_UNIFIED	Grid with a single basket target (hedging account)	356
09_MARTINGALE	Lot doubles after a loss, one position per side	356
10_DALEMBERT	Lot grows in arithmetic steps after a loss	356
11_SIGNAL_ONLY	No SL and no TP: measures the raw signal	356

안전한 절차

단계마다 한 매트릭스만 변경하고 근거를 보관하십시오.

- EX5, 소스, set schema, 매니페스트 버전을 일치시킵니다.
- Strategy Tester Inputs에서 라이브러리를 로드합니다.
- 정확한 브로커 심볼과 suffix를 매핑합니다.
- 클래스와 종목으로 탐색합니다. 각 종목에는 11개 시스템 유형(01_SLTP~11_SIGNAL_ONLY)이 있고, 방향별 set 하나(BUY/SELL, 통합 그리드는 BOTH), 진입은 두 변형 — MULTI는 단일 축에서 지표 0 - 10을 경쟁시키고 ICHIMOKU는 전용 파일입니다.
- 1단계는 영역 탐색입니다. set을 그대로 유전 최적화에 돌립니다 — 진입 그룹 전체(지표, 방식, 타임프레임, applied price, 기간), 시스템의 청산, 필터 스위치를 한 번에 모두 엽니다.
- 다음 라운드부터는 이전 단계에서 결정된 ‘ 문자형 ’ 입력(enum · bool)을 Y→N으로 잠그고 숫자형만 열어 둡니다. 필터 미세 조정은 스위치가 켜진 채 살아남은 경우에만 들어갑니다.
- ATR 진입 필터(EntradaATR)는 그리드 시스템에만 존재하며, 그 외에서는 설계상 꺼져 있습니다.
- 승자는 실제 틱으로 검증합니다. OHLC 대비 괴리와 표본 외 보존율이 결정하며, 표본 내 수익이 아닙니다.
- 실제 틱 이후 포지션 사이징을 Percentage로 바꿔 다시 실행하고, 이것도 통과할 때만 승격합니다 — set이 운용될 모드도 바로 이것입니다.

사이클 대시보드 텔레메트리

패널은 랫 계산과 바스켓 청산에 쓰이는 동일한 상태 스냅샷을 사용합니다.

- tick 주기 갱신은 초당 1회로 제한되며 초기화와 거래 이벤트는 즉시 갱신할 수 있습니다.
- Balance/Equity는 전체 계정입니다. Closed P&L은 OnInit 이후 변화이고 Open P&L/positions는 Symbol + Magic으로 필터한 현재 상태입니다.

- Martingale은 BUY/SELL별 연속 손실, 사이클 손실 횟수 · 총액, recovered, deficit, deficit × Multiplicador target을 표시합니다.
- MaxMartingaleSteps 초과 시 hard reset으로 기존 deficit을 버리고 다음 주문은 base lot을 씁니다. 방향별 최대 1개 포지션만 허용됩니다.
- D'Alembert는 BUY/SELL 현재 레벨과 정규화된 다음 랏을 표시합니다.
- Grid는 legs/volume, 비용 포함 realized, open P&L, cycle P&L, 시작 시 고정 target, remaining을 표시합니다.
- Anchor는 가장 최근 확정 포지션입니다. BUY는 anchor - ATR × DistanciaMinima 미만, SELL은 그 이상을 엄격히 요구하며 진행은 ATR로 표시됩니다.
- Separate는 flat이 된 방향의 사이클만 끝내고 Unified는 양쪽 모두 flat일 때 끝납니다. 처리 중 주문은 reset을 지연합니다.
- Target은 청산 요청을 시작할 뿐이며 실제 exit commission, fee, slippage로 최종 결과가 조금 낮을 수 있습니다.
- InterfaceLanguage는 11개 언어를 유지합니다. Auto는 Tester에서 English, live에서 터미널 언어를 사용하며 미번역 label은 English로 대체됩니다.

호환성과 제한

보수적인 규칙이며 브로커의 더 엄격한 제한이 우선합니다.

- Percentage와 Fixed - R은 AtivarStop=true가 필요합니다.
- Grid는 Monetary/Fixed Lot, Recovery_None, hedging account만 지원합니다.
- Grid는 take, 양수 DistanciaMinima, 최소 2의 제한이 필요합니다.
- 바스켓이 열려 있는 동안 해당 사이클의 실현 손실, swap, commission, fees는 목표 달성에 필요한 결과에 계속 포함되며 한 레그의 이익만으로 사라지지 않습니다.
- Grid_SeparateProfit에서 BUY와 SELL 사이클은 독립적입니다. 한 방향의 모든 포지션이 사라지면 그 방향 사이클은 종료되고 이후 진입은 종료된 적자를 이월하지 않는 새 사이클입니다.
- D'Alembert는 Fixed Lot, Grid_Disabled, DAlembertStep>0 전용입니다.
- Martingale은 MaxMartingaleSteps/MaxMartingaleLot을 따릅니다.
- OnOppositeOrder는 hedging, 양방향, grid 비활성이 필요합니다.
- News backtest는 Common\Files CSV가 필요합니다.
- 일정은 브로커 서버 시간을 사용합니다.
- 브로커별 suffix와 심볼 사양을 확인합니다.

News filter and CSV workflow

Live mode reads the MT5 Economic Calendar in broker - server time and blocks new entries if the calendar query fails. Backtests cannot read that live calendar: run MQL5\Scripts\White Rabbit News Exporter on a live/demo chart, cover the entire test interval, and write NewsCSVFile to the terminal Common\Files folder. The semicolon - delimited header is datetime;currency;importance;event_name, where importance 2 is moderate and 3 is high. Use the same broker/server timezone; for suffixed or non - FX symbols set ExportMoedas and NewsMoedasManual explicitly. Manual currencies take precedence over automatic symbol parsing.

Grid cycle and ATR spacing

Every additional grid leg is measured from the newest already - confirmed position on that side and must satisfy $ATR \times DistanciaMinima$. The initial order cannot recursively trigger another leg in the same calculation event; it becomes the anchor on the following cycle. Individual grid take - profits are disabled: Separate mode evaluates independent BUY/SELL cycles against frozen monetary targets and ends a side when it becomes flat; Unified evaluates the aggregate BUY + SELL basket and ends when both sides are flat. Realized commissions, swap, fees and stopped legs remain in the result while the corresponding cycle is open. The target triggers a close request, so actual exit costs and slippage can leave the final result slightly below it. Live cycle state is persisted across an EA restart. Grid is hedging - only and must be reoptimized after any EA, broker - contract or cost change.

Diagnostics and supplied utilities

The Experts/Journal tab is authoritative for rejected inputs, OrderCheck failures, news - calendar errors and close retries. Compile and run MQL5\Scripts\WhiteRabbit Filters SelfTest; its final line must report zero failures. Use White Rabbit News Exporter to build the test CSV, then verify its date range, currencies, delimiter and Common\Files location before a news - enabled backtest.

위험 경고

EA, set, 과거 결과는 미래 성과를 보장하지 않습니다. OOS와 demo로 검증하십시오.

EA SHA - 256: D85A30A0836A9BE75F6DFC55868BDC664EE1FC7F5DD0840C029DEB0EF8AC8973 EA
version: 1.12