




eDP




<Core Design>		
Title		
Size	Document Number	Rev:
B	VL-PRO-PLUS	A0.1_0_0
Date: Monday, June 13, 2022		Sheet: 20 of 44


eDP to LVDS












<Variant Name>	
AAEON Technology INC.	Title
AEON An ASUS Company	DIO/FAN
Size B	Document Number
Rev A0.1_0_0	Date: Monday, June 13, 2022
	Sheet 23 of 44






COM1**COM1-RS232/RS422/RS485**

Maximum Slew rate control		
SLEW	RS-232	RS-485/RS-422
0	1Mbps	10Mbps
1	250Kbps	250Kbps

**COM2****COM2-RS232/RS422/RS485**

COM2 Pin9 Function Selection		
1-2	+12V	
3-4	Ring	Default
5-6	+5V	




<Variant Name>




Title			
Size	Document Number	Rev	
B	VL-PRO-PLUS	A0.1_0_0	
Date: Monday, June 13, 2022	Sheet 33	of 44	


BIOS



Voltage Monitor(Vcore, Vmem) Temperature Monitor(CPU, SYS)




eSPI/ LPC Connector



<Variant Name>

AAEON® An ASUS Company	AAEON Technology INC.
Title	BIOS/ LPC/ HW Monitor
Size	Document Number
Custom	VL-PRO-PLUS
Date: Monday, June 13, 2022	Rev
	A0.1_0_0
Sheet	34
of	44

GPIO control +5V for VL-PRO_RPM



<Variant Name>



AAEON Technology INC.

Title

POWER INPUT,MISC

Size

Document Number

Rev

A

VL-PRO-PLUS

A0.1_0_0

Date: Monday, June 13, 2022

Sheet 43 of 44