

Hi-Safe_v3 Unit Test Report

Create Date: 2022/12/15

Tester: Lucas Su **Retester:** Fred Hung



Document History

Version	Date	Author	Description				
2.00	2016.07.21	Tim Lin	2 nd Hi-Safe unit test version				
3.00	2018.07.31	Albert Wu	Add system shutdown & reboot check				
4.00	2021/11/18	Lucas Su	3 nd Hi-Safe unit test version				
5.00	2022/01/12	Brian Wu	Add backlight eDP option				
6.00	2022/06/07	Lucas Su	Add I2C option				



Hardware/ BIOS/ OS and Driver version

Hardware/ SIO	GENESYS-ADP6/ F81966
BIOS	GAD6SM10
EC Firmware	none
OS version	Win10 21H2
Hi-Safe-v3 version	3.15.2.45
App version	1.0.15
aaeonEAPI version	22.05.27.2
Driver version	22.12.15.45

Test Note

Use HiSafeV3Setup.exe to install V3 app and driver, the HiSafeV3Setup.exe contains app and driver.

Test Items

lhama	Detail	Test Result			Nata
Items		Pass	Fail	N/A	Note
Contain Information	CPU information				
	Model Name				
System Information	Display information				
	RAM information	\square			
	Fan 1	\square			
	Fan 2				
	Fan 3				
	Temperature 1				CPU
	Temperature 2	\square			System
Hardware Monitor	Temperature 3				System2
Hardware Monitor	Voltage 1	\square			VCORE
	Voltage 2				1v8
	Voltage 3				3V3
	Voltage 4	\square			VBAT
	Voltage 5	V			5V
	Voltage 6	V			5VSB



	Voltage 7	$\overline{\checkmark}$		12V
	Voltage 8			DIMM
	Voltage 9			3VSB
	DIO 1 Output			3,35
	DIO 1 High/Low			
	DIO 2 Output			
	DIO 2 High/Low			
	DIO 3 Output			
	DIO 3 High/Low			
	DIO 4 Output			
	DIO 4 High/Low			
DIO	DIO 5 Output			
	DIO 5 High/Low			
	DIO 6 Output			
	DIO 6 High/Low			
	DIO 7 Output			
	DIO 7 High/Low			
	DIO 8 Output			
	DIO 8 High/Low			
	Reboot	<u> </u>		
	Minute mode			
Watch Dog	Auto Reload			
	System shutdown			
	Fan 1 Manual Adjust			
	Fan 1 Auto Adjust			
	Fan 2 Manual Adjust			
Smart Fan	Fan 2 Auto Adjust		<u> </u>	
	Fan 3 Manual Adjust			
	Fan 3 Auto Adjust			
Smbus	Read/Write Byte			
	Read/Write Word			
I2C	Read/Write Byte			
	DC Mode Device 1			
	DC Mode Device 2			
Backlight Control	PWM Mode Device 1		$\overline{\mathbf{V}}$	
2ddingire control	PWM Mode Device 2			
	eDP			
Hi-Safe Installation	Signed			
Hi-Safe Installation Signed				



System reboot	\checkmark		