

CampusGigs - Evidencias dos Testes Manuais

Projeto Diamante | Java Advanced | Spring Boot - JWT - Flyway - Docker - HttpExchange

Este documento reúne as evidências da execução manual dos endpoints da API CampusGigs. Todos os testes foram executados localmente com a aplicação rodando via **docker compose up --build** (API em `http://localhost:8080` e PostgreSQL 16 em container), usando **curl** a partir do terminal. As capturas mostram o comando enviado, o status HTTP retornado e o corpo completo da resposta.

Índice das evidências

#	Cenário testado	Status
1	Cadastro de usuário com CEP válido (ViaCEP)	201
2	Cadastro de segundo usuário	201
3 e 4	Autenticação e emissão de JWT (Ana e Bruno)	200
5 e 6	Chamada autenticada + publicação de serviço	200 / 201
7	Listagem pública de serviços	200
8	Contratação de serviço por outro usuário	201
9	Contratar o próprio serviço (rejeitado)	400
10	Acesso negado por papel (USER x serviço alheio)	403
11	Promocão de Bruno a ADMIN (comando SQL - ver nota)	-
12	ADMIN encerrando serviço de outro usuário	200
13	Contratar serviço encerrado (rejeitado)	400
14 e 15	Sem token / token inválido	401
16	CEP inexistente (integração externa)	400

Nota sobre o passo 11: a promoção de Bruno a ADMIN foi feita diretamente no banco (`docker compose exec db psql -U campusgigs -d campusgigs -c "UPDATE users SET role='ADMIN' WHERE email='bruno@ufu.br';"`), pois o enunciado não pede um endpoint de administração de papéis. O efeito dessa alteração está evidenciado no passo 12, em que a mesma operação antes negada com 403 passou a retornar 200.

Evidencia 1 - Cadastro de USER com CEP valido (itens 1 e 14 do enunciado)

Esperado	201 Created, com city/state preenchidos automaticamente pelo ViaCEP
Observado	201 Created - id 1, Ana Lima, city "Uberlandia", state "MG", role "USER". O CEP 38400100 foi resolvido pelo cliente HttpExchange.
Arquivo	Captura_de_tela_2026-09-15_173340.png

```
$ curl -i -X POST $BASE/api/auth/register \
-H "Content-Type: application/json" \
-d '{"name":"Ana Lima","email":"ana@ufu.br","password":"senha123","cep":"38400100"}'
HTTP/1.1 201
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:32:00 GMT

{"id":1,"name":"Ana Lima","email":"ana@ufu.br","cep":"38400100","city":"Uberlândia","state":"MG","role":"USER"}
```

Evidencia 2 - Cadastro de um segundo USER (apoio ao item 1)

Esperado	201 Created
Observado	201 Created - id 2, Bruno Melo, city "Sao Paulo", state "SP", role "USER". Segundo usuario necessario para testar a contratacao entre alunos distintos.
Arquivo	Captura_de_tela_2026-09-15_173445.png

```
$ curl -i -X POST $BASE/api/auth/register \
-H "Content-Type: application/json" \
-d '{"name":"Bruno Melo","email":"bruno@ufu.br","password":"senha123","cep":"01310930"}'
HTTP/1.1 201
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:34:27 GMT

{"id":2,"name":"Bruno Melo","email":"bruno@ufu.br","cep":"01310930","city":"São Paulo","state":"SP","role":"USER"}
```

Evidencia 3 e 4 - Autenticacao e recebimento do JWT - Ana e Bruno (itens 2 e 3)

Esperado	200 OK, corpo contendo o token JWT
Observado	200 OK nas duas autenticacoes. Tokens JWT emitidos e armazenados nas variaveis TOKEN_ANA e TOKEN_BRUNO para uso nas requisicoes seguintes.
Arquivo	Captura_de_tela_2026-09-15_173728.png

```
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i -X POST $BASE/api/auth/login \
  -H "Content-Type: application/json" \
  -d '{"email":"ana@ufu.br","password":"senha123"}'
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:35:25 GMT

{"token":"eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhbmFAdWZ1LmJyIiwiaWF0IjoxNzg5NTA9NTI1LCJleHAiOjE3ODk1MDgxMjV9.zpmTL68SoNRfDvZWWMjvhGNZUORwxKMNSqthEs5hRMo","type":"Bearer","expiresInMs":600000,"user":{"id":1,"name":"Ana Lima","email":"ana@ufu.br","cep":"38400100","city":"Uberlândia","state":"MG","role":"USER"}}
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ TOKEN_ANA="eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhbmFAdWZ1LmJyIiwiaWF0IjoxNzg5NTA9NTI1LCJleHAiOjE3ODk1MDgxMjV9.zpmTL68SoNRfDvZWWMjvhGNZUORwxKMNSqthEs5hRMo"

Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i -X POST $BASE/api/auth/login \
  -H "Content-Type: application/json" \
  -d '{"email":"bruno@ufu.br","password":"senha123"}'
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:36:32 GMT

{"token":"eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJicnVub0B1ZnUuYnIiLCJpYXQiOjE3ODk1MDQ1OTIsImV4cCI6MTc4OTUwODE5Mn0.v7P6Q9S3vnzJYYcYtGwVRc6YW7M6ZyEQ7jEry2XXz2s","type":"Bearer","expiresIn":3600000,"user":{"id":2,"name":"Bruno Melo","email":"bruno@ufu.br","cep":"01310930","city":"São Paulo","state":"SP","role":"USER"}}
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ TOKEN_BRUNO="eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJicnVub0B1ZnUuYnIiLCJpYXQiOjE3ODk1MDQ1OTIsImV4cCI6MTc4OTUwODE5Mn0.v7P6Q9S3vnzJYYcYtGwVRc6YW7M6ZyEQ7jEry2XXz2s"
```

Evidencia 5 e 6 - Chamada autenticada em endpoint protegido + publicacao de servico (itens 4 e 5)

Esperado	200 OK em /api/users/me e 201 Created em /api/gigs
Observado	200 OK retornando os dados de Ana a partir do token. Em seguida, 201 Created publicando o servico "Aulas de Calculo 1" (id 1, status ATIVO, providerId 1).
Arquivo	Captura_de_tela_2026-09-15_174002.png

```
$ curl -i $BASE/api/users/me -H "Authorization: Bearer $TOKEN_ANA"
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:39:19 GMT

{"id":1,"name":"Ana Lima","email":"ana@ufu.br","cep":"38400100","city":"Uberlândia","state":"MG","role":"USER"}
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i -X POST $BASE/api/gigs -H "Authorization: Bearer $TOKEN_ANA" -H "Content-Type: application/json" -d '{"title":"Aulas de Calculo 1","description":"Reforco para a prova final","category":"Aulas","price":50.00}'
HTTP/1.1 201
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:39:29 GMT

{"id":1,"providerId":1,"providerName":"Ana Lima","title":"Aulas de Calculo 1","description":"Reforco para a prova final","category":"Aulas","price":50.00,"status":"ATIVO","created":
t":"2026-09-15T20:39:29.446462695"}
```

Evidencia 7 - Listagem publica de servicos (item 6)

Esperado	200 OK, sem necessidade de token
Observado	200 OK sem header Authorization. O servico publicado no passo anterior aparece na lista com status ATIVO.
Arquivo	Captura_de_tela_2026-09-15_174103.png

```
$ curl -i "$BASE/api/gigs?status=ATIVO"
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:40:42 GMT

[{"id":1,"providerId":1,"providerName":"Ana Lima","title":"Aulas de Calculo 1","description":"Reforco para a prova final","category":"Aulas","price":50.00,"status":"ATIVO","createAt":"2026-09-15T20:39:29.446463"}]
```

Evidencia 8 - Contratacao de servico por outro usuario (item 7)

Esperado	201 Created
Observado	201 Created - Bruno (hirerId 2) contratou o servico da Ana (gigId 1). Contratacao criada com status SOLICITADA.
Arquivo	Captura_de_tela_2026-09-15_174555.png

```
$ curl -i -X POST $BASE/api/hirings \
  -H "Authorization: Bearer $TOKEN_BRUNO" \
  -H "Content-Type: application/json" \
  -d "{\"gigId\": $GIG_ID}"
HTTP/1.1 201
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:45:37 GMT

{"id":1,"gigId":1,"gigTitle":"Aulas de Calculo 1","hirerId":2,"hirerName":"Bruno Melo","status":"SOLICITADA","createdAt":"2026-09-15T20:45:37.013462991"}
```

Evidencia 9 - Tentativa de contratar o proprio servico (item 8)

Esperado	400 Bad Request, operacao rejeitada
Observado	400 Bad Request - "Voce nao pode contratar o proprio servico". Resposta no formato centralizado de erro, sem stack trace.
Arquivo	Captura_de_tela_2026-09-15_174636.png

```
$ curl -i -X POST $BASE/api/hirings \
-H "Authorization: Bearer $TOKEN_ANA" \
-H "Content-Type: application/json" \
-d "{\"gigId\": $GIG_ID}"
HTTP/1.1 400
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:46:21 GMT
Connection: close

{"timestamp":"2026-09-15T20:46:21.303836596Z","status":400,"error":"Regra de negocio violada","message":"Voce nao pode contratar o proprio servico","path":"/api/hirings","fieldErrors":null}
```

Evidencia 10 - ACESSO NEGADO POR PAPEL - USER tentando encerrar servico de outro USER (item 10)

Esperado	403 Forbidden
Observado	403 Forbidden - "Voce nao tem permissao para encerrar este servico". Bruno esta autenticado (token valido), mas nao e o dono do servico nem ADMIN. Este e o caso de acesso negado por papel exigido explicitamente na entrega.
Arquivo	Captura_de_tela_2026-09-15_174711.png

```
$ curl -i -X PATCH $BASE/api/gigs/$GIG_ID/close \
-H "Authorization: Bearer $TOKEN_BRUNO"
HTTP/1.1 403
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:47:04 GMT

{"timestamp":"2026-09-15T20:47:04.3183222Z","status":403,"error":"Acesso negado","message":"Voce nao tem permissao para encerrar este servico","path":"/api/gigs/1/close","fieldEr
none":null}
```

Evidencia 12 - ADMIN encerrando servico de qualquer usuario (item 11)

Esperado	200 OK, status do servico alterado para ENCERRADO
Observado	200 OK - apos Bruno ser promovido a ADMIN no banco (passo 11), ele conseguiu encerrar o servico da Ana. O status retornou como ENCERRADO. Contraste direto com o 403 do passo 10: mesmo usuario, mesma operacao, papel diferente.
Arquivo	Captura_de_tela_2026-09-15_175006.png

```
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i -X PATCH $BASE/api/gigs/$GIG_ID/close -H "Authorization: Bearer $TOKEN_ADMIN"
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:49:09 GMT

{"id":1,"providerId":1,"providerName":"Ana Lima","title":"Aulas de Calculo 1","description":"Reforco para a prova final","category":"Aulas","price":50.00,"status":"ENCERRADO","cre
tedAt":"2026-09-15T20:39:29.446463"}
Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i -X PATCH $BASE/api/gigs/$GIG_ID/close -H "Authorization: Bearer $TOKEN_ADMIN"
HTTP/1.1 200
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:49:44 GMT

{"id":1,"providerId":1,"providerName":"Ana Lima","title":"Aulas de Calculo 1","description":"Reforco para a prova final","category":"Aulas","price":50.00,"status":"ENCERRADO","cre
tedAt":"2026-09-15T20:39:29.446463"}
```

Evidencia 13 - Tentativa de contratar servico nao ativo (item 9)

Esperado	400 Bad Request
Observado	400 Bad Request - "Este servico nao esta ativo no momento (situacao atual: ENCERRADO)". Regra de negocio validada apos o encerramento do passo 12.
Arquivo	Captura_de_tela_2026-09-15_175041.png

```
$ curl -i -X POST $BASE/api/hirings \
-H "Authorization: Bearer $TOKEN_BRUNO" \
-H "Content-Type: application/json" \
-d "{\"gigId\": $GIG_ID}"
HTTP/1.1 400
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:50:33 GMT
Connection: close

{"timestamp":"2026-09-15T20:50:33.881070280Z","status":400,"error":"Regra de negocio violada","message":"Este servico nao esta ativo no momento (situacao atual: ENCERRADO)","path":"/api/hirings","fieldErrors":null}
```

Evidencia 14 e 15 - Acesso sem token e com token invalido (itens 12 e 13)

Esperado	401 Unauthorized nos dois casos
Observado	401 Unauthorized - "Token de acesso ausente, invalido ou expirado" tanto na requisicao sem header Authorization quanto com um token arbitrario invalido.
Arquivo	Captura_de_tela_2026-09-15_175140.png

```
$ curl -i $BASE/api/users/me
HTTP/1.1 401
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json;charset=ISO-8859-1
Content-Length: 185
Date: Tue, 15 Sep 2026 20:51:01 GMT

{"timestamp":"2026-09-15T20:51:01.386937673Z","status":401,"error":"Nao autenticado","message":"Token de acesso ausente, invalido ou expirado","path":"/api/users/me","fieldErrors":null}

Internet@MantaStore MINGW64 ~/Downloads/campusgigs-projeto-diamante (1)/campusgigs (master)
$ curl -i $BASE/api/users/me -H "Authorization: Bearer token-invalido-qualquer"
HTTP/1.1 401
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json;charset=ISO-8859-1
Content-Length: 185
Date: Tue, 15 Sep 2026 20:51:08 GMT

{"timestamp":"2026-09-15T20:51:08.408879500Z","status":401,"error":"Nao autenticado","message":"Token de acesso ausente, invalido ou expirado","path":"/api/users/me","fieldErrors":null}
```

Evidencia 16 - CEP inexistente na integracao externa (item 15)

Esperado	400 Bad Request, cadastro NAO realizado
Observado	400 Bad Request - "CEP nao encontrado: 99999999". O ViaCEP respondeu que o CEP nao existe e a API rejeitou o cadastro com mensagem clara, sem deixar a operacao silenciosamente incompleta.
Arquivo	Captura_de_tela_2026-09-15_175205.png

```
$ curl -i -X POST $BASE/api/auth/register \
-H "Content-Type: application/json" \
-d '{"name":"Teste Cep","email":"teste.cep@ufu.br","password":"senha123","cep":"99999999"}'
HTTP/1.1 400
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 15 Sep 2026 20:51:23 GMT
Connection: close

{"timestamp":"2026-09-15T20:51:23.817738233Z","status":400,"error":"CEP invalido","message":"CEP nao encontrado: 99999999","path":"/api/auth/register","fieldErrors":null}
```