REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

U1 ESP32-S3-DEVKITC-1

3V3 ESP_RST U2TXD U2RXD WDT_EN 拉低启用硬件看门狗 U1TXD U1RXD WDI 喂狗脉冲 CS DC RST SPI1_CLK SPI1_DO +5V

U0TXD U0RXD SCL SDA WA CR PV TC ESP_BOOT MODE_A&B A0 A1

INA3221告警输入

检测当前模式

OLED模块

U12 OLED_0.96

5VTTL&3.3VTTL转换

U10 TXS0108EPWR

ESP_TXD2_5V ESP_RXD2_5V ESP_TXD1_5V ESP_RXD1_5V ESP_TXD0_5V ESP_RXD0_5V

电流电压ADC电路

U13 INA3221

18V_IN+ 18V_IN- 5V_IN+ 5V_IN-

I2C地址：1000000

S6 S7 S8 S9

0：看门口启用，需要喂狗，1.6S超时重启

U15 STWD100XY

U14 MP2315GJ DCDC-5V

18V&5V电流/电压采集

这里做差分走线

电源输入 F1 BXS-2P

U2 M5525_DIP

电源开关

U11 CSD18532Q5B

1A=0.05V 电流采样


U8 LM74700-Q1

电源部分电路


DRAWN:	DATED:	COMPANY:			
CHECKED:	DATED:	TITLE:			
QUALITY CONTROL:	DATED:	CODE:	SIZE: A3	DRAWING NO:	REV:
RELEASED:	DATED:	SCALE:		SHEET: 1 OF 3	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


KEYPAD 手柄




RS232 通信




DEC 马达




CCD 自动导星口






RS232电平转换


N/S开关






删除：AUX2/6/7/8


SW1部分电路






EN	A1	A0	Connected (OUT)
0	X	X	ALL OFF
1	0	0	S1A&DA/S1B&DB
1	0	1	S2A&DA/S2B&DB
1	1	0	S3A&DA/S3B&DB
1	1	1	未使用


FOCUSER 调焦器








RETICLE 照明

SW0部分电路









DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:


TITLE:

CODE:	SIZE:	DRAWING NO:	REV:
	A3		


SCALE:

SHEET: 2 OF 3

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




USB转TTL



自动下载

TYPE_C



TYPE_C_14P_DIP-180

DRAWN:	DATED:	COMPANY:		
		TITLE:		
CHECKED:	DATED:	CODE:	SIZE: A3	DRAWING NO: / REV:
QUALITY CONTROL:	DATED:			
RELEASED:	DATED:	SCALE:	SHEET: 3 OF 3	