Fabric MCP Studio

User Guide

Build your Microsoft Fabric data, semantic models, Power BI reports and AI answers step by step – by clicking buttons or by asking Copilot in plain language. No coding needed.

For	Business users, analysts and anyone who wants to use Fabric MCP Studio – no technical background required
App version	1.33 and later
Updated	October 2026

NOTE **Sample app, provided as is.** Fabric MCP Studio is a sample created by Luis Fernando Borbon for demos, learning and proofs of concept. It isn't an official Microsoft product, isn't supported by Microsoft Support and is provided without warranty. Try it in a test workspace first.

Contents

1. What Fabric MCP Studio does
2. Words you will see
3. Before you start – what you need
4. Install the app (one time)
5. Start, stop and update the app
6. Sign in and choose your AI
7. Find your way around the screen
8. Working with Copilot
9. Step 1 – Name your environment
10. Step 2 – Choose a workspace
11. Step 3 – Connect your data
12. Step 4 – Create or add a semantic model
13. Step 5 – Build Power BI reports (with maps)
14. Step 6 – Ask questions and share
15. Optional steps – ontology, planning, real-time, task flow
16. Keep things tidy – remove items and clean up
17. When something doesn't work
18. Safety, privacy and costs
19. Quick reference card

TIP **How to read this guide.** Chapters 1–8 explain the app and set it up once. Chapters 9–14 walk you through building a solution, in the same order the app suggests. You don't need to do every step – stop whenever you have what you need. Words in **bold** are buttons, tabs or labels exactly as you see them in the app.

1. What Fabric MCP Studio does

Fabric MCP Studio is an app that runs on your own computer and opens in your web browser. It helps you build an analytics solution in **Microsoft Fabric** – your organization's data platform – without writing code.

Think of it as a guided assembly line. Each station builds on the one before:

1. Data
Bring in sample data, your databases or data already in Fabric

2. Semantic model
One trusted set of numbers: tables, relationships and business measures

3. Reports
Professional Power BI reports – even maps – built for you

4. Answers & sharing
Ask questions in plain language; share in Teams and Microsoft 365 Copilot

You can do every step in two ways:

- **Click the buttons.** Every page has clear actions such as **Load sample**, **Create semantic model** or **Build report**.
- **Ask Copilot.** Type what you want in plain language, for example *"Recommend the best report for my data"*. Copilot explains its plan and **asks for your approval before it changes anything**.

NOTE **It works as you.** The app signs in to Microsoft Fabric with your own work account, so it can only see and change what you are allowed to. Everything it builds lives in your organization's Fabric, not on your computer.

2. Words you will see

You don't need to be an expert, but these words come up often. Keep this page handy.

Word	What it means in plain language
Microsoft Fabric	Your organization's online data platform. The app builds everything there.
Workspace	A folder in Fabric that holds everything for one project. You choose one, or the app creates one.
Capacity	The computing power your organization pays for (or a free trial). A workspace runs on a capacity. If it is *paused*, nothing can run.
Data source	Where your numbers come from: a sample, a company database, or a lakehouse/warehouse already in Fabric.
Lakehouse, warehouse, SQL database	Places in Fabric that store tables of data. You don't need to know the difference – the app handles it.
OneLake	Fabric's single storage for all data. Everything you connect ends up readable there.
Semantic model	The "single version of the truth": your tables, how they relate, and business measures such as *Total Sales*. Reports and answers are built on it.
Measure	A business calculation, for example Total Sales, Profit Margin % or Number of Customers.
Relationship	How two tables connect, for example each sale belongs to one customer.
Power BI report	Pages of charts, tables, cards and maps people open in Power BI.
Org app	A package of reports you publish to a group of people, so they don't need workspace access.
Ontology	Your business vocabulary for AI: things (Customer, Product), how they relate, and business rules in plain English.
Copilot	The AI assistant inside the app. It answers questions and builds things after you approve.
Data agent	A Fabric AI assistant that answers questions about your semantic model; it can be used in Microsoft 365 Copilot.
Task flow	A picture in Fabric of how the items in a workspace work together (raw data → curated data → model → reports).
Approval	A pop-up that shows exactly what Copilot wants to change. Nothing changes until you select **Approve**.

3. Before you start – what you need

Check this list once. If something is missing, the right-hand column tells you who can help.

You need	Why	Who can help
A Windows computer with internet access	The app runs on your computer and talks to Fabric online.	–
A **work account** (Microsoft Entra ID) that can use Microsoft Fabric	The app signs in as you.	Your IT department
Access to a **Fabric capacity** (a free trial works for most steps)	Fabric needs computing power to build things.	Your Fabric administrator, or start a trial at app.fabric.microsoft.com
Permission to create or edit a **workspace** (Contributor or higher)	Everything the app builds goes into one workspace.	The workspace owner or your Fabric administrator
Your organization's **AI service** details – usually an Azure AI Foundry / Azure OpenAI *endpoint* and *deployment name*	Copilot inside the app uses the AI your organization already has.	Your IT or AI team
Node.js (free) installed on your computer	The app needs it to run. Installing it takes two minutes – see the next chapter.	You, or IT if you can't install software
The app files (a ZIP file or a link to the GitHub repository)	That's the app itself.	The person who shared Fabric MCP Studio with you

TIP **Not sure about Fabric settings?** Don't worry about them yet. After you sign in, the app's **Check setup** button tests everything for you and says in plain words what is missing and who should fix it.

Optional: the **Azure CLI**. If your IT team installed it and you have signed in with it (`az login`), the app reuses that sign-in automatically. Without it you simply sign in through your browser.

4. Install the app (one time)

A. Install Node.js

1. Open your browser and go to **nodejs.org**.
2. Select the big download button marked **LTS** (Long Term Support). Version 20 or newer is fine.
3. Open the downloaded file (it ends in `.msi`).
4. Select **Next** on every screen, accept the license, and select **Install**. Keep all default options. You can leave the "Tools for native modules" box unticked.
5. Select **Finish**.

B. Get the app files

1. If you received a **link to GitHub**: open it, select the green **Code** button, then **Download ZIP**. If you received a **ZIP file**, use that.
2. In File Explorer, **right-click the ZIP file › Properties**. If you see an **Unblock** box at the bottom, tick it and select **OK**. (This lets the app's start scripts run.)
3. Right-click the ZIP file again › **Extract All...** Choose a simple folder such as `C:\FabricMCPStudio` and select **Extract**.

C. Create the desktop icon

1. Open the folder you extracted, then open the **scripts** folder.
2. Right-click **create-shortcut.ps1** › **Run with PowerShell**. A blue window opens.
3. The first time, it downloads the app's components (about 150 MB). This takes a few minutes – wait until the window says the shortcut was created, then close it.
4. You now have a **Fabric MCP Studio** icon on your desktop.


TIP **Alternative without the icon:** double-click **Start-Studio.cmd** in the main app folder. A black window opens – keep it open while you use the app, and close it when you're done.

IMPORTANT **If Windows says the script is blocked**, ask IT to allow it, or open the Start menu, type **PowerShell**, open it and paste: `powershell -ExecutionPolicy Bypass -File C:\FabricMCPStudio\scripts\create-shortcut.ps1` (change the folder if you extracted somewhere else).

5. Start, stop and update the app

Start

1. Double-click the **Fabric MCP Studio** icon on your desktop.
2. Your browser opens the app at **http://127.0.0.1:4870**. (This address means "my own computer" – nothing is published on the internet.) Tip: bookmark it.
3. The very first time, a **Disclaimer** appears. Read it and select **I understand**.



The disclaimer appears once. You can read it again any time from the link at the bottom of every page.

> **NOTE** **Already running?** Double-clicking the icon again just reopens the app in your browser – it never starts a second copy.

Stop

Select **Shut down** at the top right of the app. If a job is still running, wait for it to finish first – shutting down stops it.

Update to a new version


When someone gives you newer app files, replace the old folder (or let IT update it). The app notices and shows a yellow banner at the top: **"A newer version is installed – Restart now"**. Select **Restart now**; the page reloads by itself after a few seconds. Your project, chats and settings are kept.

Select the version number next to the app name (for example **v1.33.26**) to see **What's new**.

6. Sign in and choose your AI

Sign in to Microsoft Fabric

1. Select **Sign in** at the top right.
2. Choose **Sign in with browser** (recommended). A Microsoft sign-in page opens – use your **work account**. If your IT team set up the Azure CLI for you, you can choose **Sign in with Azure CLI** instead.
3. When you're signed in, your name and initials appear at the top right. Select them any time to see the account, **Switch account** or **Sign out**.



The top of the app: theme, **Check setup**, your account and **Shut down**. The line under the title shows who you are, the AI in use, the workspace and the semantic model.

Choose your AI (Copilot)

Copilot uses the AI service your organization already licenses. You set it once.


1. Select **Settings** (top right of the map).
2. In **AI provider**, select the card your IT team told you to use – most often **Azure AI Foundry / Azure OpenAI**.
3. Fill in the fields with the values from IT – for Azure: **Endpoint** and **Deployment name**. Keep **Authentication** on **Microsoft Entra ID (recommended)**, so you don't need a key.
4. Select **Save**, then **Test**. A green message with a short reply means it works.

Decide how Copilot asks for approval


In **Settings › Approvals** keep **Ask every time** (recommended). Every change Copilot wants to make then opens a review window first. **Auto-approve** is only for demos in a test workspace; **Read-only** lets Copilot answer questions but never change anything.

Run the setup check

Select **Check setup** at the top. The app tests your sign-in, capacity, AI, connections and Fabric settings.




Settings › AI provider. **Save** first, then **Test**.



Check setup: green dots are fine; yellow or red lines say what is missing and how to fix it. **What can run** shows each part as *Ready* or not.

7. Find your way around the screen

The app opens on the **solution map** – a picture of everything you can build, from left (data) to right (sharing). The top row is analytics; the bottom row is real-time (live) data.



The solution map on the Overview page.

Reading the map

What you see	What it means
A box with a green ✓	That part is built (configured). Its name and details are shown.
A box with a dashed border	**Ready to set up** – you can build it now.
A faded grey box	**Needs an earlier step** – build the parts to its left first.
A purple **NEXT** badge	The step the app suggests you do next.
A red badge	**Can't run** – something is missing (for example a Fabric setting). Select the box to see why.
Lines between boxes	What is built from what. Moving lines mean a job is running.
6 of 16 in place (top)	Your progress.

Clicking on the map

- **Click a box once** to see its details below the map, with buttons such as **Open**, **Let Copilot do it** and **Open in Fabric**.
- **Double-click a box** to go straight to its page.

- Three handy double-clicks: **Data source** lists the data in your workspace (or any other workspace you pick); **Semantic model** lists your models; the **workspace name** (at the top of the frame) lists your workspaces.

The four tabs


At the top right of the map: **Overview** (the map and suggestions), **Copilot** (the full-size chat), **Activity** (everything that happened) and **Settings**. On other pages the map gets smaller; **Hide map** folds it away.

Jobs that take a while

Longer tasks – loading data, building a report – run in the background. A small card at the bottom right shows the progress. You can keep working meanwhile. Select the card to see the details, or open **Activity**.

8. Working with Copilot

Copilot is your assistant inside the app. It can explain your data, answer business questions with your real numbers, and build things for you.



The Copilot page. Select a suggested question, or type your own at the bottom and press **Enter**.

How to talk to Copilot

- Write as you would to a colleague: "*Which product category grew the most last year?*"
- Be specific about what you want built: "*Build an executive report with a map, in the Executive Navy theme.*"
- Ask for "*a chart in chat*", "*graph it here*" or "*make a dashboard in chat*" when you want quick visuals in the Copilot answer (bar, line, pie/donut, scatter, heat map, treemap, KPI cards and more). Ask for a **Power BI report**, page or dashboard when you want it saved in Fabric.
- Ask "why" and "how": "*Why did sales drop in March?*", "*How do I share this report with my team?*"
- On every page, buttons marked ✦ (for example ✦ **Ask Copilot**) start a conversation about that page for you.
- **+ New** starts a fresh conversation; **History** brings back earlier ones.

Approving changes

When Copilot wants to create or change something in Fabric, a window titled **"Copilot wants to make a change"** shows exactly what it will do. Read it, then select **Approve** or **Decline**. Nothing changes until you approve.


When Copilot suggests a design (a semantic model, a report, a data agent), it shows an **Apply suggestions** or ✓ **Apply** button under its answer. Select it to review and build – there's no need to type "yes".

IMPORTANT **AI can be wrong.** Always read Copilot's suggestions before you apply them, and double-check important numbers in Power BI.

9. Step 1 – Name your environment

Before the app creates anything, tell it **what this environment is for**. It then names every item clearly, for example `Sales_WS_Analytics_PROD` = the *Sales* team's *workspace* for *analytics* in *production*. Anyone can tell from the name what an item is and where it belongs.

1. Open the **Workspace** page (double-click the workspace frame on the map, or select **Workspace** from the Overview).
2. In **What is this environment for?**, select one card: **Demo or showcase**, **Proof of concept**, **Development**, **Testing**, **User acceptance**, **Production**, **Training or workshop** or **Personal sandbox**.
3. Type your **Business domain** – the business area, for example *Sales* or *Finance*.
4. Check the preview on the right (**Names the studio will use**) and select **Use this naming**.



Choose the purpose and the business domain; the preview shows the names.

> **NOTE** Items that already exist keep their names. You can change the naming later with **Save naming**.

10. Step 2 – Choose a workspace

Everything the app builds goes into one Fabric workspace. Create a new one, or use one you already have.


Create a new workspace

1. On the **Workspace** page, select **Create new**.
2. **Workspace purpose**: a word such as *Analytics*. The full name is shown below it.
3. **Capacity**: pick one from the list. Trial capacities are marked *(trial)*.
4. Optionally add a **Description**, then select **Create workspace**.

> **NOTE** The **Create workspace** button stays grey until you finish Step 1 (naming).


Use an existing workspace

1. Select **Use existing**, find the workspace (use the search box) and select it.
2. Or **double-click the workspace name** on the map to see every workspace on your capacity, then select **Use**.



Double-click the workspace name on the map to switch workspaces.

> **IMPORTANT** **Switching workspace starts the project over** in the new workspace. The app asks first, and nothing is deleted – everything you built stays in the old workspace.



The Workspace page lists the items in your workspace. **Open in Fabric** opens it in Fabric; **Next: add data** takes you to the next step.


11. Step 3 – Connect your data

Open the **Data** page. Pick **one** of three ways to bring in data. Not sure? Start with sample data – it's the fastest way to see the whole app working.

Option	Choose it when…	Time
Sample data	You want to learn or demo the app. Two samples: *Contoso Retail* (a store chain) and *AdventureWorksDW2022* (a bike company).	3–8 min
Your databases	Your data is in Azure SQL, SQL Server or PostgreSQL. Fabric keeps a live copy (called *mirroring*).	5–15 min
Existing Fabric data	Your data is already in a Fabric lakehouse, warehouse, mirrored database or SQL database.	1 min

Option A – Sample data


1. Select the **Sample data** tab.
2. For Contoso Retail select **Load sample**. For AdventureWorks select **Create in my workspace**.
3. Optional for Contoso Retail: tick **Also create a data prep notebook (Python)** to get cleaned tables and charts.
4. Watch the progress card at the bottom right. When it finishes, the Data page shows your tables.



The two samples.

Option B – Your databases

1. Select the **Your databases** tab and the type of database.
2. Fill in the details (server, database) – your database administrator can give them to you.
3. Choose an existing Fabric connection, or create a new one with the sign-in details.
4. Select **Start mirroring**. The page shows each table as it is copied.




Supported databases.

> **NOTE** **Passwords are safe.** Database sign-in details go straight to Microsoft Fabric to create a connection. They are never shown to the AI. SQL Server on your company network needs an *on-premises data gateway* – ask IT.

Option C – Existing Fabric data


1. Select the **Existing Fabric data** tab.
2. Choose the kind of item (**Lakehouse**, **Warehouse**, **Mirrored database** or **SQL database**) and the workspace.
3. Select the item. Its tables appear with their row counts.
4. Select **Use in place** – the model is built right on that data, nothing is copied. (For lakehouses and warehouses you can choose **Create shortcuts in my project lakehouse** instead.)



Pick an item and use it in place.

When your data is connected

The top of the Data page summarizes your data: where it lives, how it reaches Fabric, and every table with its rows. Select ✦ **Explain my data** for a plain-language tour, or **Next: semantic model** → to continue.




The Data page once data is connected.

More than one data source

You can add another data source to the same workspace at any time (**Add another data source** at the bottom of the Data page). Each source keeps its own model, reports and the rest. To switch between them, **double-click Data source** on the map – nothing changes in Fabric when you switch.

The pop-up opens on your project workspace. To use data that lives in another workspace, pick that workspace in the list at the top and select **Use as data source** next to the lakehouse, warehouse or database you want – nothing is copied, and what you build from it goes to your project workspace. When your active data source is in another workspace, a line under the list says so; select **Show** to see it.



Double-click **Data source** on the map to see the data in your workspace – or another one – and switch.

12. Step 4 – Create or add a semantic model

The semantic model turns tables into business numbers everyone trusts. Open the **Semantic model** page.


Create a new model from your data

1. Review the tables (untick any you don't need) and the relationships the app found.
2. Check the **Semantic model name**.
3. Select **Create semantic model**. With the samples, the app also adds ready-made business measures.

Prefer help? Select ✦ **Design it with Copilot**. Copilot proposes tables, names, relationships and measures, then shows **Apply suggestions** to review and create it.


Use a model that already exists

1. Select ⇄ **Switch or add a model** (or double-click **Semantic model** on the map).
2. Select **+ Add an existing model**, choose the workspace and the model, then **Add**.
3. The app reads its tables and measures, and looks in Fabric for the **reports and data agents already built on it**. They appear on the map and on Reports & apps as *Existing report*. The app never changes or deletes them.



The Semantic models window: switch the active model, add one, or build a new one.

> **NOTE** **One model is active at a time.** Reports, Copilot's answers, the data agent and the org app use the active model. Switch any time with **Use this model** – nothing changes in Fabric.



The Semantic model page with one-click improvements: business measures, documentation, a best-practice review, translations and security.


Improve your model with Copilot

Select any of the ✦ buttons on the page, for example ✦ **Add business measures from my glossary** or ✦ **Run a best-practice review**. Copilot explains each change and asks for approval.

If the model shows an error – "Check data"

Sometimes data contains duplicate rows, and the model can't answer (you'll see a message such as *"has repeated values … one side of a relationship"*). Select 🩺 **Check and fix the data** (or 🩺 **Check data** in the model bar).


- The app checks every relationship against the real data and shows **Unique** or how many extra rows there are.
- If the extra rows are exact copies in a warehouse, select **Remove … duplicate rows**. A backup copy is kept first.
- If it says **Model has older rows**, select ↻ **Reload the model**.



All relationships are fine here.

13. Step 5 – Build Power BI reports (with maps)

Open **Reports & apps**. The bar at the top shows which semantic model the reports are built on.




The model bar: switch models, **Check data**, or **Add a model**.

The fastest way – a recommended report

Recommended for your data suggests reports for different audiences, each with the reasons from your own data.


1. Read the cards – for example **Executive report** (for leadership) or **Regional report** (with a map).
2. Select **Build**. The report is created in your workspace in a minute or two.
3. Or select **Customize** to change pages or theme first.



Recommended reports with their reasons. **Build** creates the report.

What the app found in your model


This card shows what the reports will use: headline numbers (KPIs), time, breakdowns, top-10 lists and the **Map** line – the places it found, such as *Country › State › City*.




What we found in your model.

Design your own report

1. In **Design a Power BI report › Pages**, tick the pages you want: **Executive summary**, **Performance drivers**, **Scorecard**, **Business rules**, **Plan vs actual** and **Map**.
2. Pick a **Theme** (colors and style).
3. Check the **Report name** and select **Build report**.



Page templates. The **Map** page appears when your data has locations.



Themes.


Maps

When your data has **countries, states, cities, postal codes** or **latitude/longitude**, the app adds a **Map** page: bubbles sized by your main number, which you can drill from country to state to city, next to the top places. You don't have to do anything special – the app finds the location columns by itself.

> **NOTE** Maps use Power BI's **Azure Maps** visual. If the map shows a message instead of a map, ask your Fabric administrator to turn on the tenant setting **"Use Azure Maps visual"**.

Use your organization's own report templates


Under **Your own templates**, select **Upload template** (or drop files on the box). Power BI templates (.pbit), reports (.pbix), zipped Power BI projects, report layouts and themes (.json) are supported. Then select **Use template**: the app checks which fields match your model and builds the report with your template's look.



Upload your own templates.

Open and share your reports


- **Your reports** lists every report. Select **Open in Power BI ↗**, or ▸ **Preview** to see the pages here.
- **Create app** (under **Your reports**) asks which reports go in the app, then bundles them into one app. Then select **Publish in Fabric**, add the people who can see it to its audience and publish. People don't need access to your workspace. **Choose reports** changes what is in the app; **Delete app** removes it – your reports stay.



Your reports. Reports that already existed are marked *Existing report* and are never changed by the app.

14. Step 6 – Ask questions and share

Open **Ask & share**.



Ask governed questions – answers come from your semantic model, with your permissions.

Ask questions about your business

Select any suggested question, or select **Ask your own question**. Answers use your real measures and respect everyone's permissions and row-level security. The questions are written for your data – your measures, categories and years.

Create a Fabric data agent

A data agent is an AI assistant in Fabric that answers questions about your model – also inside Microsoft 365 Copilot. Select **Create data agent**, or **✦ Suggest it with Copilot** and then **✓ Apply suggestions** to review its instructions first.

Put it in Microsoft Teams and Microsoft 365 Copilot

In **Microsoft 365 Copilot & Teams**, select **Install for me** to try the agent yourself, or **Publish to my organization** to submit it for your administrator's approval.

Keep a record


Export › Download project & audit log (JSON) saves what was built and every approval.

15. Optional steps

These parts add more value but aren't required. Each has its own page and box on the map.

Ontology – your business vocabulary for AI

1. Open **Ontology**. In **Business glossary**, write (or **Upload .md/.txt**) your terms and rules in plain language, for example *"Active customer: a customer with a purchase in the last 90 days"*. Select **Save glossary**.
2. Select ✦ **Generate rules with Copilot** to turn the glossary into business rules.
3. Review the entities and rules on the right, then select **Deploy ontology**.




The Ontology page. Ontology is a Fabric preview feature; AI agents use it on paid capacities (F2 or higher).

Planning – budget and forecast

Planning creates next year's budget and a rolling forecast from your actual numbers, and a **Plan vs actual** report.

1. Open **Planning**. **Design the plan** recommends a plan year and growth – change the growth for any region and select ↻ **Apply growth targets** to see the effect.
2. Select **Build the plan** (about 4 minutes).
3. Select **Build report** for the Plan vs actual report, and **Create the Fabric plan** so planners can refine numbers in planning sheets.

> **NOTE** Planning works on a semantic model **the app built** from your data. If your active model is one you added, the page tells you – switch models or build a new one first.




Here the active model is an existing one, so the page explains what to do.

Real-time – live data

Stream live events shaped like your data, watch them on an auto-refreshing dashboard and get alerts.


1. Open **Real-time** and select **Set up live data** (about 2 minutes).
2. In **Live events**, choose how many events per minute and select ▶ **Start events**. Select ■ **Stop** when done.
3. Select **Build dashboard**, then open it to watch the numbers change every 30 seconds.
4. Optional: **Create alerts** (Teams or email) when a business rule breaks, **Connect live events** to the ontology, or **Apply medallion template** for Bronze, Silver and Gold layers.



The Real-time page before set-up.

Task flow – organize your workspace

A task flow shows in Fabric how your items fit together. On the **Workspace** page, in **Task flow**, pick the flow already in your workspace or one of Fabric's ready-made flows (for example **Medallion**), check where each item goes, then select **Use …**. The app keeps it up to date as you add or remove items.




Each box lists its items. Move an item with the small menu next to it.

16. Keep things tidy – remove items and clean up

Remove one item

On the **Overview** page, **Items in this project** lists everything the project uses and what depends on it. Select **Remove** to delete an item in Fabric. The button is disabled while something still uses the item – remove that first (for example the reports before their semantic model). Before anything happens, a window tells you exactly what **Remove** will do. Items the app **didn't create** – a model you added, or data you used in place – are only disconnected from the project; the app never deletes them.




Items in this project.

Clean up everything

1. Open **Settings › Clean up**.
2. Select **Clean up resources**. The app lists every item it will delete, and which ones go to the workspace's recycle bin.
3. Type the workspace name to confirm. Tick **Delete the whole workspace** only if the app created it and you want it gone.

Start a new project only clears the app's memory on your computer – nothing is deleted in Fabric.



Settings › Clean up.

See everything that happened

The **Activity** tab lists every item created (with links), every job, and every approval or decline.

17. When something doesn't work

First select **Check setup** – it finds most problems and says how to fix them. You can also ask Copilot: *"Why can't I build a report?"*

What you see	What to do
The browser says the page can't be reached	The app isn't running. Double-click the desktop icon and wait a few seconds.
"Fabric MCP Studio isn't running" at the top of the page	Start it again from the desktop icon; the page reconnects by itself.
Sign in at the top right, or "Not signed in"	Select **Sign in › Sign in with browser** and use your work account.
Copilot says the AI provider isn't set up	**Settings › AI provider**: enter the details from IT, **Save**, then **Test**.
A red badge on a map box, or "Can't run"	Select the box – it says what is missing (often a Fabric setting your administrator must turn on).
"The capacity is paused"	Ask your Fabric administrator to resume the capacity, then select **Check again**.
A grey box you can't open	Build the parts to its left first – the box says what it needs.
"…has repeated values … one side of a relationship"	Select **Check and fix the data** (Step 4).
The check says **Model has older rows**	Select ↻ **Reload the model**; if it persists, wait a few minutes and reload again.
The map shows a message instead of a map	Ask your Fabric administrator to turn on **"Use Azure Maps visual"**.
"Preview not available" for a report	Normal when your organization turns PDF export off. Select **Open in Power BI**.
A yellow banner "A newer version is installed"	Select **Restart now** (wait for running jobs to finish first).
Something says "Not found" or "needs a restart"	The app was updated: select **Restart now**, or **Shut down** and start it again.
A job failed	Open the job card (bottom right) or **Activity** to read why. Fix the cause and run it again – you can also ask Copilot what went wrong.

18. Safety, privacy and costs

- ✓ **You are in control.** Copilot asks before every change. Deleting anything always needs your confirmation, and clean-up needs you to type the workspace name.
- ✓ **It works with your permissions.** The app signs in as you; Fabric security, including row-level security, always applies. It can't see or change more than you can.
- ✓ **Your data stays in your organization.** Everything the app builds lives in your Fabric tenant. Questions you ask Copilot, and data in its answers, go to the AI service your organization chose.
- ✓ **Passwords never reach the AI.** Database sign-in details go straight to Fabric.
- ✓ **Existing work is protected.** Semantic models, reports and data agents you add that already existed are never changed or deleted by the app.
- ✓ **Costs.** Items run on your organization's Fabric capacity and may use its capacity or incur costs. Clean up what you don't need (chapter 16).
- ✓ **Start in a test workspace.** Try new things in a *Personal sandbox* or *Development* environment before production.

NOTE **Getting help.** Use **Check setup** and Copilot first. For questions or feedback about the app, contact the author at **luisbor@microsoft.com** (best effort, no support commitment).

19. Quick reference card

I want to…	Go to	Select
Start the app	Desktop	Double-click **Fabric MCP Studio**
Stop the app	Top right	**Shut down**
Sign in or switch account	Top right	Your name, or **Sign in**
Check that everything works	Top right	**Check setup**
Set up the AI	**Settings › AI provider**	Fill in, **Save**, **Test**
Name my environment	**Workspace**	Pick a card, type the domain, **Use this naming**
Create or pick a workspace	**Workspace**	**Create new** or **Use existing**
Switch workspace	Map	Double-click the workspace name
Load sample data	**Data › Sample data**	**Load sample** / **Create in my workspace**
Use data already in Fabric	**Data › Existing Fabric data**	Pick the item, **Use in place**
Mirror a company database	**Data › Your databases**	Fill in, **Start mirroring**
Switch data source	Map	Double-click **Data source**
Create a semantic model	**Semantic model**	**Create semantic model**
Use an existing model	**Semantic model**	⇄ **Switch or add a model › + Add an existing model**
Fix a model data error	Model bar	**Check data**
Build a report	**Reports & apps**	**Build** on a recommendation, or **Build report**
Add a map	**Reports & apps › Pages**	Tick **Map**, or build the **Regional report**
Use our own report template	**Reports & apps**	**Upload template**, then **Use template**
Share reports as an app	**Reports & apps**	**Create app**, then **Publish in Fabric**
Ask a business question	**Ask & share** or **Copilot**	A suggested question, or type your own
Create a data agent	**Ask & share**	**Create data agent**
Add the agent to Teams	**Ask & share**	**Install for me**
Remove one item	**Overview › Items in this project**	**Remove**
Delete everything the app built	**Settings › Clean up**	**Clean up resources**
See what happened	**Activity**	–
Update the app	Yellow banner	**Restart now**