Tmux □□□□

Geoffrey Xu
13149131068@163.com
Xidian University

March 4, 2026

Abstract

□□□□□□□□ Tmux □□□□□□□□□□□□session□□□□□window□□□□□pane□□□□□□□□□□□

7. □□□□□□□□□□ 11
7.1. □□□□ 11
7.2. □□□window□□□ 11
7.3. □□□pane□□□ 12
8. □□□□□ /.tmux.conf□ 12
8.1. □□□□□ 12
8.2. □□□□□□□□□ 13
8.3. □□□□□□ 13
8.4. □□□□□□□□□ hjkl 14
8.5. □□□□□□□□□ Ctrl+hjkl 14
8.6. □□□□□□Zoom□□□□□□ 14
8.7. □□□□□□□join-pane 15
8.8. □□□□□□ 15
9. □□□□□□Buffer □□□□□□ 16
9.1. □□□□□□□□□ 16
9.2. □□□□□□□□□□□ 16
9.3. Buffer □□ 16
9.4. Linux□□□□□□□□□xclip□ 17
9.5. macOS□□□□□□□□□pbcopy / pbpaste□ 17
10. □□□□□□Resurrect / Continuum / TPM 19
10.1. Tmux Resurrect 19
10.2. Tmux Continuum 20
10.3. TPM□Tmux Plugin Manager□ 21
11. □□□□□□□□□ / □□□□□ 22
11.1. □□ tmate □□□□ 22
11.2. □□□□□□□□□□□ 23
11.3. Socket □□□□□□□□□□ 23
12. □□□□□□□□ 24
12.1. □□/□□□□□□ 24
12.2. □□□□□□□□□ 24
12.3. 256 colors □□ 24
12.4. □□□□□□□□□□□□□ 25
12.5. □□□□□□□□□□□□□□□□□□ 25
12.6. □□□□□□□□□□□□□ 25
12.7. macOS□□□□□□□□□ 26
13. □□□□ 27
14. Reference 27

1.

Tmux □□□□□□□□□terminal multiplexer□□□□“□□□□□window□”□□□□□□“□□□session□/□□”□□□□□□□□□□□□□□□□□

Tmux □□□□□□□□

- □□□□□□□□□□□□□□□□/□□/□□□
- □□□detach□□□□□□□□□□□□□□attach□□
- □□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□□□□□
- □□□□□□□□□□□□□□□□pane□□□□□□□□□□□□□

□□□□□□□

- □□□□□□/□□“□□□”□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□

□□□□ macOS □□□□ Homebrew□□□□□□□“□□□ Homebrew□□□□ tmux”□□□□Homebrew □□□□□□□□□□□□□□□□□

```
# □□□Homebrew□□□□□
ruby -e "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install)"
# □□tmux
brew install tmux
```

2.2.

□□□□□□□□ `tmux` □□□□ Tmux□

```
$ tmux
```

□□□□□□□□□□□□□□□□

2.3. Prefix

Tmux □□□□□□□“□□□”□□□□□□□□□□ `Ctrl+b` □□□ `Ctrl+b` □□□□□□□□□□□□□□□□

□□□□□□□□□□□ `Ctrl+b ?` □□□□□□□□ `Esc` □ `q` □□□□□□□

3.

□□□□□□□□□□□□□□□□□□□□

- □□□session□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- □□□window□□□□□□□“□□□”□□□□□□□□□□□□□□
- □□□pane□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□□“□□□□”□□□□□□□□□□□□□□□□□□□

□□□/□□□□□□□□□□□□ `-d` □□□□□□□□□

```
tmux new -s init -d # □□□□□□□□□□init□□□
```

4.2. Detach

□□□□□□ `Ctrl+b d` □□□□□□ `tmux detach` □□□□□□□□□□□□□□□□□□□□□

```
$ tmux detach
```

□□□□□□□□□□□□□□□□□□□□□□

```
tmux detach # □□□□□□□□□□□□□□□
```

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4.3.

```
$ tmux ls
# or
$ tmux list-session
```

□□□□□□□□□□□□□□□□□□□□□

```
tmux list-session # □□□□□□□
tmux ls # □□□□□□□□□□□□□□□□□
```

□□□□□□□□□□□□□□□□□□ `Ctrl+b s` □□□□□□□□□□□□□⬆️⬇️□□□□□□□□□□□□□□□□□□⬅️➡□□□/□□□□□□□□□□□□□□□□□□□□□



□ 4 □□□□□□□□□□□□

4.4. Attach

```
# □□□□□□
$ tmux attach -t 0

# □□□□□□
$ tmux attach -t <session-name>
```

□□□□□□□ `tmux a` □□□□□□□□□□□□□□ `tmux a -t demo` □□□□□□□□□

```
tmux a # □□□□□□□□□□
tmux a -t demo # □□□□□□demo□□□
```

4.5. Switch

```
# □□□□□□
$ tmux switch -t 0

# □□□□□□
$ tmux switch -t <session-name>
```

4.6.

```
$ tmux rename-session -t 0 <new-name>
```

4.7.

```
# □□□□□□
$ tmux kill-session -t 0

# □□□□□□
$ tmux kill-session -t <session-name>
```

□□□□□“kill”□□□□□□□□ `kill-pane` □ `kill-window` □ `kill-session` □ `kill-server` □□□ `kill-server` □□□□□□□□□□□□□□

```
tmux kill-session -t demo # □□demo□□
tmux kill-server # □□□□□□□□□□□□□□□□
```

4.8.

□□□□□□□□□□□“□□□□”□□□□□□□□□□□□□□□□

1. □□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□
3. □□□□□□detach□□□□□□□□□□□□□
4. □□□□□□□□□attach□□□□□□□□□□□□□

```
tmux new -s my_session
```

□□□□ tmux □□□□□□□□□□□

```
Ctrl+b d
```

```
tmux attach-session -t my_session
```

4.9.

□□□□□□□□□□□□□

- `Ctrl+b d` □□□□□□□□□
- `Ctrl+b s` □□□□□□□□□
- `Ctrl+b $` □□□□□□□□□□

5. Window

5.1.

```
$ tmux new-window

# □□□□□□□□□□□□
$ tmux new-window -n <window-name>
```

5.2.

```
# □□□□□□□□□□□
$ tmux select-window -t <window-number>
```

```
# □□□□□□□□□□□
$ tmux select-window -t <window-name>
```

5.3.

```
$ tmux rename-window <new-name>
```

5.4.

- `Ctrl+b c` □□□□□□□□
- `Ctrl+b p` □□□□□□□□□□□
- `Ctrl+b n` □□□□□□□□□□□
- `Ctrl+b <number>` □□□□□□□□□□□□
- `Ctrl+b w` □□□□□□□□□□
- `Ctrl+b ,` □□□□□□□□

6. Pane

6.1.

```
# □□□□□□□□□
$ tmux split-window

# □□□□□□□□□
$ tmux split-window -h
```



图 5 □□□□□□□□

6.2.

```
# □□□□□□□□□□
$ tmux select-pane -U

# □□□□□□□□□□
$ tmux select-pane -D

# □□□□□□□□□□
$ tmux select-pane -L

# □□□□□□□□□□
$ tmux select-pane -R
```

6.3.

```
# □□□□□□
$ tmux swap-pane -U

# □□□□□□
$ tmux swap-pane -D
```

6.4.

- `Ctrl+b %` □□□□□□

- `Ctrl+b "` [illegible]
- `Ctrl+b <arrow key>` [illegible]
- `Ctrl+b ;` [illegible]
- `Ctrl+b o` [illegible]
- `Ctrl+b {` [illegible]
- `Ctrl+b }` [illegible]
- `Ctrl+b Ctrl+o` [illegible]
- `Ctrl+b Alt+o` [illegible]
- `Ctrl+b x` [illegible]
- `Ctrl+b !` [illegible]
- `Ctrl+b z` [illegible]/[illegible]
- `Ctrl+b Ctrl+<arrow key>` [illegible]
- `Ctrl+b q` [illegible]

7.

[illegible]“[illegible] / [illegible] / [illegible]”[illegible] `Ctrl+b` [illegible] `Ctrl+b` [illegible]

7.1.

[illegible]	[illegible]	[illegible]
`Ctrl+b`	`?`	[illegible]
`Ctrl+b`	`d`	[illegible]
`Ctrl+b`	`D`	[illegible]
`Ctrl+b`	`Ctrl+z`	[illegible]
`Ctrl+b`	`r`	[illegible]
`Ctrl+b`	`s`	[illegible]
`Ctrl+b`	`:`	[illegible] `ls` [illegible]
`Ctrl+b`	`[`	[illegible] `q` [illegible]
`Ctrl+b`	`]`	[illegible]
`Ctrl+b`	`~`	[illegible]

7.2. window

[illegible]	[illegible]	[illegible]
`Ctrl+b`	`c`	[illegible]
`Ctrl+b`	`&`	[illegible] `y` [illegible] `n` [illegible]
`Ctrl+b`	`0~9`	[illegible]

`Ctrl+b`	`p`	□□□□□□□□
`Ctrl+b`	`n`	□□□□□□□□
`Ctrl+b`	`w`	□□□□□□□□□□□□□□□
`Ctrl+b`	`,`	□□□□□□□□
`Ctrl+b`	`.`	□□□□□□□□□□□□□□□□□□□□
`Ctrl+b`	`f`	□□□□□□□□□□□□□□□□□□□□

7.3. pane

□□	□□	□□
`Ctrl+b`	`"`	□□□□□□□□□□□□□□□□□□
`Ctrl+b`	`%`	□□□□□□□□□□□□□□□□□□
`Ctrl+b`	`x`	□□□□□□□□□□□□□ `y` □ `n` □□□
`Ctrl+b`	`z`	□□□□□□□□□□□□□□□v1.8 □□□
`Ctrl+b`	`!`	□□□□□□□□□□□□□□□□□□□□□□□
`Ctrl+b`	`;`	□□□□□□□□□□□□□
`Ctrl+b`	`q`	□□□□□□□□□□□□□□□□□□□
`Ctrl+b`	`{`	□□□□□□□□□
`Ctrl+b`	`}`	□□□□□□□□□
`Ctrl+b`	`Ctrl+o`	□□□□□□□□□□□□□□□□
`Ctrl+b`	□□□	□□□□□□□□□
`Ctrl+b`	`o`	□□□□□□
`Ctrl+b`	□□□	□□□□□□□□□□□□□
`Ctrl+b`	`Alt+□□□`	□ 5 □□□□□□□□□□□□□□
`Ctrl+b`	`Ctrl+□□□`	□ 1 □□□□□□□□□□□□□□□Mac □□□□□□□□□□□□□
`Ctrl+b`	`t`	□□□□

8. /.tmux.conf

Tmux □□□□ Vim □□□□□□□□□□□□□□□□□□□□

```
set -g prefix C-a #
unbind C-b # C-b□Ctrl+b□□unbind□□□□□□□□
bind C-a send-prefix # □□Ctrl+a□□□□□□□□

# □tmux v1.6□□□□□□□□□□□□□□□□
set-option -g prefix2 ` # □□□□□□□□□`□□□□□□□□□□□□□□
```

□□□□□□□□

- □□ tmux□
- □□ tmux □□ `Ctrl+b :` □□□□□□□□□□ `source-file ~/.tmux.conf` □

□□□□□□□□□□□□□□

```
$ tmux source-file ~/.tmux.conf
```

□□□□□□□□□□□□□□□□ `r` □

```
# □□□□□□□r
bind r source-file ~/.tmux.conf \; display-message "Config reloaded.."
```

□□□□□□□□□□□□□□□□

```
set-option -g mouse on # □□□□□4□□□□□□
```

□□□□□□□□□□ `set-window-option` □□ `setw` □□□□□□□□□□□□iTerm2 □□“□□□□□□□”□□□□□□□ `Alt` □□□□

8.4. hjkl

```
# □□hjkl□□□□□□□□□□□□□
bind -r k select-pane -U # □□k□↑
bind -r j select-pane -D # □□j□↓
bind -r h select-pane -L # □□h□←
bind -r l select-pane -R # □□l□→
```

`-r` □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□“□□□□/□□□□”□“□□□□”□□□□□

```
bind -r e lastp # □□□□□□□□
bind -r ^e last # □□□□□□□□

bind -r ^u swapp -U # □□□□□□□□□□
bind -r ^d swapp -D # □□□□□□□□□□
```

8.5. Ctrl+hjkl

`resizep` □ `resize-pane` □□□□

```
# □□Ctrl+hjkl□□□□□□□□□□□□□□□□□□
bind -r ^k resizep -U 10 # □□Ctrl+k□□↑□□□□□□10□□□□
bind -r ^j resizep -D 10 # □□Ctrl+j□□↓□□□□□□10□□□□
bind -r ^h resizep -L 10 # □□Ctrl+h□□←□□□□□□10□□□□
bind -r ^l resizep -R 10 # □□Ctrl+l□□→□□□□□□10□□□□
```

8.6. Zoom

tmux v1.8 □□□ `prefix + z` □□□/□□□□□□□□□□□□□□□“□□”□□□□□□□□□□□□□□□□□□□

```
gp'`;
panecount=`tmux list-panes | wc | sed -e 's/^ *//g' -e 's/ .*$//g'`;
inzoom=`echo $currentwindow | sed -n -e '/^zoom/p'`;
if [ $panecount -ne 1 ]; then
    inzoom="";
fi
if [ $inzoom ]; then
    lastpane=`echo $currentwindow | rev | cut -f 1 -d '@' | rev`;
    lastwindow=`echo $currentwindow | cut -f 2- -d '@' | rev | cut -f 2- -d
'@' | rev`;
    tmux select-window -t $lastwindow;
    tmux select-pane -t $lastpane;
    tmux swap-pane -s $currentwindow;
    tmux kill-window -t $currentwindow;
else
    newwindowname=zoom@$currentwindow@$currentpane;
    tmux new-window -d -n $newwindowname;
    tmux swap-pane -s $newwindowname;
    tmux select-window -t $newwindowname;
```

□□□□□ `z` □

```
unbind z
bind z run ". ~/.tmux/zoom"
```

8.7. join-pane

□□ `join-pane` □□ tmux □□ `prefix + :` □□□□□□□□□□□□□□□

```
join-pane -s window01 # □□□□□window01□□□□□□□□□□□□□□□□□□□□□□
join-pane -s window01.1 # .1□□□□□□□□□□□□.2□□□□□□□□(□□□□□□□□□□□□□□□□1□□□□0)
```

`join-pane` □ □ □ □ □ □ □ □ `join-pane -s [session_name]:[window].[pane]` □ □ □ `join-pane -s 2:1.1` □□□□□□/□□□□□ 0 □□□□□□□□□□□□□□□□□□□□□□ 0 □□□□□□□□□□

□□□ `swap-pane` □ `join-pane` □□□□□□□□

8.8.

```
bind m command-prompt "splitw -h 'exec man %%'"   # □□m□□□□□panel□□man
# □□P□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
bind P pipe-pane -o "cat >>~/Desktop/#W.log" \; display "Toggled logging to
~/Desktop/#W.log"
```

9. Buffer

9.1.

□□□□□□□□□□□□

1. □□ `prefix + [` □□□□□□□
2. □□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□
4. □□ `prefix + ]` □□□

□□□□□□□□□□□□□□□

```
tmux show-window-options -g mode-keys # mode-keys emacs
```

□□□ `emacs` □□□□□□□□□□ `vi` □□□

```
setw -g mode-keys vi # □□vi□□□□□□vi□C-d□C-u□hjkl□□□□
```

9.2.

tmux v2.4 □□□□□□□□□□□□□□□□□ `vi` □

```
bind Escape copy-mode # □□esc□□□□□□□□
bind -t vi-copy v begin-selection # □□v□□□□□□□□
bind -t vi-copy y copy-selection # □□y□□□□□□□□
bind p pasteb # □□p□□□□□□□p□□□□□□□□□□□□□□□□□□□□
```

tmux v2.4 □□□□□□□□□ `-T` □ `-X` □

```
bind -T copy-mode-vi v send-keys -X begin-selection
bind -T copy-mode-vi y send-keys -X copy-selection-and-cancel
```

9.3. Buffer

tmux □□□□□□□□□ `buffer` □□□□□□□□□□□□□□□□□□□□

```
tmux set-buffer # □□buffer□□
tmux load-buffer [-b buffer-name] file-path # □□□□□□□□□buffer□□
tmux save-buffer [-a] [-b buffer-name] path # □□tmux□buffer□□□□□
tmux paste-buffer # □□buffer□□□□□□
tmux delete-buffer [-b buffer-name] # □□□□□□□buffer
```

□ 6 `tmux list-buffers` □□□□□□

□ 7 `tmux choose-buffer` □□□□□□

9.4. Linux xclip

□□□ `xclip` □

```
sudo apt-get install xclip
```

□□□□□□□□□ tmux buffer □□□□□□□□□

```
# buffer□□□□□Linux□□□□□
bind C-c run " tmux save-buffer - | xclip -i -sel clipboard"
# Linux□□□□□□□□□□□□
bind C-v run " tmux set-buffer \"$(xclip -o -sel clipboard)\"; tmux paste-
buffer"
```

9.5. macOS pbcopy / pbpaste

□ macOS □□tmux □□□□□ `pbcopy` / `pbpaste` □□□□□□□□□□□□□□□□□□□□□□ `osascript` □ `open` □□□□□□□□□□□□□□□□“□□□□”□□ tmux server □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

- https://apple.stackexchange.com/questions/174779/unable-to-run-display-notification-using-osascript-in-a-tmux-session
- https://stackoverflow.com/questions/30404944/open-command-doesnt-work-properly-inside-tmux/30412054#30412054

- https://stackoverflow.com/questions/16618992/cant-paste-into-macvim/16661806#16661806

□□□□□□□ `reattach-to-user-namespace` □□□□□□□□ shell □□□□□□□□

10. Resurrect / Continuum / TPM

□□□□□ tmux □□□□□□□□□□□□□□□□□□□“□□□□□/□□□□”□□□□□□□□□

10.1. Tmux Resurrect

Resurrect □□□/□□□□

□□□

```
cd ~/.tmux
mkdir plugins
git clone https://github.com/tmux-plugins/tmux-resurrect.git
```

□ `~/.tmux.conf` □□□□

```
run-shell ~/.tmux/plugins/tmux-resurrect/resurrect.tmux
```

□□□ `prefix + r` □□□□□

Resurrect □□□□□□□□
- □□□ `prefix + Ctrl + s`
- □□□ `prefix + Ctrl + r`

□□/□□□□tmux □□□□□□□□□□□□□□□□□□□□ “Saving...” □□□□□□□□□□□□□□□□□□□□□□ “Restoring...”□□□□□□□□□□□

□□□□□□□□ `~/.tmux/resurrect` □□□□□□□□□□□□

□ □ □ □ □ □ Resurrect □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ `vi vim nvim emacs man less more tail top htop irssi mutt` □□□□□□□□□□□□□□□□□□□□□ “Restoring programs” □□□

- https://github.com/tmux-plugins/tmux-resurrect/blob/master/docs/restoring_programs.md

□□□□□□□□ tmuxinator□□□□□□□□ tmux-resurrect□□□□□□□□

- https://github.com/tmux-plugins/tmux-resurrect/blob/master/docs/migrating_from_tmuxinator.md#migrating-from-tmuxinator

□□□□□□□

```
set -g @resurrect-save 'S' # □□□□□□□S
set -g @resurrect-restore 'R' □□□□□□□R
```

```
# □□□□□□□□□□□□□□□□□□□□□□$HOME, $HOSTNAME, ~□□□□□□□□
set -g @resurrect-dir '/some/path'
```

□□□□□□□□□□□□□□□□□□

- □□ Vim/Neovim □□□□□ Vim □ `vim-obsession` □□□□□□□□
- □□□□□□□pane contents□□
- □□ shell □□□□□□□□□□□□□“□□□□□□□”□□□□ shell □□□□□□□□

Vim/Neovim □□□□□□□□

```
cd ~/.vim/bundle
git clone git://github.com/tpope/vim-obsession.git
vim -u NONE -c "helptags vim-obsession/doc" -c q
```

□□ `~/.tmux.conf` □□□

```
set -g @resurrect-strategy-vim 'session' # for vim
set -g @resurrect-strategy-nvim 'session' # for neovim
```

□□□□□□□

```
set -g @resurrect-capture-pane-contents 'on' # □□□□□□□□□□
```

□□□□□□□□□□□□□ `default-command` □□□ `&&` □ `||` □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ `default-command` □

```
tmux show -g default-command
```

□□ shell □□□

```
set -g @resurrect-save-shell-history 'on'
```

10.2. Tmux Continuum

Continuum □ Resurrect □□□□“□□/□□”□□□□□□□□□ 15 □□□□□□□□□□□□□□□□□□□□

□□□□□ Resurrect□□

```
cd ~/.tmux/plugins
git clone https://github.com/tmux-plugins/tmux-continuum.git
```

□□□

```
run-shell ~/.tmux/plugins/tmux-continuum/continuum.tmux
```

□□□□□

```
set -g @continuum-save-interval '1440'
set -g @continuum-save-interval '0'
set -g @continuum-restore 'on' # □□□□□□
set -g status-right 'Continuum status: #{continuum_status}'
```

□□ `#{continuum_status}` □□□□□□□format□□□□□□□ `status-right` □□□□□□ `status-left` □□□□□ □□□□□ Continuum □□□□□□□

□□□□□□□□□

```
Continuum status: 1440
Continuum status: off
```

□□□“□□□□□□□□”□□□□□

- □□ `@continuum-restore` □□□□
- □□□□□□□ `~/tmux_no_auto_restore` □□□□□□□□□□□□□□□□□□□

Continuum □□□□“□□□□□□□ tmux”□macOS □□□□□□□□

```
set -g @continuum-boot 'on'
```

macOS □□□□□□□□

- `set -g @continuum-boot-options 'fullscreen'`
- `set -g @continuum-boot-options 'iterm'`
- `set -g @continuum-boot-options 'iterm,fullscreen'`

Linux □□□□□□□□□□□□□□□□□□□□ tmux server□

10.3. TPM Tmux Plugin Manager

□□□□□□□□□□□□□□□□□□□□□ `tpm` □□□□□□tmux v1.9+□□

□□□

```
cd ~/.tmux/plugins
git clone https://github.com/tmux-plugins/tpm
```

□ `~/.tmux.conf` □□□□□□□□□□□□□□□□□□□□

```
# □□□□□□□□□□
set -g @plugin 'tmux-plugins/tpm'
set -g @plugin 'tmux-plugins/tmux-sensible'

# □□□□□□□□□□
# set -g @plugin 'github_username/plugin_name' # □□□github□□□/□□□
# set -g @plugin 'git@github.com/user/plugin' # □□□git@github□□□□

# □□□tmux□□□□□□(□□□□□□~/.tmux.conf□□□□□□□□□)
run '~/.tmux/plugins/tpm/tpm'
```

□□□ `prefix + r` □□□□□□□□□□

□□ tpm□

- □□□□□□□ `~/.tmux.conf` □□ `set -g @plugin '...'` □□□□ `prefix + I` □□□□□□□□□
- □□□□□□□ `prefix + U` □□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□ `prefix + alt + u` □□□□□□□□

11. /

Tmux □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

11.1. tmate

tmate □ tmux □“□□□□□□□”□□□□□□□ SSH □□□□□□□□□□□□□□□□□□□□□□□□□□□□

```
brew install tmate
```

```
tmate
```

□□□□□□□□□□□□□□□ SSH URL□



□ 8 tmate □□□ SSH URL□□□□

□□ tmate □□□□□□

```
tmate show-messages
```

□□□□□□/□□□□□ URL□



□ 9　tmate □□□□□ URL□□□□

11.2.

□□□□□□□□□□□□□□□□□□□□□ tmate □□□□□□□□□□□□“□□□”□

```
tmux new -s groupSession
```

□□□□□□□□□□□□□□□□□□□□

```
tmux new -t groupSession -s otherSession
```

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

11.3. Socket

□□□□□□□□□□□□□□□□□□□□□□□□□□□ `/var/tmux/` □□□□□□□ socket □□□□□□□□

```
tmux -S /var/tmux/sharefile
```

□□□□□□□□

```
tmux -S /var/tmux/sharefile attach
```

□□□□□□□□ socket □□□□□□□□□“□□□□□□□□□□□□”□ `~/.tmux.conf` □□□□□□□□□□□□□□□□□□□□

12.

12.1. /

```
set -g base-index 1 # □□□□□□□□□□□1
set -g pane-base-index 1 # □□□□□□□□□□□1
```

12.2.

□□□□□□□□□□

```
set -g default-terminal "tmux-256color"
```

□□□ tmux □□□ 256 □□□□□

```
alias tmux='tmux -2' # Force tmux to assume the terminal supports 256 colours
```

12.4.

tmux □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ CPU □□□□□□□□

```
setw -g automatic-rename off
setw -g allow-rename off
```

12.5.

□□□□□□□□□□□□□□□tmux □□□□□□□□□□□□□□□□□□□□□□□□□□□□□“□□□”□□□□□□□□□□□□□□□□□□□□□□□□

```
tmux a -d
```

□□□□□□□□□□□□□□□□□□□ `prefix + :` □□□ `a -d` □□□□□□□□□□□ `attach -d` □□

```
`: a -d
```



□ 10 □□□□□□□□□□□□“□□□□”□□□□

12.6.

tmux □□□□□□□□□□□/□□/□□□□□□□□□□□□□□□□□□□□□□□□“□□□□□□□□□”□□□□□□□□□□ `-d` □□□□□

```
# □□□init□□□□□□□□□□□□service
tmux rename-window -t "init:1" service
# □□□□□□□□□□□python□□
tmux send -t "init:service" "cd ~/workspace/language/python/;python2.7
server.py" Enter
# □□□□□□
tmux split-window -t "init:service"
# □□□□□□□□□□□node□□
tmux send -t "init:service" 'cd ~/data/node-webserver/;npm start' Enter
```

□□□□□□□□□□□□□

```
# □□□□□□□□tool□□□
tmux neww -a -n tool -t init # neww□□□new window
# □□weinre□□□□
tmux send -t "init:tool" "weinre --httpPort 8881 --boundHost -all-" Enter
```

□□ `processes` □□□□□□□□□□□□□□

图 11　macOS

13.

```
# 
$ tmux list-keys

# 
$ tmux list-commands

# 
$ tmux info

# 
$ tmux source-file ~/.tmux.conf
```

14. Reference

- Tmux Tmux
- tmux tmux
- `man tmux` tmux(1)
- tmux Wiki tmux wiki

- TPM：Tmux Plugin Manager：tpm
- Tmux Resurrect：tmux-resurrect
- Tmux Continuum：tmux-continuum