




Ciclo de Vida del Defecto

Pruebas de Software

Departamento de Desarrollo Productivo y Tecnológico



M. Ing. Eduardo Diez

Defecto – Ciclo de Vida

Ejemplo real



OAS
Software Development
Framework
Defect Life Cycle
v 0.2



Defecto – Ciclo de Vida

Ejemplo real (cont.)

State	Action	Action responsible
New	(1) A defect is posted into the bug tracker tool and various fields are assigned such as Description, Detection date, Severity level, Version in which was detected, System module in which was detected, System Status (in Production or in Development).	- SQA team - Project Manager
Assigned	(2) The review team reviews each new defect and assigns various fields such as Owner, Severity, Priority, and Version to fix it in. Then it gets assigned to the corresponding developer to fix it or to the Project Manager for further analysis. (3) A reopened defect is assigned to the corresponding developer to fix it. (4) A deferred defect is assigned to the corresponding developer to fix it.	- Review team - Project Manager
Deferred	(5) The defect is expected to be fixed in next releases, is low priority, there is insufficient time for the release, or it may not have major effect on the software.	Project Manager
Duplicated	(6) It is detected that the defect was already reported.	Development team
Rejected	(7) It is not considered that the defect is valid due to one of following reasons: a) Not able to reproduce b) Not a valid defect and it is as per requirement c) Test data used was invalid d) Defect referring to the requirement has been de-scoped from the current release, tester was not aware of these late changes.	Development team
Cancelled	(8) Tester realized that the defect logged by him was invalid and agreed to cancel it. (9) Tester realized that the defect logged by him was duplicated and agreed to cancel it.	SQA team
Fixed	(10) Assigned developer has fixed the defect and has unit tested the fix. The code changes are deployed in test environment for verifying the defect fix.	Development team
Re-opened	(11) Defect is re-tested but it is not fixed as expected, is not working, or is partially fixed. (12) A previously closed defect is reopened because problem persists.	SQA team
Closed	(13) Defect is re-tested and it has been fixed or, as an exception, defect is closed under Project Manager indication.	SQA team

¿Preguntas?

¡Muchas gracias!