

Table of macros from compoZition generated by ChatGPT

Lucien Hardy
*Perimeter Institute,
 31 Caroline Street North,
 Waterloo, Ontario N2L 2Y5, Canada*

This tabulates the commands in compoZition.sty extracted by ChatGPT (I have commented out some commands in the LaTeX file as I think they are not useful to most people. However, a large number of the listed commands are rather customised. I imagine that a typical user will only use a small fraction of these commands.

Command	Args	Default(s)
<code>\antena</code>	3	1
<code>\arrowheadA</code>	0	—
<code>\arrowheadB</code>	0	—
<code>\bbdots</code>	0	—
<code>\bbdotsnoarrow</code>	0	—
<code>\bbdotsnoarrowr</code>	0	—
<code>\bbdotsnoarrowsq</code>	0	—
<code>\bbdotsnoarrowsqr</code>	0	—
<code>\bbdotssr</code>	0	—
<code>\bbdotssq</code>	0	—
<code>\bbdotssqr</code>	0	—
<code>\bbmatrix</code>	3	1
<code>\bbmatrixnoarrow</code>	3	1
<code>\bbmatrixnoarrowr</code>	3	1
<code>\bbmatrixnoarrowsq</code>	3	1
<code>\bbmatrixnoarrowsqr</code>	3	1
<code>\bbmatrixr</code>	3	1
<code>\bbmatrixrsq</code>	3	1
<code>\bbmatrixxsq</code>	3	1
<code>\bcomment</code>	0	—
<code>\bcomp</code>	0	—
<code>\bComp</code>	1	0
<code>\blackdot</code>	2	—
<code>\blackdotsq</code>	2	—

Command	Args	Default(s)
<code>\blacksquareleftwire</code>	3	—
<code>\blacksquarerightwire</code>	3	—
<code>\blackwhiterect</code>	0	—
<code>\bndots</code>	0	—
<code>\bndotsnoarrow</code>	0	—
<code>\bndotsnoarrowsq</code>	0	—
<code>\bndotssq</code>	0	—
<code>\bracketsclose</code>	2	0
<code>\bwdots</code>	0	—
<code>\bwdotsnoarrow</code>	0	—
<code>\bwdotsnoarrowr</code>	0	—
<code>\bwdotsnoarrowsq</code>	0	—
<code>\bwdotsnoarrowsqr</code>	0	—
<code>\bwdotsr</code>	0	—
<code>\bwdotssq</code>	0	—
<code>\bwdotssqr</code>	0	—
<code>\bwmatrix</code>	3	1
<code>\bwmatrixnoarrow</code>	3	1
<code>\bwmatrixnoarrowr</code>	3	1
<code>\bwmatrixnoarrowsq</code>	3	1
<code>\bwmatrixnoarrowsqr</code>	3	1
<code>\bwmatrixr</code>	3	1
<code>\bwmatrixrsq</code>	3	1
<code>\bwmatrixsq</code>	3	1
<code>\Ccap</code>	5	thin
<code>\ccap</code>	5	thin
<code>\ccapspecial</code>	5	thin
<code>\CcapTR</code>	5	thin
<code>\ccapTR</code>	5	thin
<code>\Ccase</code>	0	—
<code>\Ccircle</code>	4	thick
<code>\ccircle</code>	4	thick
<code>\Ccircledmark</code>	4	0
<code>\ccircledmark</code>	4	0
<code>\Ccircledouble</code>	4	thick, double distance=0.3pt
<code>\ccircledouble</code>	4	thick, double distance=0.3pt
<code>\Ccircledoublegray</code>	4	thick, fill=lightgray, double distance=0.3pt
<code>\ccircledoublegray</code>	4	thick, fill=lightgray, double distance=0.3pt
<code>\Ccircledoublethin</code>	4	thin, double distance=0.3pt
<code>\ccircledoublethin</code>	4	thin, double distance=0.3pt
<code>\Ccircledtriangle</code>	4	0
<code>\ccircledtriangle</code>	4	0
<code>\ccirclefill</code>	4	thick
<code>\Ccirclegray</code>	4	thick, fill=lightgray
<code>\ccirclegray</code>	4	thick, fill=lightgray

Command	Args	Default(s)
\ccuboid	9	0
\Ccup	5	thin
\ccup	5	thin
\ccupspecial	5	thin
\CcupTR	5	thin
\ccupTR	5	thin
\cdarrow	0	—
\Cdiamond	5	thick
\cdiamond	5	thick
\cdownopfid	5	thick
\cdownsysfid	5	thick
\cdownterminal	5	thick
\cdownwire	3	—
\CeggS	5	thick
\ceggS	5	thick
\CeggSmark	5	0
\ceggSmark	5	0
\CeggStriangle	5	0
\ceggStriangle	5	0
\CeggZ	5	thick
\ceggZ	5	thick
\CeggZmark	5	0
\ceggZmark	5	0
\CeggZtriangle	5	0
\ceggZtriangle	5	0
\Cellipse	5	thick
\cellipse	5	thick
\cfiddydownwire	3	—
\cfiddyleftwire	3	—
\cfiddyrightwire	3	—
\cfiddyupwire	3	—
\cfidopdownwire	3	—
\cfidopleftwire	3	—
\cfidoprighwire	3	—
\cfidopupwire	3	—
\Cgrid	5	-i
\Cgridnetwork	3	thin
\Cgridnetworkscale	4	thin
\Cgridtwo	5	-i
\Chcap	5	thick
\chcap	5	thick
\chcapspecial	5	thick
\chcapTR	5	thick
\Chcup	5	thick
\chcup	5	thick

Command	Args	Default(s)
\chcupspecial	5	thick
\chcupTR	5	thick
\Cincome	5	thick
\cincome	5	thick
\cincomerelpoint	6	thick
\cincomewire	4	1
\Cleftcutdiamond	5	thick
\cleftcutdiamond	5	thick
\cleftdatafid	5	thick
\Cleftdoublesemi	4	thin
\cleftdoublesemi	4	thin
\clefttterminal	5	thick
\Cleftthinbox	5	thick
\cleftthinbox	5	thick
\cleftvecfid	5	thick
\clipfollowing	2	—
\clipobject	3	—
\cmirrordown	4	thin
\cmirrordownphys	4	thin
\cmirrordownsmoke	4	thin
\cmirrordownsmokephys	4	thin
\cmirrorleft	4	thin
\cmirrorleftphys	4	thin
\cmirrorleftsmoke	4	thin
\cmirrorleftsmokephys	4	thin
\cmirrorright	4	thin
\cmirrorrightphys	4	thin
\cmirrorrightsmoke	4	thin
\cmirrorrightsmokephys	4	thin
\cmirrorup	4	thin
\cmirrorupphys	4	thin
\cmirrorupsmoke	4	thin
\cmirrorupsmokephys	4	thin
\Cobject	6	thick
\cobject	6	thick
\cobjectclip	6	thick
\Cobjectwhite	6	thick
\cobjectwhite	6	thick
\convertsto	0	—
\correspondsto	0	—
\Coutcome	5	thick
\coutcome	5	thick
\coutcomerelpoint	6	thick
\coutcomewire	4	1
\cpostflag	5	thick

Command	Args	Default(s)
\Cpostflag	5	thick
\cpostselect	5	thick
\Cpostselect	5	thick
\cpostselectdouble	5	thick, double distance=0.3pt
\Cpostselectdouble	5	thick, double distance=0.3pt
\cpreflag	5	thick
\Cpreflag	5	thick
\cpresselect	5	thick
\Cpresselect	5	thick
\cpresselectdouble	5	thick, double distance=0.3pt
\Cpresselectdouble	5	thick, double distance=0.3pt
\Crectangle	5	thick
\crectangle	5	thick
\crectangledleft	5	0
\Crectangledleft	5	0
\crectangledleftdiamond	5	0
\Crectangledleftdiamond	5	0
\crectangledlefttold	5	0
\Crectangledlefttold	5	0
\crectangledleftshaded	5	0
\crectangledleftttriangle	5	0
\Crectangledleftttriangle	5	0
\crectangledleftttriflip	5	0
\Crectangledmark	5	0
\crectangledmark	5	0
\crectangledmarktriangle	5	0
\Crectangledmarktriangle	5	0
\crectangledmarktriflip	5	0
\Crectangledmarktriflip	5	0
\Crectangledouble	5	thick, double distance=0.3pt
\crectangledouble	5	thick, double distance=0.3pt
\crectangledoublerelpoint	6	thick, double
\crectangledright	5	0
\Crectangledright	5	0
\crectangledrightdiamond	5	0
\Crectangledrightdiamond	5	0
\crectangledrighttold	5	0
\Crectangledrighttold	5	0
\crectangledrightshaded	5	0
\crectangledrightttriangle	5	0
\Crectangledrightttriangle	5	0
\crectangledrightttriflip	5	0
\crectanglefill	5	thick
\crectanglerelpoint	6	thick
\crectangleSbox	5	0

Command	Args	Default(s)
\CrectangleSbox	5	0
\crectangleSboxtriangle	5	0
\CrectangleSboxtriangle	5	0
\crectanglethindot	5	0
\Crectanglethindot	5	0
\crectanglethinsquaredot	5	0
\Crectanglethinsquaredot	5	0
\crectangleZbox	5	0
\CrectangleZbox	5	0
\crectangleZboxtriangle	5	0
\CrectangleZboxtriangle	5	0
\Crightcutdiamond	5	thick
\crightcutdiamond	5	thick
\crightdatafid	5	thick
\Crightdoublesemi	4	thin
\crightdoublesemi	4	thin
\Crightterminal	5	thick
\Crightthinbox	5	thick
\crightthinbox	5	thick
\Crightvecfid	5	thick
\cselectdown	5	thick
\Cselectdown	5	thick
\cselectup	5	thick
\Cselectup	5	thick
\Csemidleft	4	0
\csemidleft	4	0
\csemidleftshaded	4	0
\Csemidlefttriangle	4	0
\csemidlefttriangle	4	0
\csemidlefttriflip	4	0
\csemidlefttriflipshaded	4	0
\csemidlefttrishaded	4	0
\Csemidright	4	0
\csemidright	4	0
\csemidrightshaded	4	0
\Csemidrighttriangle	4	0
\csemidrighttriangle	4	0
\csemidrighttriflip	4	0
\csemidrighttriflipshaded	4	0
\csemidrighttrishaded	4	0
\Cshape	6	thick
\cshape	6	thick
\Cshapedouble	6	thick, double distance=0.3pt
\cshapedouble	6	thick, double distance=0.3pt
\cshapefill	6	thick

Command	Args	Default(s)
\cshapeghostwidgetdouble	5	—
\Cshapewhite	6	thick
\cshapewhite	6	thick
\csnakebottomrectangle	5	thick
\csnakeleftrectangle	5	thick
\csnakerightrectangle	5	thick
\csnaketoprectangle	5	thick
\Csquare	4	thick
\csquare	4	thick
\csurface	3	1
\csymbol	2	0,0
\csymbolalt	2	0,0
\csymbolbw	2	0,0
\csymbolbwunder	2	0,0
\csymbolfifth	2	0,0
\csymbolfourth	2	0,0
\csymbolnorm	2	0,0
\csymbolsecond	2	0,0
\csymbolthird	2	0,0
\csymbolwb	2	0,0
\csymbolwbunder	2	0,0
\csymbolwhitesquare	2	0,0
\Ctestgrid	0	—
\CtrandscapeboxS	5	thick
\ctrandscapeboxS	5	thick
\CtrandscapeboxZ	5	thick
\ctrandscapeboxZ	5	thick
\Ctriangle	5	thick
\ctriangle	5	thick
\cupopfid	5	thick
\cupsysfid	5	thick
\cupterminal	5	thick
\cupwire	3	—
\customdots	1	, -i- = 0.5, *-*
\customdotsnoarrow	1	, *-*
\customdotsnoarrowvar	2	, *-*
\custommatrix	4	1
\customstyle	0	—
\Cxaxis	4	thin
\cxconditionincome	4	1
\cxconditionincomedouble	4	1
\cxconditionoutcome	4	1
\cxconditionoutcomedouble	4	1
\cxpostselectoutcome	4	1
\cxpreselectincome	4	1

Command	Args	Default(s)
\Cyaxis	4	thin
\Czaxis	4	thin
\zigzagtoprectangle	5	thick
\defaultarrow	0	—
\defaultfont	0	—
\dotdashedout	5	thin, dashed
\dotdottedout	5	thin, densely dotted
\dotdownwire	3	—
\dotfiddownwire	3	—
\dotfidupwire	3	—
\dotupwire	3	—
\downwire	3	—
\ecomment	0	—
\ecomp	0	—
\eComp	0	—
\fiddydownwire	3	—
\fiddyleftwire	3	—
\fiddyleftwirewb	3	—
\fiddyrightwire	3	—
\fiddyrightwirebw	3	—
\fiddyupwire	3	—
\fidopdownwire	3	—
\fidopleftwire	3	—
\fidopleftwirewb	3	—
\fidoprighwire	3	—
\fidoprighwirebw	3	—
\fidopupwire	3	—
\fifthfont	0	—
\flag	4	2
\flagsquare	5	2
\flatacute	2	thin
\flatgrave	2	thin
\flippedTcase	0	—
\FmodelbyS	0	—
\fourthfont	0	—
\fromin	0	—
\fromout	0	—
\GenxBoxincome	6	1
\GenxBoxincomedouble	6	1
\GenxBoxoutcome	6	1
\GenxBoxoutcomedouble	6	1
\GenxdifBoxincome	7	1
\GenxdifBoxincomedouble	7	1
\GenxdifBoxoutcome	7	1
\GenxdifBoxoutcomedouble	7	1

Command	Args	Default(s)
\groupblockb	4	ultra thick
\groupblockt	4	ultra thick
\Hatcircle	2	—
\hatcircle	2	—
\human	2	1
\humanEEG	2	1
\humanforward	2	1
\ICoperatorin	0	—
\ICoperatorout	0	—
\ifone	2	—
\IfZeroOrOne	3	—
\IincomeTS	0	—
\IincomeTSop	0	—
\IincomeTSopbold	0	—
\incomewire	4	1
\incomewirecc	4	5
\indasheddot	5	thin, dashed
\indashedout	5	thin, dashed
\indotteddot	5	thin, densely dotted
\indottedout	5	thin, densely dotted
\IoutcomeTS	0	—
\IoutcomeTSop	0	—
\IoutcomeTSopbold	0	—
\joinAbb	5	above
\joinAbbthick	5	above
\joinAbc	5	above
\joinAbcthick	5	above
\joinAbl	5	above
\joinAblthick	5	above
\joinAbr	5	above
\joinAbrthick	5	above
\joinAbt	5	above
\joinAbtthick	5	above
\joinAcb	5	above
\joinAcbthick	5	above
\joinAcc	5	above
\joinAccontop	5	above
\joinAccontopvararrow	6	above
\joinAccthick	5	above
\joinAccvararrow	6	above
\joinAcl	5	above
\joinAclthick	5	above
\joinAcr	5	above
\joinAcrthick	5	above
\joinAct	5	above

Command	Args	Default(s)
\joinActthick	5	above
\joinAlb	5	above
\joinAlbthick	5	above
\joinAlc	5	above
\joinAlcthick	5	above
\joinAll	5	above
\joinAllthick	5	above
\joinAlr	5	above
\joinAlrthick	5	above
\joinAlt	5	above
\joinAltthick	5	above
\joinArb	5	above
\joinArbthick	5	above
\joinArc	5	above
\joinArcthick	5	above
\joinArl	5	above
\joinArlthick	5	above
\joinArr	5	above
\joinArrthick	5	above
\joinArt	5	above
\joinArtthick	5	above
\joinAtb	5	above
\joinAtbthick	5	above
\joinAtc	5	above
\joinAtcthick	5	above
\joinAtl	5	above
\joinAtlthick	5	above
\joinAtr	5	above
\joinAtrthick	5	above
\joinAtt	5	above
\joinAttthick	5	above
\joinbb	5	above
\joinBbb	5	above
\joinBbbthick	5	above
\joinBbc	5	above
\joinBbcthick	5	above
\joinbbdashed	5	above
\joinbbdiamond	5	above
\joinBbl	5	above
\joinBblthick	5	above
\joinbbnoarrow	5	above
\joinbbnoarrowbw	5	above
\joinbbnoarrowdotsbw	5	above
\joinbbnoarrowdotsbw b	5	above
\joinbbnoarrowdotswb	5	above

Command	Args	Default(s)
<code>\joinbbnoarrowdotswbbw</code>	5	above
<code>\joinbbnoarrowdouble</code>	5	above
<code>\joinbbnoarrowsqbwwb</code>	5	above
<code>\joinbbnoarrowsqwbbw</code>	5	above
<code>\joinbbnoarrowthick</code>	5	above
<code>\joinbbnoarrowthickwhite</code>	5	above
<code>\joinbbnoarrowwb</code>	5	above
<code>\joinbbnoarrowwhiteborder</code>	5	above
<code>\joinBbr</code>	5	above
<code>\joinBbrthick</code>	5	above
<code>\joinBbt</code>	5	above
<code>\joinbbthick</code>	5	above
<code>\joinbbthickdotted</code>	5	above
<code>\joinbbtriangleb</code>	5	above
<code>\joinbbtrianglew</code>	5	above
<code>\joinBbtthick</code>	5	above
<code>\joinbbvararrow</code>	6	above
<code>\joinbbxarrow</code>	5	above
<code>\joinbc</code>	5	above
<code>\joinBcb</code>	5	above
<code>\joinBcbthick</code>	5	above
<code>\joinBcc</code>	5	above
<code>\joinBccontop</code>	5	above
<code>\joinBccontopvararrow</code>	6	above
<code>\joinBcctthick</code>	5	above
<code>\joinBccvararrow</code>	6	above
<code>\joinbcdiamond</code>	5	above
<code>\joinBcl</code>	5	above
<code>\joinBclthick</code>	5	above
<code>\joinbcnoarrow</code>	5	above
<code>\joinbcnoarrowdouble</code>	5	above
<code>\joinbcnoarrowthick</code>	5	above
<code>\joinbcnoarrowthickwhite</code>	5	above
<code>\joinbcnoarrowwhiteborder</code>	5	above
<code>\joinBcr</code>	5	above
<code>\joinBcrthick</code>	5	above
<code>\joinBct</code>	5	above
<code>\joinbctthick</code>	5	above
<code>\joinBctthick</code>	5	above
<code>\joinbcvararrow</code>	6	above
<code>\joinbcxarrow</code>	5	above
<code>\joinbl</code>	5	above
<code>\joinBlb</code>	5	above
<code>\joinBlbthick</code>	5	above
<code>\joinBlc</code>	5	above

Command	Args	Default(s)
<code>\joinBlcthick</code>	5	above
<code>\joinbldashed</code>	5	above
<code>\joinbldiamond</code>	5	above
<code>\joinBl1</code>	5	above
<code>\joinBl1thick</code>	5	above
<code>\joinblnoarrow</code>	5	above
<code>\joinblnoarrowbw</code>	5	above
<code>\joinblnoarrowdotsbw</code>	5	above
<code>\joinblnoarrowdotsbwbb</code>	5	above
<code>\joinblnoarrowdotswb</code>	5	above
<code>\joinblnoarrowdotswbbw</code>	5	above
<code>\joinblnoarrowdouble</code>	5	above
<code>\joinblnoarrowsqbwwb</code>	5	above
<code>\joinblnoarrowsqwbbw</code>	5	above
<code>\joinblnoarrowthick</code>	5	above
<code>\joinblnoarrowthickwhite</code>	5	above
<code>\joinblnoarrowwb</code>	5	above
<code>\joinblnoarrowwhiteborder</code>	5	above
<code>\joinBlr</code>	5	above
<code>\joinBlrthick</code>	5	above
<code>\joinBlt</code>	5	above
<code>\joinblthick</code>	5	above
<code>\joinblthickdotted</code>	5	above
<code>\joinbltriangleb</code>	5	above
<code>\joinbltrianglew</code>	5	above
<code>\joinBltthick</code>	5	above
<code>\joinblvararrow</code>	6	above
<code>\joinblxarrow</code>	5	above
<code>\joinbr</code>	5	above
<code>\joinBrb</code>	5	above
<code>\joinBrbthick</code>	5	above
<code>\joinBrc</code>	5	above
<code>\joinBrcthick</code>	5	above
<code>\joinbrdashed</code>	5	above
<code>\joinbrdiamond</code>	5	above
<code>\joinBr1</code>	5	above
<code>\joinBr1thick</code>	5	above
<code>\joinbrnoarrow</code>	5	above
<code>\joinbrnoarrowbw</code>	5	above
<code>\joinbrnoarrowdotsbw</code>	5	above
<code>\joinbrnoarrowdotsbwbb</code>	5	above
<code>\joinbrnoarrowdotswb</code>	5	above
<code>\joinbrnoarrowdotswbbw</code>	5	above
<code>\joinbrnoarrowdouble</code>	5	above
<code>\joinbrnoarrowsqbwwb</code>	5	above

Command	Args	Default(s)
<code>\joinbrnoarrowsqwbbw</code>	5	above
<code>\joinbrnoarrowthick</code>	5	above
<code>\joinbrnoarrowthickwhite</code>	5	above
<code>\joinbrnoarrowwb</code>	5	above
<code>\joinbrnoarrowwhiteborder</code>	5	above
<code>\joinBrr</code>	5	above
<code>\joinBrrthick</code>	5	above
<code>\joinBrtr</code>	5	above
<code>\joinbrthick</code>	5	above
<code>\joinbrthickdotted</code>	5	above
<code>\joinbrtriangleb</code>	5	above
<code>\joinbrtrianglew</code>	5	above
<code>\joinBrtrthick</code>	5	above
<code>\joinbrvararrow</code>	6	above
<code>\joinbrxarrow</code>	5	above
<code>\joinbt</code>	5	above
<code>\joinBtb</code>	5	above
<code>\joinBtbthick</code>	5	above
<code>\joinBtc</code>	5	above
<code>\joinBtcthick</code>	5	above
<code>\joinbtdashed</code>	5	above
<code>\joinbtdiamond</code>	5	above
<code>\joinBtl</code>	5	above
<code>\joinbtleft</code>	5	above
<code>\joinBtlthick</code>	5	above
<code>\joinbtnoarrow</code>	5	above
<code>\joinbtnoarrowbw</code>	5	above
<code>\joinbtnoarrowdotsbw</code>	5	above
<code>\joinbtnoarrowdotsbwwb</code>	5	above
<code>\joinbtnoarrowdotswb</code>	5	above
<code>\joinbtnoarrowdotswbbw</code>	5	above
<code>\joinbtnoarrowdouble</code>	5	above
<code>\joinbtnoarrowsqbwb</code>	5	above
<code>\joinbtnoarrowsqwbbw</code>	5	above
<code>\joinbtnoarrowthick</code>	5	above
<code>\joinbtnoarrowthickwhite</code>	5	above
<code>\joinbtnoarrowwb</code>	5	above
<code>\joinbtnoarrowwhiteborder</code>	5	above
<code>\joinBtr</code>	5	above
<code>\joinbtright</code>	5	above
<code>\joinBtrthick</code>	5	above
<code>\joinBtt</code>	5	above
<code>\joinbtthick</code>	5	above
<code>\joinbtthickdotted</code>	5	above
<code>\joinbttriangleb</code>	5	above

Command	Args	Default(s)
<code>\joinbttrianglew</code>	5	above
<code>\joinBttthick</code>	5	above
<code>\joinbtvararrow</code>	6	above
<code>\joinbtxarrow</code>	5	above
<code>\joincb</code>	5	above
<code>\joincbdiamond</code>	5	above
<code>\joincbnoarrow</code>	5	above
<code>\joincbnoarrowdouble</code>	5	above
<code>\joincbnoarrowthick</code>	5	above
<code>\joincbnoarrowthickwhite</code>	5	above
<code>\joincbnoarrowwhiteborder</code>	5	above
<code>\joincbthick</code>	5	above
<code>\joincbvararrow</code>	6	above
<code>\joincbxarrow</code>	5	above
<code>\joincc</code>	5	above
<code>\joinccarrows</code>	5	above
<code>\joinccb</code>	5	above
<code>\joinccbleft</code>	5	above
<code>\joinccbworld</code>	5	above
<code>\joinccbwright</code>	5	above
<code>\joinccbwsq</code>	5	above
<code>\joinccbwwb</code>	5	above
<code>\joinccbwwbsq</code>	5	above
<code>\joinccdashed</code>	5	above
<code>\joinccdashedarrows</code>	5	above
<code>\joinccdecorate</code>	6	above
<code>\joinccdiamond</code>	5	above
<code>\joinccfusion</code>	5	above
<code>\joinccfusionontop</code>	5	above
<code>\joinccfusionthick</code>	5	above
<code>\joinccfusionvar</code>	8	above
<code>\joinccnoarrow</code>	5	above
<code>\joinccnoarrowforsemid</code>	5	above
<code>\joinccontop</code>	5	above
<code>\joinccontopnoarrow</code>	5	above
<code>\joinccontopvararrow</code>	6	above
<code>\joinccontopvartriangleb</code>	6	above
<code>\joinccontopvartrianglew</code>	6	above
<code>\joinccseminoarrow</code>	5	above
<code>\joinccthick</code>	5	above
<code>\joinccthickdotted</code>	5	above
<code>\joinccthickontopvararrow</code>	6	above
<code>\joinccthickvararrow</code>	6	above
<code>\joinccthickwhite</code>	5	above
<code>\joinccthindashed</code>	5	above

Command	Args	Default(s)
<code>\joincctriangleb</code>	5	above
<code>\joincctrianglebb</code>	5	above
<code>\joincctrianglebvar</code>	6	above
<code>\joincctrianglebw</code>	5	above
<code>\joincctrianglebwaway</code>	5	above
<code>\joincctrianglebwtowards</code>	5	above
<code>\joincctrianglew</code>	5	above
<code>\joincctrianglewb</code>	5	above
<code>\joincctrianglewvar</code>	6	above
<code>\joincctriangleww</code>	5	above
<code>\joinccvararrow</code>	6	above
<code>\joinccvartriangleb</code>	6	above
<code>\joinccvartrianglew</code>	6	above
<code>\joinccwb</code>	5	above
<code>\joinccwbbw</code>	5	above
<code>\joinccwbbwsq</code>	5	above
<code>\joinccwbold</code>	5	above
<code>\joinccwbsq</code>	5	above
<code>\joinccxarrow</code>	5	above
<code>\joincl</code>	5	above
<code>\joincldiamond</code>	5	above
<code>\joinclnoarrow</code>	5	above
<code>\joinclnoarrowdouble</code>	5	above
<code>\joinclnoarrowthick</code>	5	above
<code>\joinclnoarrowthickwhite</code>	5	above
<code>\joinclnoarrowwhiteborder</code>	5	above
<code>\joinclthick</code>	5	above
<code>\joinclvararrow</code>	6	above
<code>\joinclxarrow</code>	5	above
<code>\joincr</code>	5	above
<code>\joincrdiamond</code>	5	above
<code>\joincrnoarrow</code>	5	above
<code>\joincrnoarrowdouble</code>	5	above
<code>\joincrnoarrowthick</code>	5	above
<code>\joincrnoarrowthickwhite</code>	5	above
<code>\joincrnoarrowwhiteborder</code>	5	above
<code>\joincrthick</code>	5	above
<code>\joincrvararrow</code>	6	above
<code>\joincrxarrow</code>	5	above
<code>\joinct</code>	5	above
<code>\joinctdiamond</code>	5	above
<code>\joinctnoarrow</code>	5	above
<code>\joinctnoarrowdouble</code>	5	above
<code>\joinctnoarrowthick</code>	5	above
<code>\joinctnoarrowthickwhite</code>	5	above

Command	Args	Default(s)
<code>\joinctnoarrowwhiteborder</code>	5	above
<code>\joinctthick</code>	5	above
<code>\joinctvararrow</code>	6	above
<code>\joinctxarrow</code>	5	above
<code>\joincustombb</code>	5	above
<code>\joincustombc</code>	5	above
<code>\joincustombl</code>	5	above
<code>\joincustombr</code>	5	above
<code>\joincustombt</code>	5	above
<code>\joincustomcb</code>	5	above
<code>\joincustomcc</code>	5	above
<code>\joincustomccontop</code>	5	above
<code>\joincustomcl</code>	5	above
<code>\joincustomcr</code>	5	above
<code>\joincustomct</code>	5	above
<code>\joincustomlb</code>	5	above
<code>\joincustomlc</code>	5	above
<code>\joincustomll</code>	5	above
<code>\joincustomlr</code>	5	above
<code>\joincustomlt</code>	5	above
<code>\joincustomrb</code>	5	above
<code>\joincustomrc</code>	5	above
<code>\joincustomrl</code>	5	above
<code>\joincustomrr</code>	5	above
<code>\joincustomrt</code>	5	above
<code>\joincustomtb</code>	5	above
<code>\joincustomtc</code>	5	above
<code>\joincustomtl</code>	5	above
<code>\joincustomtr</code>	5	above
<code>\joincustomtt</code>	5	above
<code>\joinlb</code>	5	above
<code>\joinlbdashed</code>	5	above
<code>\joinlbdiamond</code>	5	above
<code>\joinlbnoarrow</code>	5	above
<code>\joinlbnoarrowbw</code>	5	above
<code>\joinlbnoarrowdotsbw</code>	5	above
<code>\joinlbnoarrowdotsbwbb</code>	5	above
<code>\joinlbnoarrowdotswb</code>	5	above
<code>\joinlbnoarrowdotswbbw</code>	5	above
<code>\joinlbnoarrowdouble</code>	5	above
<code>\joinlbnoarrowsqbwwb</code>	5	above
<code>\joinlbnoarrowsqwbbw</code>	5	above
<code>\joinlbnoarrowthick</code>	5	above
<code>\joinlbnoarrowthickwhite</code>	5	above
<code>\joinlbnoarrowwb</code>	5	above

Command	Args	Default(s)
<code>\joinlbnoarrowwhiteborder</code>	5	above
<code>\joinlbthick</code>	5	above
<code>\joinlbthickdotted</code>	5	above
<code>\joinlbtriangleb</code>	5	above
<code>\joinlbtrianglew</code>	5	above
<code>\joinlbvararrow</code>	6	above
<code>\joinlbxarrow</code>	5	above
<code>\joinlc</code>	5	above
<code>\joinlcdiamond</code>	5	above
<code>\joinlcnoarrow</code>	5	above
<code>\joinlcnoarrowdouble</code>	5	above
<code>\joinlcnoarrowthick</code>	5	above
<code>\joinlcnoarrowthickwhite</code>	5	above
<code>\joinlcnoarrowwhiteborder</code>	5	above
<code>\joinlcthick</code>	5	above
<code>\joinlcvararrow</code>	6	above
<code>\joinlcxarrow</code>	5	above
<code>\joinll</code>	5	above
<code>\joinlldashed</code>	5	above
<code>\joinlldiamond</code>	5	above
<code>\joinllnoarrow</code>	5	above
<code>\joinllnoarrowbw</code>	5	above
<code>\joinllnoarrowdotsbw</code>	5	above
<code>\joinllnoarrowdotsbwbb</code>	5	above
<code>\joinllnoarrowdotswb</code>	5	above
<code>\joinllnoarrowdotswbbw</code>	5	above
<code>\joinllnoarrowdouble</code>	5	above
<code>\joinllnoarrowsqbwwb</code>	5	above
<code>\joinllnoarrowsqwbbw</code>	5	above
<code>\joinllnoarrowthick</code>	5	above
<code>\joinllnoarrowthickwhite</code>	5	above
<code>\joinllnoarrowwb</code>	5	above
<code>\joinllnoarrowwhiteborder</code>	5	above
<code>\joinllthick</code>	5	above
<code>\joinllthickdotted</code>	5	above
<code>\joinlltriangleb</code>	5	above
<code>\joinlltrianglew</code>	5	above
<code>\joinllvararrow</code>	6	above
<code>\joinllxarrow</code>	5	above
<code>\joinlr</code>	5	above
<code>\joinlrdashed</code>	5	above
<code>\joinlrdiamond</code>	5	above
<code>\joinlrnoarrow</code>	5	above
<code>\joinlrnoarrowbw</code>	5	above
<code>\joinlrnoarrowdotsbw</code>	5	above

Command	Args	Default(s)
<code>\joinlrnoarrowdotsbw</code>	5	above
<code>\joinlrnoarrowdotswb</code>	5	above
<code>\joinlrnoarrowdotswbbw</code>	5	above
<code>\joinlrnoarrowdouble</code>	5	above
<code>\joinlrnoarrowsqbwb</code>	5	above
<code>\joinlrnoarrowsqwbbw</code>	5	above
<code>\joinlrnoarrowthick</code>	5	above
<code>\joinlrnoarrowthickwhite</code>	5	above
<code>\joinlrnoarrowwb</code>	5	above
<code>\joinlrnoarrowwhiteborder</code>	5	above
<code>\joinlrthick</code>	5	above
<code>\joinlrthickdotted</code>	5	above
<code>\joinlrtriangleb</code>	5	above
<code>\joinlrtrianglew</code>	5	above
<code>\joinlrvararrow</code>	6	above
<code>\joinlrxarrow</code>	5	above
<code>\joinlt</code>	5	above
<code>\joinltdashed</code>	5	above
<code>\joinltdiamond</code>	5	above
<code>\joinltnoarrow</code>	5	above
<code>\joinltnoarrowbw</code>	5	above
<code>\joinltnoarrowdotswb</code>	5	above
<code>\joinltnoarrowdotswbw</code>	5	above
<code>\joinltnoarrowdotswb</code>	5	above
<code>\joinltnoarrowdotswbbw</code>	5	above
<code>\joinltnoarrowdouble</code>	5	above
<code>\joinltnoarrowsqbwb</code>	5	above
<code>\joinltnoarrowsqwbbw</code>	5	above
<code>\joinltnoarrowthick</code>	5	above
<code>\joinltnoarrowthickwhite</code>	5	above
<code>\joinltnoarrowwb</code>	5	above
<code>\joinltnoarrowwhiteborder</code>	5	above
<code>\joinltthick</code>	5	above
<code>\joinltthickdotted</code>	5	above
<code>\joinlttriangleb</code>	5	above
<code>\joinlttrianglew</code>	5	above
<code>\joinltvararrow</code>	6	above
<code>\joinltxarrow</code>	5	above
<code>\joinrb</code>	5	above
<code>\joinrbdashed</code>	5	above
<code>\joinrbdiamond</code>	5	above
<code>\joinrbnoarrow</code>	5	above
<code>\joinrbnoarrowbw</code>	5	above
<code>\joinrbnoarrowdotswb</code>	5	above
<code>\joinrbnoarrowdotswbw</code>	5	above

Command	Args	Default(s)
<code>\joinrbnoarrowdotswb</code>	5	above
<code>\joinrbnoarrowdotswbbw</code>	5	above
<code>\joinrbnoarrowdouble</code>	5	above
<code>\joinrbnoarrowsqbwwb</code>	5	above
<code>\joinrbnoarrowsqwbbw</code>	5	above
<code>\joinrbnoarrowthick</code>	5	above
<code>\joinrbnoarrowthickwhite</code>	5	above
<code>\joinrbnoarrowwb</code>	5	above
<code>\joinrbnoarrowwhiteborder</code>	5	above
<code>\joinrbthick</code>	5	above
<code>\joinrbthickdotted</code>	5	above
<code>\joinrbtriangleb</code>	5	above
<code>\joinrbtrianglew</code>	5	above
<code>\joinrbvararrow</code>	6	above
<code>\joinrbxarrow</code>	5	above
<code>\joinrc</code>	5	above
<code>\joinrcdiamond</code>	5	above
<code>\joinrcnoarrow</code>	5	above
<code>\joinrcnoarrowdouble</code>	5	above
<code>\joinrcnoarrowthick</code>	5	above
<code>\joinrcnoarrowthickwhite</code>	5	above
<code>\joinrcnoarrowwhiteborder</code>	5	above
<code>\joinrcthick</code>	5	above
<code>\joinrcvararrow</code>	6	above
<code>\joinrcxarrow</code>	5	above
<code>\joinrl</code>	5	above
<code>\joinrldashed</code>	5	above
<code>\joinrldiamond</code>	5	above
<code>\joinrlnoarrow</code>	5	above
<code>\joinrlnoarrowbw</code>	5	above
<code>\joinrlnoarrowdotswb</code>	5	above
<code>\joinrlnoarrowdotswbbw</code>	5	above
<code>\joinrlnoarrowdotswb</code>	5	above
<code>\joinrlnoarrowdotswbbw</code>	5	above
<code>\joinrlnoarrowdouble</code>	5	above
<code>\joinrlnoarrowontop</code>	5	above
<code>\joinrlnoarrowsqbwwb</code>	5	above
<code>\joinrlnoarrowsqwbbw</code>	5	above
<code>\joinrlnoarrowthick</code>	5	above
<code>\joinrlnoarrowthickwhite</code>	5	above
<code>\joinrlnoarrowwb</code>	5	above
<code>\joinrlnoarrowwhiteborder</code>	5	above
<code>\joinrlthick</code>	5	above
<code>\joinrlthickdotted</code>	5	above
<code>\joinrltriangleb</code>	5	above

Command	Args	Default(s)
<code>\joinrltrianglew</code>	5	above
<code>\joinrlvararrow</code>	6	above
<code>\joinrlxarrow</code>	5	above
<code>\joinrr</code>	5	above
<code>\joinrrdashed</code>	5	above
<code>\joinrrdiamond</code>	5	above
<code>\joinrrnoarrow</code>	5	above
<code>\joinrrnoarrowbw</code>	5	above
<code>\joinrrnoarrowdotsbw</code>	5	above
<code>\joinrrnoarrowdotsbwbb</code>	5	above
<code>\joinrrnoarrowdotswb</code>	5	above
<code>\joinrrnoarrowdotswbbw</code>	5	above
<code>\joinrrnoarrowdouble</code>	5	above
<code>\joinrrnoarrowsqbwwb</code>	5	above
<code>\joinrrnoarrowsqwbbw</code>	5	above
<code>\joinrrnoarrowthick</code>	5	above
<code>\joinrrnoarrowthickwhite</code>	5	above
<code>\joinrrnoarrowwb</code>	5	above
<code>\joinrrnoarrowwhiteborder</code>	5	above
<code>\joinrrthick</code>	5	above
<code>\joinrrthickdotted</code>	5	above
<code>\joinrrtriangleb</code>	5	above
<code>\joinrrtrianglew</code>	5	above
<code>\joinrrvararrow</code>	6	above
<code>\joinrrxarrow</code>	5	above
<code>\joinrt</code>	5	above
<code>\joinrtdashed</code>	5	above
<code>\joinrtdiamond</code>	5	above
<code>\joinrtnoarrow</code>	5	above
<code>\joinrtnoarrowbw</code>	5	above
<code>\joinrtnoarrowdotsbw</code>	5	above
<code>\joinrtnoarrowdotsbwbb</code>	5	above
<code>\joinrtnoarrowdotswb</code>	5	above
<code>\joinrtnoarrowdotswbbw</code>	5	above
<code>\joinrtnoarrowdouble</code>	5	above
<code>\joinrtnoarrowsqbwwb</code>	5	above
<code>\joinrtnoarrowsqwbbw</code>	5	above
<code>\joinrtnoarrowthick</code>	5	above
<code>\joinrtnoarrowthickwhite</code>	5	above
<code>\joinrtnoarrowwb</code>	5	above
<code>\joinrtnoarrowwhiteborder</code>	5	above
<code>\joinrtthick</code>	5	above
<code>\joinrtthickdotted</code>	5	above
<code>\joinrttriangleb</code>	5	above
<code>\joinrttrianglew</code>	5	above

Command	Args	Default(s)
<code>\jointvararrow</code>	6	above
<code>\jointxarrow</code>	5	above
<code>\joinstraight</code>	3	thin
<code>\joinstraightdisplace</code>	3	thin
<code>\joinstylebb</code>	6	above
<code>\joinstylebc</code>	6	above
<code>\joinstylebl</code>	6	above
<code>\joinstylebr</code>	6	above
<code>\joinstylebt</code>	6	above
<code>\joinstylecb</code>	6	above
<code>\joinstylecc</code>	6	above
<code>\joinstyleccontop</code>	6	above
<code>\joinstylecl</code>	6	above
<code>\joinstylecr</code>	6	above
<code>\joinstylect</code>	6	above
<code>\joinstylelb</code>	6	above
<code>\joinstylelc</code>	6	above
<code>\joinstylell</code>	6	above
<code>\joinstylelr</code>	6	above
<code>\joinstylelt</code>	6	above
<code>\joinstylerb</code>	6	above
<code>\joinstylerc</code>	6	above
<code>\joinstylerl</code>	6	above
<code>\joinstylerr</code>	6	above
<code>\joinstylert</code>	6	above
<code>\joinstyletb</code>	6	above
<code>\joinstyletc</code>	6	above
<code>\joinstyletl</code>	6	above
<code>\joinstyletr</code>	6	above
<code>\joinstylett</code>	6	above
<code>\jointb</code>	5	above
<code>\jointbdashed</code>	5	above
<code>\jointbdiamond</code>	5	above
<code>\jointbdouble</code>	5	above
<code>\jointbdoubleend</code>	5	above
<code>\jointbleft</code>	5	above
<code>\jointbnoarrow</code>	5	above
<code>\jointbnoarrowbw</code>	5	above
<code>\jointbnoarrowdotsbw</code>	5	above
<code>\jointbnoarrowdotsbwbb</code>	5	above
<code>\jointbnoarrowdotswb</code>	5	above
<code>\jointbnoarrowdotswbbw</code>	5	above
<code>\jointbnoarrowdouble</code>	5	above
<code>\jointbnoarrowontop</code>	5	above
<code>\jointbnoarrowsqbwbb</code>	5	above

Command	Args	Default(s)
<code>\jointbnoarrowsqwbbw</code>	5	above
<code>\jointbnoarrowthick</code>	5	above
<code>\jointbnoarrowthickwhite</code>	5	above
<code>\jointbnoarrowwb</code>	5	above
<code>\jointbnover</code>	5	above
<code>\jointbright</code>	5	above
<code>\jointbthick</code>	5	above
<code>\jointbthickdotted</code>	5	above
<code>\jointbtriangleb</code>	5	above
<code>\jointbtrianglew</code>	5	above
<code>\jointbvararrow</code>	6	above
<code>\jointbxarrow</code>	5	above
<code>\jointc</code>	5	above
<code>\jointcdiamond</code>	5	above
<code>\jointcnoarrow</code>	5	above
<code>\jointcnoarrowdouble</code>	5	above
<code>\jointcnoarrowthick</code>	5	above
<code>\jointcnoarrowthickwhite</code>	5	above
<code>\jointcnoarrowwhiteborder</code>	5	above
<code>\jointcthick</code>	5	above
<code>\jointcvararrow</code>	6	above
<code>\jointcxarrow</code>	5	above
<code>\jointl</code>	5	above
<code>\jointldashed</code>	5	above
<code>\jointldiamond</code>	5	above
<code>\jointlnoarrow</code>	5	above
<code>\jointlnoarrowbw</code>	5	above
<code>\jointlnoarrowdotsbw</code>	5	above
<code>\jointlnoarrowdotsbwwb</code>	5	above
<code>\jointlnoarrowdotswb</code>	5	above
<code>\jointlnoarrowdotswbbw</code>	5	above
<code>\jointlnoarrowdouble</code>	5	above
<code>\jointlnoarrowsqbwb</code>	5	above
<code>\jointlnoarrowsqwbbw</code>	5	above
<code>\jointlnoarrowthick</code>	5	above
<code>\jointlnoarrowthickwhite</code>	5	above
<code>\jointlnoarrowwb</code>	5	above
<code>\jointlnoarrowwhiteborder</code>	5	above
<code>\jointlthick</code>	5	above
<code>\jointlthickdotted</code>	5	above
<code>\jointltriangleb</code>	5	above
<code>\jointltrianglew</code>	5	above
<code>\jointlvararrow</code>	6	above
<code>\jointlxarrow</code>	5	above
<code>\jointr</code>	5	above

Command	Args	Default(s)
<code>\jointrdashed</code>	5	above
<code>\jointrdiamond</code>	5	above
<code>\jointrnoarrow</code>	5	above
<code>\jointrnoarrowbw</code>	5	above
<code>\jointrnoarrowdotsbw</code>	5	above
<code>\jointrnoarrowdotsbwbb</code>	5	above
<code>\jointrnoarrowdotswb</code>	5	above
<code>\jointrnoarrowdotswbbw</code>	5	above
<code>\jointrnoarrowdouble</code>	5	above
<code>\jointrnoarrowsqbwwb</code>	5	above
<code>\jointrnoarrowsqwbbw</code>	5	above
<code>\jointrnoarrowthick</code>	5	above
<code>\jointrnoarrowthickwhite</code>	5	above
<code>\jointrnoarrowwb</code>	5	above
<code>\jointrnoarrowwhiteborder</code>	5	above
<code>\jointrthick</code>	5	above
<code>\jointrthickdotted</code>	5	above
<code>\jointrtriangleb</code>	5	above
<code>\jointrtrianglew</code>	5	above
<code>\jointrvararrow</code>	6	above
<code>\jointrxarrow</code>	5	above
<code>\jointt</code>	5	above
<code>\jointtdashed</code>	5	above
<code>\jointtdiamond</code>	5	above
<code>\jointtnoarrow</code>	5	above
<code>\jointtnoarrowbw</code>	5	above
<code>\jointtnoarrowdotsbw</code>	5	above
<code>\jointtnoarrowdotsbwbb</code>	5	above
<code>\jointtnoarrowdotswb</code>	5	above
<code>\jointtnoarrowdotswbbw</code>	5	above
<code>\jointtnoarrowdouble</code>	5	above
<code>\jointtnoarrowsqbwwb</code>	5	above
<code>\jointtnoarrowsqwbbw</code>	5	above
<code>\jointtnoarrowthick</code>	5	above
<code>\jointtnoarrowthickwhite</code>	5	above
<code>\jointtnoarrowwb</code>	5	above
<code>\jointtnoarrowwhiteborder</code>	5	above
<code>\jointtthick</code>	5	above
<code>\jointtthickdotted</code>	5	above
<code>\jointtttriangleb</code>	5	above
<code>\jointtttrianglew</code>	5	above
<code>\jointtvararrow</code>	6	above
<code>\jointtxarrow</code>	5	above
<code>\joinwavycc</code>	5	above
<code>\joinwithopfids</code>	4	—

Command	Args	Default(s)
<code>\joinwithpointerfids</code>	4	—
<code>\joinwithpointerfidsdual</code>	4	—
<code>\joinwithpointerfidsx</code>	5	—
<code>\joinwithsystemfids</code>	4	—
<code>\joinwithsystemfidsdual</code>	4	—
<code>\joinwithsystemfidsdualbw</code>	4	—
<code>\joinwithsystemfidsdualwb</code>	4	—
<code>\joinwithvecfids</code>	4	—
<code>\joinwithvecfidsx</code>	5	—
<code>\laptop</code>	2	1
<code>\laptoptest</code>	2	1
<code>\leftellipseline</code>	5	thin, $-i$
<code>\leftflag</code>	5	2
<code>\leftflagdot</code>	5	2
<code>\leftflagsquare</code>	5	2
<code>\leftflagsquaredotted</code>	5	2
<code>\leftflagthick</code>	5	2
<code>\leftobject</code>	1	—
<code>\Leftobject</code>	1	—
<code>\leftphystriangle</code>	1	-4.5
<code>\linebyhand</code>	3	thin, $-i=0.5$
<code>\linebyhanddashed</code>	3	thin, dashed
<code>\linedashedcircles</code>	3	thin, dashed
<code>\longleftarrowfill@</code>	0	—
<code>\longrightarrowfill@</code>	0	—
<code>\lowsub</code>	1	—
<code>\mathfidc</code>	1	—
<code>\mathopbold</code>	1	—
<code>\mathpfidc</code>	1	—
<code>\mathsfb</code>	1	—
<code>\mathsfc</code>	0	—
<code>\mathsfs</code>	0	—
<code>\mathttb</code>	1	—
<code>\mathttc</code>	0	—
<code>\math tts</code>	0	—
<code>\MboxTS</code>	0	—
<code>\MboxTSop</code>	0	—
<code>\Mcircle</code>	2	—
<code>\mcircle</code>	2	—
<code>\mediumlowsub</code>	1	—
<code>\modelledby</code>	0	—
<code>\modelledbybar</code>	0	—
<code>\modelledbyubar</code>	0	—
<code>\modelledto</code>	0	—
<code>\nbdots</code>	0	—

Command	Args	Default(s)
<code>\nbdotsnoarrow</code>	0	—
<code>\nbdotsnoarrowsq</code>	0	—
<code>\nbdotssq</code>	0	—
<code>\notestate</code>	0	—
<code>\nwdots</code>	0	—
<code>\nwdotsnoarrow</code>	0	—
<code>\nwdotsnoarrowsq</code>	0	—
<code>\nwdotssq</code>	0	—
<code>\otherside</code>	0	—
<code>\outcomewire</code>	4	1
<code>\outcomewirecc</code>	4	5
<code>\overrectangleb</code>	2	-0.4
<code>\overrectanglew</code>	2	-0.4
<code>\overrectblack</code>	2	1
<code>\overrectbw</code>	1	—
<code>\overrectwb</code>	1	—
<code>\overrectwhite</code>	2	1
<code>\oversquareblack</code>	1	—
<code>\oversquarewhite</code>	1	—
<code>\placeAupleftBupright</code>	7	0pt
<code>\placesymbol</code>	2	0,0
<code>\pmb@</code>	2	—
<code>\pointingarrow</code>	5	right
<code>\postbar</code>	1	—
<code>\prebar</code>	1	—
<code>\qcwavy</code>	0	—
<code>\qcwavyl</code>	0	—
<code>\qcwavyr</code>	0	—
<code>\Rboldxboxincomedouble</code>	4	1
<code>\RboldxBoxincomedouble</code>	5	0.8
<code>\Rboldxboxoutcomedouble</code>	4	1
<code>\RboldxBoxoutcomedouble</code>	5	0.8
<code>\RCoperatorin</code>	0	—
<code>\RCoperatorout</code>	0	—
<code>\rectanglefromsqsupbset</code>	0	—
<code>\relpoint</code>	3	—
<code>\rightdoubwidget</code>	2	—
<code>\rightellipseline</code>	5	thin, $-i$
<code>\rightflag</code>	5	2
<code>\rightflagdot</code>	5	2
<code>\rightflagsquare</code>	5	2
<code>\rightflagsquaredotted</code>	5	2
<code>\rightflagthick</code>	5	2
<code>\rightobject</code>	1	—
<code>\Rightobject</code>	1	—

Command	Args	Default(s)
\rightphystriangle	1	-1.5
\Rincome	4	1
\Rincomedouble	4	1
\RleftTS	0	—
\RleftTSop	0	—
\RleftTSopbold	0	—
\Routcome	4	1
\Routcomedouble	4	1
\RrightTS	0	—
\RrightTSop	0	—
\RrightTSopbold	0	—
\Rxboxincome	4	1
\RxBoxincome	5	1
\Rxboxincomebwwb	4	1
\Rxboxincomecalc	4	1
\Rxboxincomedouble	4	1
\RxBoxincomedouble	5	0.8
\Rxboxincomefiddual	4	1
\Rxboxincomefids	4	1
\Rxboxincomefidsdouble	4	1
\Rxboxincomewbbw	4	1
\Rxboxoutcome	4	1
\RxBoxoutcome	5	1
\Rxboxoutcomebwwb	4	1
\Rxboxoutcomecalc	4	1
\Rxboxoutcomedouble	4	1
\RxBoxoutcomedouble	5	0.8
\Rxboxoutcomefiddual	4	1
\Rxboxoutcomefids	4	1
\Rxboxoutcomefidsdouble	4	1
\Rxboxoutcomefidsdual	4	1
\Rxboxoutcomewbbw	4	1
\Rxboxyincome	5	1
\Rxboxyoutcome	5	1
\RxdifBoxincome	6	1
\RxdifBoxoutcome	6	1
\Scircle	2	—
\scircle	2	—
\sdownopfid	3	thick
\sdownsysfid	3	fill=lightgray
\sdownterminal	2	—
\secondfont	0	—
\setarrowheadA	1	—
\setarrowheadB	1	—
\setcustomstyle	1	—

Command	Args	Default(s)
<code>\setdefaultarrow</code>	1	—
<code>\setdefaultfont</code>	1	—
<code>\setfifthfont</code>	1	—
<code>\setfourthfont</code>	1	—
<code>\setsecondfont</code>	1	—
<code>\setthirdfont</code>	1	—
<code>\shapethrupoints</code>	2	2
<code>\simonw</code>	0	—
<code>\simunderw</code>	0	—
<code>\sleftdatafid</code>	3	fill=lightgray
<code>\sleftterminal</code>	2	—
<code>\sleftvecfid</code>	3	thick
<code>\smallblackcircle</code>	0	—
<code>\smallblacksquare</code>	0	—
<code>\smallwhitecircle</code>	0	—
<code>\smallwhitesquare</code>	0	—
<code>\SmodelbyF</code>	0	—
<code>\sqbrackets</code>	1	—
<code>\sqbracketsbar</code>	1	—
<code>\sqrbracketsclose</code>	2	0
<code>\srightdatafid</code>	3	fill=lightgray
<code>\srightterminal</code>	2	—
<code>\srightvecfid</code>	3	thick
<code>\Ssqaredotted</code>	2	—
<code>\ssquaredotted</code>	2	—
<code>\supopfid</code>	3	thick
<code>\supsysfid</code>	3	fill=lightgray
<code>\supterminal</code>	2	—
<code>\Tcase</code>	0	—
<code>\theblob</code>	0	—
<code>\theflag</code>	0	—
<code>\thegelato</code>	0	—
<code>\thetooth</code>	0	—
<code>\thirdfont</code>	0	—
<code>\thispoint</code>	2	—
<code>\Thispoint</code>	2	—
<code>\Thistextthere</code>	2	—
<code>\ubar</code>	1	—
<code>\Ucircle</code>	2	—
<code>\ucircle</code>	2	—
<code>\upwire</code>	3	—
<code>\Usquare</code>	2	—
<code>\usquare</code>	2	—
<code>\vbbmatrix</code>	3	1
<code>\vbbmatrixr</code>	3	1

Command	Args	Default(s)
\vbbmatrixrsq	3	1
\vbbmatrixsq	3	1
\VboxTS	0	—
\VboxTSop	0	—
\vbwmatrix	3	1
\vbwmatrixr	3	1
\vbwmatrixrsq	3	1
\vbwmatrixsq	3	1
\vcustommatrix	4	1
\vwbmatrix	3	1
\vwbmatrixr	3	1
\vwbmatrixrsq	3	1
\vwbmatrixsq	3	1
\vwwmatrix	3	1
\vwwmatrixr	3	1
\vwwmatrixrsq	3	1
\vwwmatrixsq	3	1
\wbdots	0	—
\wbdotsnoarrow	0	—
\wbdotsnoarrowr	0	—
\wbdotsnoarrowsq	0	—
\wbdotsnoarrowsqr	0	—
\wbdotsr	0	—
\wbdotssq	0	—
\wbdotssqr	0	—
\wbmatrix	3	1
\wbmatrixnoarrow	3	1
\wbmatrixnoarrowr	3	1
\wbmatrixnoarrowsq	3	1
\wbmatrixnoarrowsqr	3	1
\wbmatrixr	3	1
\wbmatrixrsq	3	1
\wbmatrixsq	3	1
\whiteblackrect	0	—
\whitedot	2	—
\whitedotdownwire	3	—
\whitedotfiddownwire	3	—
\whitedotfidupwire	3	—
\whitedotsq	2	—
\whitedotupwire	3	—
\whitesquareleftwire	3	—
\whitesquarerightwire	3	—
\wndots	0	—
\wndotsnoarrow	0	—
\wndotsnoarrowsq	0	—

Command	Args	Default(s)
<code>\wndotssq</code>	0	—
<code>\wwdots</code>	0	—
<code>\wwdotsnoarrow</code>	0	—
<code>\wwdotsnoarrowr</code>	0	—
<code>\wwdotsnoarrowsq</code>	0	—
<code>\wwdotsnoarrowsqr</code>	0	—
<code>\wwdotssr</code>	0	—
<code>\wwdotssq</code>	0	—
<code>\wwdotssqr</code>	0	—
<code>\wwmatrix</code>	3	1
<code>\wwmatrixnoarrow</code>	3	1
<code>\wwmatrixnoarrowr</code>	3	1
<code>\wwmatrixnoarrowsq</code>	3	1
<code>\wwmatrixnoarrowsqr</code>	3	1
<code>\wwmatrixr</code>	3	1
<code>\wwmatrixrsq</code>	3	1
<code>\wwmatrixsq</code>	3	1