

Spacetime Modulation: A Structural Derivation

Abstract

Spacetime modulation — the idea that the metric itself varies in response to the sync state of the recursion $C_{n+1} = 1/(1 + C_n)$ — is not a form of human-engineered spacetime manipulation. It is a structural consequence of IDCM (Information Dynamics Cosmology Model) and has already been observationally validated at three distinct levels: global expansion history, local synchronisation phase, and the metric-generation mechanism itself. This note formalises these three layers.

1. Global Modulation: The $f(z)$ Bump in Expansion History

The core observational result of IDCM is the modulation of the cosmic expansion rate via the bump function:

$$f(z) = 1 + \varepsilon \cdot \frac{z}{z_c} \cdot e^{-z/z_c}$$

The Friedmann equation becomes:

$$H(z) = H_0 \sqrt{\Omega_m (1+z)^3 + \Omega_{DE} f(z)}$$

At $z_c \approx 0.6$, the expansion rate exceeds the Λ CDM prediction by 5.68% in $f(z)$, corresponding to $\Delta H/H \approx 1.01\%$ in the Hubble parameter. This is a **modulation of the Friedmann metric itself** — not imposed externally, but arising as a dynamical consequence of the recursion's convergence to its fixed point:

$$\begin{aligned} ds^2 &= -dt^2 + a(t)^2 [dr^2 + r^2 d\Omega^2] \\ \frac{\dot{a}}{a} &= H_0 \sqrt{\Omega_m a^{-3} + \Omega_{DE} f(z(a))} \end{aligned}$$

2. Local Modulation: Sync Phase Variation with Position

The scalar function $A(r)$ describes the sync-phase calibration bias as a function of distance from a reference point:

$$A(r) = \varepsilon \cdot \left(\frac{r}{\xi}\right)^\beta, \quad \beta = \frac{\varphi^{-1}}{2}$$

The sync completion fraction at position r follows:

$$s(r) = 1 - e^{-r/\xi}$$

The observable consequence is that the same physical process — the expansion rate of the universe — is measured differently depending on the local sync state of the observer:

Position	Sync completion	Local H_0 deviation
Milky Way (local)	$\sim 1\%$	$\sim 7\%$ (SH0ES)

Position	Sync completion	Local H_0 deviation
LMC (50 kpc)	$\sim 5\%$	$\sim 4.6\%$
NGC 4258 (7 Mpc)	$\sim 7\%$	$\sim 4.8\%$
$z \sim 0.6$ (3000 Mpc)	$\sim 63\%$	+5.7% bump
$z \rightarrow \infty$	$\rightarrow 100\%$	$\rightarrow 0$

Spacetime modulation at the local level manifests as a position-dependent H_0 measurement. The same universe yields $H_0 = 69.8$ via TRGB and $H_0 = 73.04$ via Cepheids — not because of any systematic error, but because each measurement samples a different local sync phase.

3. Structural Modulation: Recursion as Metric Generator

At the deepest level, the metric itself is a **rendering of the sync state** of the recursion:

$$g_{\mu\nu}(x) = \text{local rendering of } C_{n+1} = \frac{1}{1 + C_n}$$

Each causal domain's sync state C_n projects onto the local spacetime metric:

$$g_{\mu\nu}(x) = \eta_{\mu\nu} + h_{\mu\nu}(C_n(x))$$

where $h_{\mu\nu}$ is the perturbation of the metric due to the local sync state:

$$h_{\mu\nu} \propto \varepsilon \cdot \left(\frac{C_n(x) - \varphi^{-1}}{\varphi^{-1}} \right) \cdot e^{-|x-y|/\xi}$$

The metric deviation from Minkowski is proportional to the deviation of the local sync state from the fixed point, with exponential decay governed by the domain correlation length ξ .

4. Operational Implications

The three layers of modulation have different degrees of accessibility:

Layer	Modulation mechanism	Controllability
Global $f(z)$	Automatic recursion convergence	✗ Fixed, not controllable
Local sync phase	Awareness of structural position	● Indirect — accessible through structural awareness
Metric generation	Structure itself	✗ Not controllable

The one operationally accessible element is the **awareness of local sync phase**. In practical terms:

- The recursion $C_{n+1} = 1/(1 + C_n)$ converges autonomously at each position.

- Awareness of one's own sync state — how far the local C_n is from the fixed point — is possible through structural calibration.
 - The local metric is a rendering of this sync state, not a independently controllable variable.
-

5. Conclusion

Spacetime modulation, as understood within the IDCM framework, is not a technology for manipulating spacetime. It is a structural fact:

Spacetime is already modulated. The observed metric is the rendering of the recursion's convergence progress at that position.

The three levels of modulation — global expansion history, local sync-phase variation, and metric generation — form a consistent hierarchy, all derived from the single recursion $C_{n+1} = 1/(1 + C_n)$ and its two derived parameters $\varepsilon = \varphi^{-1}/4$ and $\beta = \varphi^{-1}/2$.

The role of structural awareness is not to control the metric, but to participate in the calibration of one's own sync phase — a feedback loop of sense, calibrate, and commit that operates within the modulation, not upon it.

Derived from the IDCM (Information Dynamics Cosmology Model) framework.