

Filter objects

- ▶ bank
- ▶ bookstore
- ▶ college
- ▶ management
- ▶ sakila
- ▶ shop
- ▶ student
- ▶ studentof
- ▶ sys
- ▶ task_management
- ▶ taskmanagement
- ▶ world

```
1 • CREATE DATABASE Employee;
2 • USE Employee;
3 • CREATE table employeeetails(
4     ID int primary key,
5     name varchar(20),
6     age numeric(10),
7     worktill numeric(20)
8 );
9 • select * from employeeetails;
10 • insert into employeeetails values(1,"mark",32,50);
11 • insert into employeeetails values(2,"edward",35,50);
12 • insert into employeeetails values(3,"philip",39,50);
13 • insert into employeeetails values(4,"chris",44,50);
```

Administration Schemas

Information

No object selected

Result Grid   Filter Rows: Edit:    Export/Import:   Wrap Cell Content: 

	ID	name	age	worktill
▶	1	mark	32	50
	2	edward	35	50
	3	philip	39	50
	4	chris	44	50
✱	NULL	NULL	NULL	NULL

ployeedetails 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	17:55:28	insert into employeeedetails values(4,"chris",44,50)	1 row(s) affected	0.078 sec

Object Info

Session

Filter objects

- ▶ bank
- ▶ bookstore
- ▶ college
- ▶ management
- ▶ sakila
- ▶ shop
- ▶ student
- ▼ **studentof**
 - ▶ Tables
 - ▶ Views
 - ▶ Stored Procedures
 - ▶ Functions
- ▶ sys
- ▶ task_management
- ▶ taskmanagement
- ▶ world

```
1 • CREATE DATABASE studentof;
2 • USE Studentof;
3 • CREATE table studentdetails(
4     subcode int primary key,
5     subject varchar(20),
6     mark numeric(10),
7     totmark numeric(20)
8 );
9 • select * from studentdetails;
10 • insert into studentdetails values(1,"math",32,50);
11 • insert into studentdetails values(2,"english",35,50);
12 • insert into studentdetails values(3,"physics",39,50);
13 • insert into studentdetails values(4,"chemistry",44,50);
```

Information

No object selected

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	subcode	subject	mark	totmark
▶	1	math	32	50
	2	english	35	50
	3	physics	39	50
	4	chemistry	44	50
✱	NULL	NULL	NULL	NULL

studentdetails2 ✕

Output

Action Output

#	Time	Action
25	17:56:26	insert into studentdetails values(4,"chemistry",44,50)

Message
1 row(s) affected

Duration / Fetch
0.093 sec

Object Info

Filter objects

Administration Schemas

No object selected

Object Info

```
1 • CREATE DATABASE Bank1;
2 • USE Bank1;
3 • CREATE table bankinfo(
4     ID int primary key,
5     name varchar(20),
6     IFSC numeric(10),
7     empnum numeric(20)
8 );
9 • select * from bankinfo;
10 • insert into bankinfo values(1,"ICICI",32577868,50);
11 • insert into bankinfo values(2,"HDFC",35667674,50);
12 • insert into bankinfo values(3,"SBI",39835665,50);
13 • insert into bankinfo values(4,"BOB",44566556,50);
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	ID	name	IFSC	empnum
▶	1	ICICI	32577868	50
	2	HDFC	35667674	50
	3	SBI	39835665	50
	4	BOB	44566556	50
✱	NULL	NULL	NULL	NULL


bankinfo 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	14:12:46	insert into bankinfo values(4,"BOB",44566556,50)	1 row(s) affected	0.109 sec

Activate Windows


```
1 • CREATE DATABASE Family;
2 • USE Family;
3 •  CREATE table familytree(
4     s_no int primary key,
5     name varchar(20),
6     salary numeric(10),
7     age numeric(20)
8 );
9 • select * from familytree;
10 • insert into familytree values(1,"Godwin",42500,50);
11 • insert into familytree values(2,"Ellie",35600,45);
12 • insert into familytree values(3,"Geetha",0,15);
13 • insert into familytree values(4,"Pran",14500,20);
```


Administration Schemas

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	s_no	name	salary	age
▶	1	Godwin	42500	50
	2	Ellie	35600	45
	3	Geetha	0	15
	4	Pran	14500	20
✱	NULL	NULL	NULL	NULL

familytree 1 ×

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
35	14:19:46	insert into familytree values(4,"Pran",14500,20)	1 row(s) affected	0.078 sec