

```
In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic
```

```
In [2]: df=pd.read_csv("cleaned_rainfall")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
...
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4

4116 rows × 20 columns



```
In [3]: df["SUBDIVISION"].value_counts()
```

```
Out[3]: HIMACHAL PRADESH      115
        EAST RAJASTHAN      115
        GUJARAT REGION      115
        EAST MADHYA PRADESH  115
        EAST UTTAR PRADESH  115
        BIHAR               115
        KONKAN & GOA        115
        JAMMU & KASHMIR     115
        TAMIL NADU         115
        ASSAM & MEGHALAYA   115
        NORTH INTERIOR KARNATAKA 115
        ORISSA             115
        JHARKHAND          115
        SUB HIMALAYAN WEST BENGAL & SIKKIM 115
        MATATHWADA         115
        WEST RAJASTHAN      115
        TELANGANA          115
        GANGETIC WEST BENGAL 115
        WEST UTTAR PRADESH  115
        VIDARBHA           115
        SAURASHTRA & KUTCH  115
        HARYANA DELHI & CHANDIGARH 115
        COASTAL ANDHRA PRADESH 115
        UTTARAKHAND        115
        MADHYA MAHARASHTRA  115
        KERALA             115
        NAGA MANI MIZO TRIPURA 115
        WEST MADHYA PRADESH  115
        RAYALSEEMA         115
        CHHATTISGARH       115
        PUNJAB             115
        SOUTH INTERIOR KARNATAKA 115
        COASTAL KARNATAKA   115
        LAKSHADWEEP        114
        ANDAMAN & NICOBAR ISLANDS 110
        ARUNACHAL PRADESH   97
        Name: SUBDIVISION, dtype: int64
```

JAMMU & KASHMIR

```
In [4]: dat1=df[df["SUBDIVISION"]=="JAMMU & KASHMIR"]
dat1
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1702	1702	JAMMU & KASHMIR	1901	66.4	69.3	69.6	132.2	105.8	53.4	171.7	181.3	101.8
1703	1703	JAMMU & KASHMIR	1902	6.5	9.7	91.3	100.5	70.7	113.3	108.4	136.9	62.2
1704	1704	JAMMU & KASHMIR	1903	96.2	21.5	238.6	58.7	57.3	18.9	332.5	218.6	176.9
1705	1705	JAMMU & KASHMIR	1904	110.6	17.3	145.2	64.5	67.8	25.9	182.3	132.2	62.3
1706	1706	JAMMU & KASHMIR	1905	146.7	76.3	161.4	71.7	65.2	43.3	145.2	111.5	239.7
...
1812	1812	JAMMU & KASHMIR	2011	43.4	211.6	97.8	89.0	32.4	72.5	81.6	131.2	72.0
1813	1813	JAMMU & KASHMIR	2012	150.9	95.8	45.2	86.6	48.9	32.6	118.8	264.9	106.7
1814	1814	JAMMU & KASHMIR	2013	52.2	136.4	41.9	47.4	47.4	80.5	125.1	219.1	41.2
1815	1815	JAMMU & KASHMIR	2014	75.8	64.0	153.1	76.1	52.7	25.3	100.5	134.6	362.8
1816	1816	JAMMU & KASHMIR	2015	27.9	187.2	341.4	173.3	64.6	121.4	233.2	129.2	130.2


115 rows × 20 columns




```



In [5]: dat1.plot.bar("YEAR", "MAR")
plt.xlim(0,20)
plt.figure(figsize=(60,30))
plt.show()
dat1.plot.box()
plt.xlim(2,14)
plt.ylim(0,2000)
plt.show()
dat1.plot.area()
dat1.plot.scatter("YEAR", "MAR")
sns.stripplot(x=dat1["MAR"],y=dat1["YEAR"],jitter=True)
plt.ylim(1900,2010)
plt.xlim(0,145)
plt.xticks(dat1["MAR"],rotation="vertical")
plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
plt.show()
dat1.plot.hist()

```




<Figure size 4320x2160 with 0 Axes>






Out[5]: <AxesSubplot:ylabel='Frequency'>



```
In [6]: sns.lineplot(x=dat1["MAR"],y=dat1["YEAR"])  
plt.show()
```



NORTH INTERIOR KARNATAKA

```
In [7]: dat2=df[df["SUBDIVISION"]=="NORTH INTERIOR KARNATAKA"]
dat2
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3657	3657	NORTH INTERIOR KARNATAKA	1901	3.5	18.8	7.1	67.2	65.5	120.5	151.9	115.1	128.8	80.1
3658	3658	NORTH INTERIOR KARNATAKA	1902	0.0	0.0	0.3	22.5	34.4	111.3	83.2	78.1	146.7	118.1
3659	3659	NORTH INTERIOR KARNATAKA	1903	3.5	0.0	0.1	6.9	53.4	102.8	209.4	146.4	189.3	166.1
3660	3660	NORTH INTERIOR KARNATAKA	1904	0.2	0.3	8.5	11.0	46.3	120.6	91.6	48.5	165.1	86.1
3661	3661	NORTH INTERIOR KARNATAKA	1905	0.0	6.0	2.6	16.0	51.2	99.6	60.1	139.2	42.2	85.1
...
3767	3767	NORTH INTERIOR KARNATAKA	2011	0.5	7.2	7.2	41.2	46.8	101.3	150.8	152.0	69.0	73.1
3768	3768	NORTH INTERIOR KARNATAKA	2012	28.5	6.2	0.4	35.4	19.5	60.0	114.5	105.5	79.2	85.1
3769	3769	NORTH INTERIOR KARNATAKA	2013	1.2	6.1	3.0	25.4	47.4	99.4	160.7	73.9	201.0	101.1
3770	3770	NORTH INTERIOR KARNATAKA	2014	0.0	6.1	29.2	26.4	93.0	50.4	136.8	205.2	90.2	80.1
3771	3771	NORTH INTERIOR KARNATAKA	2015	2.4	0.0	27.5	50.8	45.3	89.6	38.5	78.4	150.8	61.1

115 rows × 20 columns




In [8]:


```




dat2.plot.bar("YEAR", "MAR")
plt.xlim(0,20)
plt.figure(figsize=(60,30))
plt.show()
dat2.plot.box()
plt.xlim(2,14)
plt.ylim(0,2000)
plt.show()
dat2.plot.area()
dat2.plot.scatter("YEAR", "MAR")
sns.stripplot(x=dat2["MAR"],y=dat2["YEAR"],jitter=True)
plt.ylim(1900,2010)
plt.xlim(0,145)
plt.xticks(dat2["MAR"],rotation="vertical")
plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
plt.show()
dat2.plot.hist()
plt.show()

```



<Figure size 4320x2160 with 0 Axes>





```
In [9]: sns.lineplot(x=dat2["MAR"],y=dat2["YEAR"])  
plt.show()
```

