In [1]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
from sklearn.linear_model import Ridge,Lasso
from sklearn.linear_model import ElasticNet
from sklearn import metrics
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
from sklearn.ensemble import RandomForestClassifier
from sklearn.model_selection import GridSearchCV
from sklearn.tree import plot_tree
```

In [2]:
```
df=pd.read_csv(r"C:\Users\user\Downloads\csvs_per_year\csvs_per_year\madrid_20(
df
```

Out[2]:

	date	BEN	CO	EBE	MXY	NMHC	NO_2	NOx	OXY	O_3	PM
0	2009-10-01 01:00:00	NaN	0.27	NaN	NaN	NaN	39.889999	48.150002	NaN	50.680000	18.260(
1	2009-10-01 01:00:00	NaN	0.22	NaN	NaN	NaN	21.230000	24.260000	NaN	55.880001	10.580(
2	2009-10-01 01:00:00	NaN	0.18	NaN	NaN	NaN	31.230000	34.880001	NaN	49.060001	25.190(
3	2009-10-01 01:00:00	0.95	0.33	1.43	2.68	0.25	55.180000	81.360001	1.57	36.669998	26.530(
4	2009-10-01 01:00:00	NaN	0.41	NaN	NaN	0.12	61.349998	76.260002	NaN	38.090000	23.760(
...	...	...	...	...	...	...	...	...	...	...	
215683	2009-06-01 00:00:00	0.50	0.22	0.39	0.75	0.09	22.000000	24.510000	1.00	82.239998	10.830(
215684	2009-06-01 00:00:00	NaN	0.31	NaN	NaN	NaN	76.110001	101.099998	NaN	41.220001	9.920(
215685	2009-06-01 00:00:00	0.13	NaN	0.86	NaN	0.23	81.050003	99.849998	NaN	24.830000	12.460(
215686	2009-06-01 00:00:00	0.21	NaN	2.96	NaN	0.10	72.419998	82.959999	NaN	NaN	13.030(
215687	2009-06-01 00:00:00	0.37	0.32	0.99	1.36	0.14	54.290001	64.480003	1.06	56.919998	15.360(

215688 rows × 17 columns

In [3]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 215688 entries, 0 to 215687
Data columns (total 17 columns):
 #   Column   Non-Null Count   Dtype  
---  ------   --------------   -----  
 0   date     215688 non-null  object 
 1   BEN      60082 non-null   float64
 2   CO       190801 non-null  float64
 3   EBE      60081 non-null   float64
 4   MXY      24846 non-null   float64
 5   NMHC     74748 non-null   float64
 6   NO_2     214562 non-null  float64
 7   NOx      214565 non-null  float64
 8   OXY      24854 non-null   float64
 9   O_3      204482 non-null  float64
 10  PM10     196331 non-null  float64
 11  PM25     55822 non-null   float64
 12  PXY      24854 non-null   float64
 13  SO_2     212671 non-null  float64
 14  TCH      75213 non-null   float64
 15  TOL      59920 non-null   float64
 16  station  215688 non-null  int64  
dtypes: float64(15), int64(1), object(1)
memory usage: 28.0+ MB
```

In [4]:
```
df=df.dropna()
df
```

Out[4]:

	date	BEN	CO	EBE	MXY	NMHC	NO_2	NOx	OXY	O_3	PM1
3	2009-10-01 01:00:00	0.95	0.33	1.43	2.68	0.25	55.180000	81.360001	1.57	36.669998	26.5300(
20	2009-10-01 01:00:00	0.38	0.32	0.32	0.89	0.01	17.969999	19.240000	1.00	65.870003	10.5200(
24	2009-10-01 01:00:00	0.55	0.24	0.65	1.79	0.18	36.619999	43.919998	1.28	48.070000	19.1500(
28	2009-10-01 02:00:00	0.65	0.21	1.20	2.04	0.18	37.169998	48.869999	1.21	26.950001	32.2000(
45	2009-10-01 02:00:00	0.38	0.30	0.50	1.15	0.00	17.889999	19.299999	1.00	60.009998	12.2600(
...	...	...	...	...	...	...	...	...	...	...	
215659	2009-05-31 23:00:00	0.54	0.27	1.00	0.69	0.09	28.280001	29.490000	0.86	78.750000	15.1700(
215663	2009-05-31 23:00:00	0.74	0.35	1.13	1.65	0.15	56.410000	69.870003	1.26	56.799999	11.8000(
215667	2009-06-01 00:00:00	0.78	0.29	0.99	1.96	0.04	64.870003	82.629997	1.13	58.000000	12.6700(
215683	2009-06-01 00:00:00	0.50	0.22	0.39	0.75	0.09	22.000000	24.510000	1.00	82.239998	10.8300(
215687	2009-06-01 00:00:00	0.37	0.32	0.99	1.36	0.14	54.290001	64.480003	1.06	56.919998	15.3600(

24717 rows × 17 columns

In [5]:
```
df.isnull().sum()
```

Out[5]:
```
date       0
BEN        0
CO         0
EBE        0
MXY        0
NMHC       0
NO_2       0
NOx        0
OXY        0
O_3        0
PM10       0
PM25       0
PXY        0
SO_2       0
TCH        0
TOL        0
station    0
dtype: int64
```

In [6]:
```
df.describe()
```

Out[6]:

	BEN	CO	EBE	MXY	NMHC	NO_2	
count	24717.000000	24717.000000	24717.000000	24717.000000	24717.000000	24717.000000	247
mean	1.010583	0.448056	1.262430	2.244469	0.219582	55.563929	
std	1.007345	0.291706	1.074768	2.242214	0.141661	38.911677	
min	0.170000	0.060000	0.250000	0.240000	0.000000	0.600000	
25%	0.460000	0.270000	0.720000	0.990000	0.140000	26.510000	
50%	0.670000	0.370000	1.000000	1.490000	0.190000	47.930000	
75%	1.180000	0.570000	1.430000	2.820000	0.260000	76.269997	1
max	22.379999	5.570000	47.669998	56.500000	2.580000	477.399994	14

In [7]:
```
df.columns
```

Out[7]:
```
Index(['date', 'BEN', 'CO', 'EBE', 'MXY', 'NMHC', 'NO_2', 'NOx', 'OXY', 'O_
3',
       'PM10', 'PM25', 'PXY', 'SO_2', 'TCH', 'TOL', 'station'],
      dtype='object')
```

In [8]:
```
sns.pairplot(df)
```

Out[8]:
```
<seaborn.axisgrid.PairGrid at 0x1a819cae7f0>
```



In [9]:
```
sns.distplot(df['PM10'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut
ureWarning: `distplot` is a deprecated function and will be removed in a futu
re version. Please adapt your code to use either `displot` (a figure-level fu
nction with similar flexibility) or `histplot` (an axes-level function for hi
stograms).
  warnings.warn(msg, FutureWarning)
```

Out[9]: <AxesSubplot:xlabel='PM10', ylabel='Density'>



In [10]:
```
sns.heatmap(df.corr())
```

Out[10]: <AxesSubplot:>



In [11]:
```
df.loc[df['NMHC']<1,'NMHC']=0
df.loc[df['NMHC']>1,'NMHC']=1
df['NMHC']=df['NMHC'].astype(int)
```

```
C:\ProgramData\Anaconda3\lib\site-packages\pandas\core\indexing.py:1720: Sett
ingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s
table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://panda
s.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-ver
sus-a-copy)
  self._setitem_single_column(loc, value, pi)
C:\ProgramData\Anaconda3\lib\site-packages\pandas\core\indexing.py:1720: Sett
ingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s
table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://panda
s.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-ver
sus-a-copy)
  self._setitem_single_column(loc, value, pi)
<ipython-input-11-c5145d14383f>:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s
table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://panda
s.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-ver
sus-a-copy)
  df['NMHC']=df['NMHC'].astype(int)
```

LogisticRegression

In [12]:
```
x=df[[ 'BEN', 'CO', 'EBE', 'MXY', 'NO_2', 'NOx', 'OXY', 'O_3',
       'PM10', 'PXY', 'SO_2', 'TCH', 'TOL', 'station']]
y=df['NMHC']
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.3)
lgr=LogisticRegression()
lgr.fit(x_train,y_train)
```

Out[12]:
```
LogisticRegression()
```

In [13]:
```
lgr.predict(x_test)
```

Out[13]:
```
array([0, 0, 0, ..., 0, 0, 0])
```

In [14]:
```
lgr.score(x_test,y_test)
```

Out[14]:
```
0.9989212513484358
```

In [15]:
```
fs=StandardScaler().fit_transform(x)
logr=LogisticRegression()
logr.fit(fs,y)
```

Out[15]:
```
LogisticRegression()
```

In [16]:
```
o=[[1,2,3,4,5,6,7,8,9,10,11,12,13,14]]
prediction=logr.predict(o)
print(prediction)
```

```
[1]
```

In [17]:
```
logr.classes_
```

Out[17]:
```
array([0, 1])
```

In [18]:
```
logr.predict_proba(o)[0][0]
```

Out[18]:
```
0.04088401509996609
```

In [19]:
```
logr.predict_proba(o)[0][1]
```

Out[19]:
```
0.9591159849000339
```

LinearRegression

In [20]:
```
lr=LinearRegression()
lr.fit(x_train,y_train)
```

Out[20]:
```
LinearRegression()
```

In [21]:
```
print(lr.intercept_)
```

```
34.33733794159383
```

In [22]:
```
coeff = pd.DataFrame(lr.coef_,x.columns,columns=['Co-efficient'])
coeff
```

Out[22]:

	Co-efficient
BEN	0.002254
CO	0.017944
EBE	-0.002287
MXY	-0.000089
NO_2	-0.000266
NOx	0.000114
OXY	0.002818
O_3	0.000078
PM10	-0.000022
PXY	-0.001675
SO_2	-0.000443
TCH	0.021697
TOL	0.000114
station	-0.000001

In [23]:
```
prediction=lr.predict(x_test)
plt.scatter(y_test,prediction)
```

Out[23]:
```
<matplotlib.collections.PathCollection at 0x1a832608f10>
```



In [24]:
```
print(lr.score(x_test,y_test))
```

```
0.10116974932462697
```

Ridge,Lasso

In [25]:
```
rr=Ridge(alpha=10)
rr.fit(x_train,y_train)
```

Out[25]:
```
Ridge(alpha=10)
```

In [26]:
```
rr.score(x_test,y_test)
```

Out[26]:
```
0.10063691567159239
```

In [27]:
```
la=Lasso(alpha=10)
la.fit(x_train,y_train)
```

Out[27]:
```
Lasso(alpha=10)
```

In [28]:
```
la.score(x_test,y_test)
```

Out[28]:
```
-4.160849085832474e-05
```

ElasticNet

In [29]:
```
en=ElasticNet()
en.fit(x_train,y_train)
```

Out[29]:
```
ElasticNet()
```

In [30]:
```
print(en.coef_)
```

```
[ 0.  0.  0.  0.  0.  0.  0. -0.  0.  0.  0.  0.  0. -0.]
```

In [31]:
```
print(en.intercept_)
```

```
0.0008670019074041963
```

In [32]:
```
print(en.predict(x_train))
```

```
[0.000867 0.000867 0.000867 ... 0.000867 0.000867 0.000867]
```

In [33]:
```
print(en.score(x_train,y_train))
```

```
0.0
```

In [34]:
```
print("Mean Absolytre Error:",metrics.mean_absolute_error(y_test,prediction))
```

```
Mean Absolytre Error: 0.005823880933805836
```

In [35]:
```
print("Mean Square Error:",metrics.mean_squared_error(y_test,prediction))
```

```
Mean Square Error: 0.0009685659533489445
```

In [36]:
```
print("Root Mean Square Error:",np.sqrt(metrics.mean_absolute_error(y_test,pre
```

```
Root Mean Square Error: 0.0763143560138316
```

RandomForest

In [37]:
```
rfc=RandomForestClassifier()
rfc.fit(x_train,y_train)
```

Out[37]:
```
RandomForestClassifier()
```

In [38]:
```
parameters={'max_depth':[1,2,3,4,5],
            'min_samples_leaf':[5,10,15,20,25],
            'n_estimators':[10,20,30,40,50]}
```

In [39]:
```
grid_search=GridSearchCV(estimator=rfc,param_grid=parameters,cv=2,scoring="acc
grid_search.fit(x_train,y_train)
```

Out[39]:
```
GridSearchCV(cv=2, estimator=RandomForestClassifier(),
             param_grid={'max_depth': [1, 2, 3, 4, 5],
                         'min_samples_leaf': [5, 10, 15, 20, 25],
                         'n_estimators': [10, 20, 30, 40, 50]},
             scoring='accuracy')
```

In [40]:
```
grid_search.best_score_
```

Out[40]:
```
0.9991908048987621
```

In [41]:
```
rfc_best=grid_search.best_estimator_
```

In [42]:
```
plt.figure(figsize=(80,40))
plot_tree(rfc_best.estimators_[5],class_names=['Yes','No','Yes','No'],filled=T
```

Out[42]:
```
[Text(2232.0, 1630.8000000000002, 'X[8] <= 167.25\ngini = 0.002\nsamples = 10
949\nvalue = [17285, 16]\nclass = Yes'),
 Text(1116.0, 543.5999999999999, 'gini = 0.001\nsamples = 10944\nvalue = [172
84, 11]\nclass = Yes'),
 Text(3348.0, 543.5999999999999, 'gini = 0.278\nsamples = 5\nvalue = [1, 5]\n
class = No')]
```




```
Best model:RandomForest
```

In [ ]: