

Task – 4.2c

Name – Nirosh Ravindran

1. In the RDS console, we need to go to the database section and click on the cafedatabase. Under the summary section, we can see that the RDS instance is running at the availability zone level.
2. No, there is no public IP address assigned to it. Since it belongs to a private subnet it doesn't have a public IP address. If we see in the cafedatabase and under the connectivity and security section, we will not be able to see a public IP address. More over if we click the subnet part, it will show us that it was a private subnet.
3. As mentioned above, if we see under the connectivity and security section, under the Networking column, we can see that subnet is mentioned, if we click into it, we can see that the name tag is Private Subnet 1.
4. In the connectivity and security section, under the security column, we can see an option called VPC security group. Under that we can see only 1 security group rule mentioned which is dbSG. So only 1 security group rule is mentioned.

Module 5 – Challenge Lab: Migrating a Database to Amazon RDS

Task 1: Creating an RDS instance

In this task we are creating an RDS instance with specific configuration, such as, Engine type, Templates, Username and password, standby instance, security group and many more.

Task 2: Analyzing the existing café application deployment

aws

Services

Search

[Alt+S]

N. Virginia

voclabs/user3184326=Nirosh134@dcrcampus.net @ 3508-6366-7563

EC2 Dashboard

EC2 Global View

Events

Console-to-Code

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity

Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

CloudShell

Feedback

Instances (1/1) Info

Find Instance by attribute or tag (case-sensitive)

Instance state = running

Clear filters

Connect

Instance state

Actions

Launch instances

1

Table with 8 columns: Name, Instance ID, Instance state, Instance type, Status check, Alarm status, Availability Zone, Public IPv4 address. Row 1: CafeServer, i-00e608b8a4a1f2739, Running, t2.micro, 2/2 checks passed, View alarms, us-east-1a, ec2-3-84-123-

Instance: i-00e608b8a4a1f2739 (CafeServer)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance summary

Instance ID: i-00e608b8a4a1f2739 (CafeServer)

Public IPv4 address: 3.84.123.230

Private IPv4 addresses: 10.0.0.81

Instance state: Running

Public IPv4 DNS: ec2-3-84-123-230.compute-1.amazonaws.com

Private IP DNS name (IPv4 only)

This will result in a successful creation of an RDS instance with all the configurations. In this task, we verified the functionality of the café application hosted on an EC2 instance named CafeServer.

← → ↻ ⚠ Not secure 3.84.123.230/cafe/

YouTube Free APA Citation G... Paraphrasing Tool ... ChatGPT Wolfram|Alpha: Co... Home | ASPEN Nand2tetr3s/03 at... The ultimate GPT-p... Software Categories... Home AWS Academy Clou...

Café

Home About Us Contact Us Menu Order History

Our café offers an assortment of delicious and delectable pastries and coffees that will put a smile on your face. From cookies to croissants, tarts and cakes, each treat is especially prepared to excite your tastebuds and brighten your day!

Frank bakes a rich variety of cookies. Try them all! Our tarts are always

After testing the application, we accessed the EC2 instance's terminal using AWS Systems Manager. This allowed us to remotely run commands on the instance.

Café

[Home](#)[Menu](#)[Order History](#)

Order History

Order Number: 25 Date: 2024-04-17 Time: 13:52:09 Total Amount: \$15.00

Item	Price	Quantity	Amount
Donut	\$1.00	2	\$2.00
Strawberry Blueberry Tart	\$3.50	2	\$7.00
Hot Chocolate	\$3.00	2	\$6.00

By navigating to Systems Manager in the AWS Management Console and starting a session, we connected to the instance's terminal. This was made possible because the Systems Manager agent is pre-installed on Amazon Linux 2 instances, and an IAM role with the required permissions was attached to the instance during setup.

We then executed a series of commands to ensure successful connection and navigation within the instance's terminal.

Session ID:
user3184326=rNirosh134@cicracampus.net-08c93da840312f45e

Instance ID: i-00e608b8a4a1f2739

Terminate

```
sh-4.2$ bash
[ssm-user@cafeserver bin]$ sudo su
[root@cafeserver bin]# su ec2-user
[ec2-user@cafeserver bin]$ whoami
ec2-user
[ec2-user@cafeserver bin]$ cd /home/ec2-user/
[ec2-user@cafeserver ~]$
```

Task 3: Working with the database on the EC2 instance

We looked at our MariaDB database on the EC2 instance and copied important details like the database password.

Session ID:
user3184326=rNirosh134@cicracampus.net-08c93da840312f45e

Instance ID: i-00e608b8a4a1f2739

Terminate

```
[root@cafeserver bin]# su ec2-user
[ec2-user@cafeserver bin]$ whoami
ec2-user
[ec2-user@cafeserver bin]$ cd /home/ec2-user/
[ec2-user@cafeserver ~]$ service mariadb status
Redirecting to /bin/systemctl status mariadb.service
● mariadb.service - MariaDB 10.2 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; vendor preset: disabled)
   Drop-In: /usr/lib/systemd/system/mariadb.service.d
            └─tokudb.conf
   Active: active (running) since Wed 2024-04-17 17:37:15 UTC; 21min ago
   Process: 3712 ExecStartPost=/usr/libexec/mysql-check-upgrade (code=exited, status=0/SUCCESS)
   Process: 3508 ExecStartPre=/usr/libexec/mysql-prepare-db-dir %n (code=exited, status=0/SUCCESS)
   Process: 3484 ExecStartPre=/usr/libexec/mysql-check-socket (code=exited, status=0/SUCCESS)
  Main PID: 3641 (mysqld)
    Status: "Taking your SQL requests now..."
   CGroup: /system.slice/mariadb.service
           └─3641 /usr/libexec/mysqld --basedir=/usr

Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal systemtd[1]: Started MariaDB 10.2 database server.
Hint: Some lines were ellipsized, use -l to show in full.
[ec2-user@cafeserver ~]$ mysql --version
mysql Ver 15.1 Distrib 10.2.38-MariaDB, for Linux (x86_64) using EditLine wrapper
[ec2-user@cafeserver ~]$
```

aws

Services

Search

[Alt+S]

N. Virginia

voclabs/user3184326=rNirosh134@cicracampus.net @ 3508-6366-7563

AWS Systems Manager > Parameter Store > /cafe/dbPassword > Overview

/cafe/dbPassword

Overview | History | Tags

Parameter details

Name

/cafe/dbPassword

ARN

arn:aws:ssm:us-east-1:350863667563:parameter/cafe/dbPassword

Tier

Standard

Type

String

Value

Re:Start!9

Description

Database Password

Data type

text

Last modified user

arn:aws:sts::350863667563:assumed-role/CafeRole/i-00e608b8a4a1f2739

Last modified date

Wed, 17 Apr 2024 17:37:24 GMT

Version

1

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Then, we connected to the database and checked what was inside. After that, we saved all the data into a file called CafeDbDump.sql using a tool called mysqldump.

Session ID: user3184326=rNirosh134@cicracampus.net-08c93da840312f45eInstance ID: i-00e608b8a4a1f2739

Terminate

```
Active: active (running) since Wed 2024-04-17 17:37:15 UTC; 21min ago
Process: 3712 ExecStartPost=/usr/libexec/mysql-check-upgrade (code=exited, status=0/SUCCESS)
Process: 3508 ExecStartPre=/usr/libexec/mysql-prepare-db-dir %n (code=exited, status=0/SUCCESS)
Process: 3484 ExecStartPre=/usr/libexec/mysql-check-socket (code=exited, status=0/SUCCESS)
Main PID: 3641 (mysqld)
Status: "Taking your SQL requests now..."
CGroup: /system.slice/mariadb.service
└─3641 /usr/libexec/mysqld --basedir=/usr

Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal mysql-check-upgrade[3712]: ERROR: ld.so: object '/usr/lib64/libjemalloc.so.1' from LD_PRELOAD cannot be preloaded (can...ignored.
Apr 17 17:37:15 ip-10-0-0-81.ec2.internal systemd[1]: Started MariaDB 10.2 database server.
Hint: Some lines were ellipsized, use -l to show in full.
[ec2-user@cafeserver ~]$ mysql --version
mysql Ver 15.1 Distrib 10.2.38-MariaDB, for Linux (x86_64) using EditLine wrapper
[ec2-user@cafeserver ~]$ mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 16
Server version: 10.2.38-MariaDB MariaDB Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

Session ID: user3184326=rNirosh134@cicracampus.net-08c93da840312f45eInstance ID: i-00e608b8a4a1f2739

Terminate

```
MariaDB [cafe_db]> select * from `order`;
+-----+-----+-----+
| order_number | order_date_time | amount |
+-----+-----+-----+
| 1 | 2020-06-20 13:09:07 | 20.00 |
| 2 | 2020-06-21 13:09:23 | 24.00 |
| 3 | 2020-06-22 13:09:38 | 32.50 |
| 4 | 2020-06-22 13:09:49 | 10.50 |
| 5 | 2020-06-24 13:10:02 | 42.00 |
| 6 | 2020-06-25 13:10:20 | 14.00 |
| 7 | 2020-06-25 13:10:30 | 35.00 |
| 8 | 2020-06-27 13:10:36 | 6.00 |
| 9 | 2020-06-28 13:10:46 | 18.00 |
| 10 | 2020-07-02 13:10:58 | 18.00 |
| 11 | 2020-07-03 13:11:08 | 19.50 |
| 12 | 2020-07-04 13:11:17 | 9.00 |
| 13 | 2020-07-05 13:11:27 | 26.50 |
| 14 | 2020-07-05 13:11:40 | 42.00 |
| 15 | 2020-07-06 13:12:27 | 35.00 |
| 16 | 2020-07-09 13:12:35 | 19.50 |
| 17 | 2020-07-12 13:12:48 | 57.50 |
| 18 | 2020-07-14 13:13:04 | 34.00 |
| 19 | 2020-07-15 13:13:17 | 29.00 |
| 20 | 2020-07-18 13:13:27 | 14.00 |
| 21 | 2020-07-20 13:13:36 | 17.50 |
| 22 | 2020-07-21 13:13:47 | 33.50 |
| 23 | 2020-07-28 13:13:54 | 6.00 |
| 24 | 2020-07-28 13:14:07 | 35.00 |
| 25 | 2024-04-17 13:52:09 | 15.00 |
+-----+-----+-----+
25 rows in set (0.00 sec)

MariaDB [cafe_db]>
```

This file contains all the orders and items in our database. Next, we'll use this file to import the data into our new RDS database.

Session ID:
user3184326=rNirosh134@cicracampus.net-
08c93da840312f45e

Instance ID: i-00e608b8a4a1f2739

Terminate

```
13 | 1 | 3 | 4 | 10.00 |
13 | 2 | 5 | 3 | 10.50 |
13 | 3 | 8 | 2 | 6.00 |
14 | 1 | 6 | 8 | 28.00 |
14 | 2 | 9 | 4 | 14.00 |
15 | 1 | 6 | 10 | 35.00 |
16 | 1 | 5 | 3 | 10.50 |
16 | 2 | 8 | 3 | 9.00 |
17 | 1 | 1 | 15 | 22.50 |
17 | 2 | 5 | 10 | 35.00 |
18 | 1 | 3 | 8 | 20.00 |
18 | 2 | 9 | 4 | 14.00 |
19 | 1 | 4 | 2 | 6.00 |
19 | 2 | 5 | 4 | 14.00 |
19 | 3 | 7 | 2 | 6.00 |
19 | 4 | 8 | 1 | 3.00 |
20 | 1 | 2 | 5 | 5.00 |
20 | 2 | 8 | 3 | 9.00 |
21 | 1 | 9 | 5 | 17.50 |
22 | 1 | 3 | 3 | 7.50 |
22 | 2 | 5 | 4 | 14.00 |
22 | 3 | 7 | 4 | 12.00 |
23 | 1 | 7 | 2 | 6.00 |
24 | 1 | 5 | 4 | 14.00 |
24 | 2 | 6 | 3 | 10.50 |
24 | 3 | 9 | 3 | 10.50 |
25 | 1 | 2 | 2 | 2.00 |
25 | 2 | 5 | 2 | 7.00 |
25 | 3 | 8 | 2 | 6.00 |
-----+-----+-----+-----+-----+
54 rows in set (0.00 sec)

MariaDB [cafe_db]>
```

Session ID:
user3184326=rNirosh134@cicracampus.net-
08c93da840312f45e

Instance ID: i-00e608b8a4a1f2739

Terminate

```
--
DROP TABLE IF EXISTS `product_group`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `product_group` (
  `product_group_number` int(3) NOT NULL,
  `product_group_name` varchar(25) NOT NULL DEFAULT '',
  PRIMARY KEY (`product_group_number`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `product_group`
--

LOCK TABLES `product_group` WRITE;
/*!40000 ALTER TABLE `product_group` DISABLE KEYS */;
INSERT INTO `product_group` VALUES (1,'Pastries'),(2,'Drinks');
/*!40000 ALTER TABLE `product_group` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2024-04-17 18:07:09
[ec2-user@cafeserver ~]$
```

Task 4: Working with the RDS database

In this task, we check if our RDS instance is available and answer some questions about it.

Task 5: Importing the data into the RDS database instance

Then, we try to connect to it from our EC2 instance. If we succeed, we'll see a specific message confirming the connection.

Finally, we disconnect once we've finished.

Session ID:
user3184326=rNirosh134@cicracampus.net-
0edf0ee9054df7dc6

Instance ID: i-00e608b8a4a1f2739

Terminate

```
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `product_group` (
  `product_group_number` int(3) NOT NULL,
  `product_group_name` varchar(25) NOT NULL DEFAULT '',
  PRIMARY KEY (`product_group_number`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `product_group`
--

LOCK TABLES `product_group` WRITE;
/*!40000 ALTER TABLE `product_group` DISABLE KEYS */;
INSERT INTO `product_group` VALUES (1,'Pastries'),(2,'Drinks');
/*!40000 ALTER TABLE `product_group` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2024-04-17 18:25:24
[ec2-user@cafeserver ~]$ mysql -u admin -p --host cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com
Enter password:
ERROR 2002 (HY000): Can't connect to MySQL server on 'cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com' (115)
[ec2-user@cafeserver ~]$
```

aws

Services

Search

[Alt+S]

N. Virginia

voclabs/user3184326=rNirosh134@cicracampus.net @ 3508-6366-7563

EC2 Dashboard

EC2 Global View

Events

Console-to-Code

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Inbound security group rules successfully modified on security group (sg-0424bedfc4122e6f7 | dbSG)

Details

Security Groups (4)

Info

Actions

Export security groups to CSV

Create security group

Find resources by attribute or tag

1

	Name	Security group ID	Security group name	VPC ID	Description
☐	-	sg-0299cd2399c832396	default	vpc-07cdfc0f3960c5791	default VP
☐	-	sg-0e6dcf15682aa6cd3	default	vpc-0755d9967688ff31d	default VP
☐	-	sg-0424bedfc4122e6f7	dbSG	vpc-07cdfc0f3960c5791	dbSG

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

We're moving data from a file called CafeDbDump.sql to our RDS database.

Session ID: user3184326=rNirosh134@cicracampus.net-0edf0ee9054df7dc6Instance ID: i-00e608b8a4a1f2739

Terminate

```
LOCK TABLES `product_group` WRITE;
/*!40000 ALTER TABLE `product_group` DISABLE KEYS */;
INSERT INTO `product_group` VALUES (1,'Pastries'),(2,'Drinks');
/*!40000 ALTER TABLE `product_group` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2024-04-17 18:25:24
[ec2-user@cafeserver ~]$ mysql -u admin -p --host cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com
Enter password:
ERROR 2002 (HY000): Can't connect to MySQL server on 'cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com' (115)
[ec2-user@cafeserver ~]$ mysql -u admin -p --host cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com
Enter password:
ERROR 2002 (HY000): Can't connect to MySQL server on 'cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com' (115)
[ec2-user@cafeserver ~]$ mysql -u admin -p --host cafedatabase.ccurzsbhac9m.us-east-1.rds.amazonaws.com
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 73
Server version: 10.11.6-MariaDB-log managed by https://aws.amazon.com/rds/

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

After that, we check if the data was successfully imported by connecting to the RDS database and looking at the orders. If everything's okay, we exit.

Session ID: user3184326=rNirosh134@cicracampus.net-0edf0ee9054df7dc6Instance ID: i-00e608b8a4a1f2739

Terminate

```
MariaDB [cafe_db]> select * from `order`;
+-----+-----+-----+
| order_number | order_date_time | amount |
+-----+-----+-----+
| 1 | 2020-06-20 13:09:07 | 20.00 |
| 2 | 2020-06-21 13:09:23 | 24.00 |
| 3 | 2020-06-22 13:09:38 | 32.50 |
| 4 | 2020-06-22 13:09:49 | 10.50 |
| 5 | 2020-06-24 13:10:02 | 42.00 |
| 6 | 2020-06-25 13:10:20 | 14.00 |
| 7 | 2020-06-25 13:10:30 | 35.00 |
| 8 | 2020-06-27 13:10:36 | 6.00 |
| 9 | 2020-06-28 13:10:46 | 18.00 |
| 10 | 2020-07-02 13:10:58 | 18.00 |
| 11 | 2020-07-03 13:11:08 | 19.50 |
| 12 | 2020-07-04 13:11:17 | 9.00 |
| 13 | 2020-07-05 13:11:27 | 26.50 |
| 14 | 2020-07-05 13:11:40 | 42.00 |
| 15 | 2020-07-06 13:12:27 | 35.00 |
| 16 | 2020-07-09 13:12:35 | 19.50 |
| 17 | 2020-07-12 13:12:48 | 57.50 |
| 18 | 2020-07-14 13:13:04 | 34.00 |
| 19 | 2020-07-15 13:13:17 | 29.00 |
| 20 | 2020-07-18 13:13:27 | 14.00 |
| 21 | 2020-07-20 13:13:36 | 17.50 |
| 22 | 2020-07-21 13:13:47 | 33.50 |
| 23 | 2020-07-28 13:13:54 | 6.00 |
| 24 | 2020-07-28 13:14:07 | 35.00 |
| 25 | 2024-04-17 13:52:09 | 15.00 |
+-----+-----+-----+
25 rows in set (0.00 sec)

MariaDB [cafe_db]>
```

Task 6: Connecting the café application to the new database4

In this final task, we update the café application to connect to the new database instead of the one on the EC2 instance.

Session ID: user3184326=rNirosh134@cicracampus.net-0edf0ee9054df7dc6

Instance ID: i-00e608b8a4a1f2739

Terminate

1	2020-06-20	13:09:07	20.00
2	2020-06-21	13:09:23	24.00
3	2020-06-22	13:09:38	32.50
4	2020-06-22	13:09:49	10.50
5	2020-06-24	13:10:02	42.00
6	2020-06-25	13:10:20	14.00
7	2020-06-25	13:10:30	35.00
8	2020-06-27	13:10:36	6.00
9	2020-06-28	13:10:46	18.00
10	2020-07-02	13:10:58	18.00
11	2020-07-03	13:11:08	19.50
12	2020-07-04	13:11:17	9.00
13	2020-07-05	13:11:27	26.50
14	2020-07-05	13:11:40	42.00
15	2020-07-06	13:12:27	35.00
16	2020-07-09	13:12:35	19.50
17	2020-07-12	13:12:48	57.50
18	2020-07-14	13:13:04	34.00
19	2020-07-15	13:13:17	29.00
20	2020-07-18	13:13:27	14.00
21	2020-07-20	13:13:36	17.50
22	2020-07-21	13:13:47	33.50
23	2020-07-28	13:13:54	6.00
24	2020-07-28	13:14:07	35.00
25	2024-04-17	13:52:09	15.00

25 rows in set (0.00 sec)

MariaDB [cafe_db]> exit

Bye

[ec2-user@cafeserver ~]\$ sudo service mariadb stop

Redirecting to /bin/systemctl stop mariadb.service

[ec2-user@cafeserver ~]\$

Then, we stop the local database and check if the application still works by placing an order and viewing the order history.

← → ↺ Not secure 3.84.123.230/cafe/menu.php ☆ 📄 🌐

YouTube Free APA Citation... Paraphrasing Tool ... ChatGPT Wolfram|Alpha: Co... Home | ASPEN Nand2Tetris/03 at... The ultimate GPT-p... Software Categorie... Home AWS Academy Clo... >>

Café

Home Menu Order History

Pastries



Croissant
\$1.50
Fresh, buttery and fluffy... Simply delicious!
Quantity:



Donut
\$1.00
We have more than half-a-dozen flavors!
Quantity:



Chocolate Chip Cookie
\$2.50
Made with Swiss chocolate with a touch of Madagascar vanilla
Quantity:







Grade:

My grade is 25/25

Account

Dashboard

Courses

Calendar

Inbox

History

Help

ACAv2EN... > Assignments

Module 5 Challenge Lab - Migrating a Database to Amazon RDS

Module 5 Challenge Lab - Migrating a Database to Amazon RDS

Due No Due Date

Points 100

Submitting an external tool

Submit

Details

AWS

Start Lab

End Lab

2:30

Instructions

Grades

Actions

Files

README

Terminal

Source

EN_US

Submitting your work

28. At the top of these instructions, choose Submit to record your progress and when prompted, choose **Yes**.

29. If the results don't display after a couple of minutes, return to the top of these instructions and choose Grades

Tip: You can submit your work multiple times. After you change your work, choose **Submit** again. Your last submission is what will be recorded for this lab.

30. To find detailed feedback on your work, choose Details followed by

Launch Terminal

Total score 25/25

[Answer 01]	1/1
[Answer 02]	1/1
[Answer 03]	1/1
[Answer 04]	1/1
[Task 1A] RDS instance	3/3