

Supplementary Table 3. Bootstrap pairwise model differences and zero-crossing flags

Frontiers in Signal Processing R1 supplementary table

07 July 2026

Supplementary Table 3. Bootstrap pairwise model differences and zero-crossing flags

Standalone display version for LaTeX upload/review. Machine-readable source: `source_tables/Supplementary_Table_3_bootstrap_model_differences.csv`. Rows: 9; columns: 7. The source table is split below into source-defined sections and column blocks so that all non-empty cells remain readable.

Table 1: Supplementary Table 3, column block 1 of 2

comparison	metric	bootstrap mean difference	95% CI lower	95% CI upper
Signal + SSL minus Classical signal features	auroc	-0.0286	-0.1153	0.0541
Signal + SSL minus Classical signal features	auprc	0.031	-0.0527	0.1077
Signal + SSL minus Classical signal features	brier	0.0179	-0.0067	0.0434
Signal + SSL + phenotype minus Classical signal features	auroc	-0.0142	-0.1012	0.0679
Signal + SSL + phenotype minus Classical signal features	auprc	0.0548	-0.0354	0.1519
Signal + SSL + phenotype minus Classical signal features	brier	0.013	-0.0129	0.0386
Signal + SSL minus signal + signal phenotype	auroc	-0.0313	-0.114	0.0509
Signal + SSL minus signal + signal phenotype	auprc	0.0213	-0.0613	0.1056
Signal + SSL minus signal + signal phenotype	brier	0.0201	-0.0046	0.0447

Table 2: Supplementary Table 3, column block 2 of 2

comparison	metric	Valid bootstrap resamples	CI excludes zero
Signal + SSL minus Classical signal features	auroc	2000	False
Signal + SSL minus Classical signal features	auprc	2000	False
Signal + SSL minus Classical signal features	brier	2000	False
Signal + SSL + phenotype minus Classical signal features	auroc	2000	False
Signal + SSL + phenotype minus Classical signal features	auprc	2000	False
Signal + SSL + phenotype minus Classical signal features	brier	2000	False
Signal + SSL minus signal + signal phenotype	auroc	2000	False
Signal + SSL minus signal + signal phenotype	auprc	2000	False
Signal + SSL minus signal + signal phenotype	brier	2000	False