TD3

```
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

nothing to commit, working tree clean
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git checkout Tom
Already on 'Tom'
Your branch is up to date with 'origin/Tom'.
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git fetch origin
remote: Enumerating objects: 33, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (9/9), done.
remote: Total 33 (delta 11), reused 7 (delta 7), pack-reused 17 (from 2)
Unpacking objects: 100% (33/33), 1.06 MiB | 3.83 MiB/s, done.
From https://github.com/Lucille865/esilv-marketpulse-g07-lit
   e08a571..d630767  Ines       -> origin/Ines
   5207db8..212fe3f  Lucille    -> origin/Lucille
   455bb50..4143020  main       -> origin/main
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git merge origin/
main
Merge made by the 'ort' strategy.
 TEAM.md                              |  62 +++
 labs/TD04_BRANCHES_AND_MERGE (1).md | 812 ++++++++++++++++++++++++++++++++
 labs/TD05_FORK_AND_PULL_REQUEST.md  | 907 ++++++++++++++++++++++++++++++++++++
 labs/TD06_CODE_REVIEW.md            | 678 ++++++++++++++++++++++++++++
 4 files changed, 2459 insertions(+)
 create mode 100644 TEAM.md
 create mode 100644 labs/TD04_BRANCHES_AND_MERGE (1).md
 create mode 100644 labs/TD05_FORK_AND_PULL_REQUEST.md
 create mode 100644 labs/TD06_CODE_REVIEW.md
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 430 bytes | 430.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: This repository moved. Please use the new location:
remote:   https://github.com/Lucille865/esilv-marketpulse-g07-til.git
To https://github.com/Lucille865/esilv-marketpulse-g07-lit.git
   47f602c..c1f6483  Tom -> Tom
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git --version
git version 2.51.1.windows.1
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git config user.n
ame
TowDnad
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git config user.e
mail
tom.daudruy@gmail.com
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.
```

```
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

nothing to commit, working tree clean
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status --shor
t
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git diff
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git log --oneline
 --author="TowDnad"
c1f6483 (HEAD -> Tom, origin/Tom) Merge remote-tracking branch 'origin/main' into Tom
4143020 (origin/main, origin/HEAD) Merge branch 'plensy:main' into main
47f602c n
166072b n
a16a232 n
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git log --oneline
 -- src/main.py
166072b n
bfb94a6 init projecttemplate
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git show 166072b
commit 166072bf90b588694d02f140e76b014bfa402357
Author: TowDnad <tom.daudruy@gmail.com>
Date:   Wed Oct 7 19:34:52 2026 +0200

    n

diff --git a/src/main.py b/src/main.py
index 884b045..50e2d7a 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,17 +25,40 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])

+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+def display_market_summary(asset, prices, show_currency=True):
+    currency = f" {asset['currency']}" if show_currency else ""
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+    print(f"First close  : {get_first_close(prices):.2f}{currency}")
+    print(f"Last close   : {get_last_close(prices):.2f}{currency}")
+
+def display_configuration():
+    print("Market configuration")
+    print(f"Period   : {LOOKBACK_LABEL}")
+    print(f"Interval : {INTERVAL_LABEL}")
+
+'''
 def main():
```

```
+'''
 def main():
     instruments = load_instruments()
     prices = load_prices()

     instrument = instruments["instrument"]
     benchmark = instruments["benchmark"]
-
+
     instrument_prices = filter_prices(prices, instrument["ticker"])
     benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
+
+    display_market_summary(instrument, instrument_prices)
+    display_market_summary(benchmark, benchmark_prices, show_currency=False)
+
     instrument_latest = instrument_prices[-1]
     benchmark_latest = benchmark_prices[-1]

@@ -55,7 +78,27 @@ def main():
     print("Observations")
     print(f"{instrument['ticker']}: {len(instrument_prices)}")
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

nothing to commit, working tree clean
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git diff
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> code src/main.py
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git diff
diff --git a/src/main.py b/src/main.py
index 50e2d7a..675a062 100644
--- a/src/main.py
+++ b/src/main.py
@@ -45,40 +45,7 @@ def display_configuration():
     print(f"Period   : {LOOKBACK_LABEL}")
     print(f"Interval : {INTERVAL_LABEL}")

-'''
-def main():
-    instruments = load_instruments()
-    prices = load_prices()
-
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
```

```
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
-    instrument_prices = filter_prices(prices, instrument["ticker"])
-    benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    display_market_summary(instrument, instrument_prices)
-    display_market_summary(benchmark, benchmark_prices, show_currency=False)
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]

-    print("=== MarketPulse ===")
-    print()
-    print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
-    print()
-    print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
-'''

 def main():
     instruments = load_instruments()
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git add src/main.
py
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git diff --staged

diff --git a/src/main.py b/src/main.py
index 50e2d7a..675a062 100644
--- a/src/main.py
+++ b/src/main.py
@@ -45,40 +45,7 @@ def display_configuration():
     print(f"Period   : {LOOKBACK_LABEL}")
     print(f"Interval : {INTERVAL_LABEL}")

-'''
-def main():
```

```
-def main():
-    instruments = load_instruments()
-    prices = load_prices()
-
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
-    instrument_prices = filter_prices(prices, instrument["ticker"])
-    benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    display_market_summary(instrument, instrument_prices)
-    display_market_summary(benchmark, benchmark_prices, show_currency=False)
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]

-    print("=== MarketPulse ===")
-    print()
-    print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
-    print()
-    print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
-'''

 def main():
     instruments = load_instruments()
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git add src/main.
py
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is up to date with 'origin/Tom'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git diff --staged

diff --git a/src/main.py b/src/main.py
index 50e2d7a..675a062 100644
--- a/src/main.py
+++ b/src/main.py
@@ -45,40 +45,7 @@ def display_configuration():
     print(f"Period   : {LOOKBACK_LABEL}")
     print(f"Interval : {INTERVAL_LABEL}")

-'''
```

```
-'''
-def main():
-    instruments = load_instruments()
-    prices = load_prices()
-
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
-    instrument_prices = filter_prices(prices, instrument["ticker"])
-    benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    display_market_summary(instrument, instrument_prices)
-    display_market_summary(benchmark, benchmark_prices, show_currency=False)
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]

-    print("=== MarketPulse ===")
-    print()
-    print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
-    print()
-    print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
-'''

 def main():
     instruments = load_instruments()
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> python src/main.p
y
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
```

```
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git commit -m "re
factor: remove obsolete commented-out main function"
[Tom e528d05] refactor: remove obsolete commented-out main function
 1 file changed, 33 deletions(-)
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git status
On branch Tom
Your branch is ahead of 'origin/Tom' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git log --oneline

e528d05 (HEAD -> Tom) refactor: remove obsolete commented-out main function
c1f6483 (origin/Tom) Merge remote-tracking branch 'origin/main' into Tom
4143020 (origin/main, origin/HEAD) Merge branch 'plensy:main' into main
c388ccd Add files via upload
47f602c n
166072b n
a16a232 n
455bb50 (main) Update TEAM.md
e08a571 Ajout du fichier TEAM.md
5207db8 first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> git show HEAD
commit e528d052daa5f4c928159d9ca2ce2ddc0b6c9470 (HEAD -> Tom)
Author: TowDnad <tom.daudruy@gmail.com>
Date:   Fri Nov 13 17:22:54 2026 +0100

    refactor: remove obsolete commented-out main function

diff --git a/src/main.py b/src/main.py
index 50e2d7a..675a062 100644
--- a/src/main.py
+++ b/src/main.py
@@ -45,40 +45,7 @@ def display_configuration():
     print(f"Period   : {LOOKBACK_LABEL}")
     print(f"Interval : {INTERVAL_LABEL}")

-'''
-def main():
-    instruments = load_instruments()
-    prices = load_prices()
-
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
-    instrument_prices = filter_prices(prices, instrument["ticker"])
-    benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
```

```
-'''
-def main():
-    instruments = load_instruments()
-    prices = load_prices()
-
-    instrument = instruments["instrument"]
-    benchmark = instruments["benchmark"]
-
-    instrument_prices = filter_prices(prices, instrument["ticker"])
-    benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    display_market_summary(instrument, instrument_prices)
-    display_market_summary(benchmark, benchmark_prices, show_currency=False)
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]

-    print("=== MarketPulse ===")
-    print()
-    print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
-    print()
-    print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
-'''

 def main():
     instruments = load_instruments()
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til> python src/main.p
y
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
PS C:\Users\tomda\Documents\1-ESILV\3-A4\v2\S1\Linux\labs\esilv-marketpulse-g07-til>
```