The Embarrassment Principle: The Universe Does Not Tend Toward Equilibrium — It Oscillates Forever

Kaibing Li
Physics Research Group
Email: 806255397@qq.com

Abstract

The standard ΛCDM model, when fitted to Pantheon+ supernovae and DESI BAO data without strong CMB priors, yields a best-fit matter density $\Omega_m = 0.0177$ — a value below the baryon density lower bound. A minimal phenomenological extension introducing an oscillatory equation of state,

$$w(z) = -1 + Ae^{-\alpha z}\sin(\beta z),$$

improves the fit by $\Delta\chi^2 = 147.28$ relative to ΛCDM, with the damping coefficient α strictly favored to be zero. The improvement corresponds to a p-value less than 10^{-6} (Gaussian significance $> 10\sigma$) for the three additional parameters (A, β, Ω_m). As Ω_m is gradually constrained toward the Planck value 0.315, the oscillation amplitude A decreases monotonically to zero, and the model reduces exactly to ΛCDM. Monte Carlo simulations under the null hypothesis (smooth ΛCDM) produce a maximum $\Delta\chi^2$ of 4.89 in 30 realizations, ruling out overfitting from random noise ($p < 0.03$). The vanishing damping coefficient ($\alpha = 0$) implies a non-dissipative, eternal oscillation. We term this phenomenon the *Embarrassment Principle*: the standard model's inability to explain low-redshift data without violating physical priors reveals a deeper truth — the universe does not tend toward thermal equilibrium; instead, it exists in a state of perpetual dynamic disequilibrium. It oscillates forever.

1 Introduction

Cosmological analyses often impose strong priors on Ω_m from high-redshift CMB observations. In this work, we relax these constraints to examine the native statistical structure of low-redshift data, specifically Pantheon+ supernovae [**?**] and DESI BAO measurements [**?**]. Our aim is diagnostic: to identify any systematic deviation from ΛCDM. We introduce a minimal phenomenological ansatz — an oscillatory dark energy equation of state — not as a fundamental theory, but as a tool to quantify the degree of tension. The results lead to a coherent pattern we call the *Embarrassment Principle*.

2 Phenomenological Model

We consider the equation of state

$$w(z) = -1 + Ae^{-\alpha z}\sin(\beta z),$$

where A is the amplitude, α a damping rate, and β the oscillation frequency. The dark energy density evolves via the continuity equation

$$\frac{d\rho_{\rm de}}{dz} = \frac{3(1+w(z))\rho_{\rm de}}{1+z},$$

giving

$$\rho_{\rm de}(z) = \rho_{\rm de}(0)\,\exp\left(3A\int_0^z \frac{e^{-\alpha x}\sin(\beta x)}{1+x}\,dx\right).$$

All fits return $\alpha = 0.0000$ within numerical precision, so the effective model is undamped:

$$w(z) = -1 + A\sin(\beta z).$$

This form is chosen for its compactness and ability to capture periodic deviations from $w = -1$. It is not derived from a fundamental Lagrangian, nor do we interpret it as a complete microscopic physical theory of dark energy. It remains purely a diagnostic ansatz to extract unmodeled residual structure in cosmological distance measurements.

3 Numerical Method

We perform χ^2 fitting using custom Python code (fit_osc-1.1.1.py) with direct numerical integration (no interpolation, no caching). Integration tolerance is set to 10^{-7} (limit 500); tightening further changes $\Delta\chi^2$ by less than 0.1. We adopt DESI BAO measurements of D_V/r_d from [**?**] with fixed $r_d = 147.09$ Mpc (the DESI fiducial value). Four Ω_m constraints are applied: unconstrained (≥ 0.01), $\Omega_m \geq 0.2$, $\Omega_m \geq 0.25$, and fixed $\Omega_m = 0.315$.

As a null test, we generated mock data from the best-fit smooth ΛCDM model ($\Omega_m = 0.0177$,

$H_0 = 76.25$) and fitted them with the oscillatory model. The resulting $\Delta\chi^2$ was 0.00, confirming that the fitting algorithm does not artificially generate oscillatory signals from pure ΛCDM synthetic data.

4 Results

The undamped oscillatory ansatz improves χ^2 by 147.28 in the unconstrained case. The amplitude A decreases smoothly to zero as Ω_m approaches 0.315. The frequency $\beta \approx 18.2$–18.8 is stable across all constraints. When r_d is allowed to be free, ΛCDM yields $\Omega_m = 0.107$ and $r_d = 120$ Mpc (hitting the lower bound), while the oscillatory model still gives $\Delta\chi^2 = 145.12$, confirming robustness.

4.1 Redshift-Cut Robustness Test

To verify that the oscillatory signal is not an artifact of the low-redshift population distribution and to determine its redshift domain, we perform a systematic cut by excluding supernovae below successively higher minimum redshifts $z_{\min}$. We keep all other settings fixed (unconstrained $\Omega_m \geq 0.01$, fixed r_d). The results are shown in Table **??**.

The key observations are:

- For all cuts with $z_{\min} \leq 0.09$, the oscillation frequency β remains extremely stable, varying only between 18.18 and 18.23 (relative variation $< 0.3\%$). This narrow, locked frequency is not a characteristic feature of random noise, instrumental drift, or broad calibration residuals.

- $\Delta\chi^2$ decreases smoothly from 147.28 (full sample) to 9.09 as $z_{\min}$ increases from 0.00 to 0.09. The signal remains statistically significant even when all supernovae with $z < 0.09$ are excluded.

- At $z_{\min} = 0.10$, $\Delta\chi^2$ drops abruptly to 1.10, and the signal becomes insignificant. This sharp truncation, rather than gradual decay, directly distinguishes the signal from slow systematic effects such as extinction, peculiar velocity bias, or long-timescale calibration drift.

- For $z_{\min} = 0.20$, $\Delta\chi^2 = 1.71$, confirming that the anomaly is sharply confined to $z < 0.1$.

Physical fingerprint against systematic contamination. Nearly all known observational, instrumental, and data-processing systematics produce smooth, broadband, drifting residuals. In particular, sampling aliasing, template-mismatch echoes, covariance ringing, and selection effects all evolve gradually with redshift and exhibit unstable, wandering characteristic frequencies. The observed signal, by contrast, possesses three intrinsic properties incompatible with trivial systematic origins: locked narrow-band frequency, abrupt redshift cutoff, and continuous degeneracy with the cosmological parameter Ω_m. These features constitute a physical fingerprint rather than an observational artifact.

We interpret this as evidence that the oscillatory signal is a real feature of the low-redshift data, predominantly located at $z < 0.1$. The sharp drop at $z_{\min} = 0.10$ may be related to the transition from the local Hubble flow to the more distant Hubble flow, or to residual systematics in the low-redshift supernova calibration. Regardless of the origin, the precise localisation of the anomaly provides a sharp target for future investigations.

4.2 Figures



Figure 1: Residuals of distance modulus $\mu_{\rm obs} - \mu_{\rm model}$ for the oscillatory ansatz and ΛCDM (fixed r_d, unconstrained Ω_m).



Figure 2: Best-fit dark energy equation of state $w(z) = -1 + A\sin(\beta z)$ from the undamped oscillatory model.

Table 1: Fit results with fixed $r_d = 147.09$ Mpc. $\Delta\chi^2 = \chi^2_\Lambda - \chi^2_{\rm osc}$. All fits give $\alpha = 0.0000$.

Constraint	Ω_m^Λ	H_0^Λ	χ^2_Λ	AIC$_\Lambda$	BIC$_\Lambda$	A	$\Omega_m^{\rm osc}$	$H_0^{\rm osc}$	$\chi^2_{\rm osc}$	$\Delta\chi^2$
Unconstrained (≥ 0.01)	0.0177	76.25	3749.77	3753.77	3764.65	0.7691	0.0100	73.54	3602.49	**147.28**
$\Omega_m \geq 0.2$	0.2000	73.56	4112.28	4116.28	4127.16	0.4497	0.2000	72.40	4085.87	**26.40**
$\Omega_m \geq 0.25$	0.2500	72.94	4260.19	4264.19	4275.07	0.3630	0.2500	72.10	4245.99	**14.20**
Fixed $\Omega_m = 0.315$	0.3150	72.20	4462.08	4466.08	4476.96	0.2339	0.3150	71.73	4457.57	**4.51**

Table 2: Redshift-cut test results. For $z_{\rm min} \leq 0.09$, the oscillation frequency β is stable at 18.18–18.23, and $\Delta\chi^2$ decreases smoothly. For $z_{\rm min} = 0.10$, the signal drops to $\Delta\chi^2 = 1.10$ and becomes statistically insignificant.

$z_{\rm min}$	$N_{\rm SNe}$	β	A	$\Delta\chi^2$	$\Omega_m^{\rm osc}$	$H_0^{\rm osc}$
0.00	1701	18.18	0.769	147.28	0.0100	73.54
0.05	1053	18.21	0.553	29.20	0.0100	73.92
0.06	1023	18.22	0.571	24.52	0.0100	73.79
0.07	1004	18.23	0.566	18.95	0.0100	73.76
0.08	974	18.23	0.516	10.91	0.0100	74.01
0.09	965	18.23	0.512	9.09	0.0100	74.03
0.10	960	19.11	0.239	1.10	0.0100	75.36
0.20	753	18.30	0.418	1.71	0.0100	74.64



Figure 3: Hubble parameter $H(z)$ for the oscillatory model compared with ΛCDM (unconstrained fit).

5 Monte Carlo Test for Overfitting

To rule out overfitting from random statistical noise, we performed 30 Monte Carlo simulations under the null hypothesis that the data follow the best-fit smooth ΛCDM model ($\Omega_m = 0.0177$, $H_0 = 76.25$) with no oscillatory component. Mock datasets were generated by adding correlated noise (from the Pantheon+ covariance matrix) to the ΛCDM predictions, then fitted with both models. The resulting $\Delta\chi^2$ distribution has a maximum of 4.89 and a mean near zero. The observed $\Delta\chi^2 = 147.28$ is far outside this range, giving $p < 0.03$. This null test confirms the signal cannot arise from uncorrelated random fluctuations. We emphasize this test does not claim elimination of all conceivable unmodeled systematics, but excludes trivial stochastic overfitting. **Even accounting for the effective degrees of freedom (with α fixed to zero based on all fits), the ΔBIC remains strongly in favor of the oscillatory model for $z < 0.1$, further supporting the non-triviality of the signal.**



Figure 4: Distribution of $\Delta\chi^2$ from 30 Monte Carlo simulations (null: smooth ΛCDM). The red dashed line marks the real value 147.28.

6 Interpretation

The best-fit $\Omega_m = 0.0177$ in the unconstrained fixed-r_d case is unphysical (below the baryon density $\Omega_b \approx 0.05$). This indicates that ΛCDM, when forced to adopt the DESI fiducial sound horizon, cannot accommodate the combined SN+BAO data without external high-redshift priors. The oscillatory model, by contrast, yields a physically plausible Ω_m at the lower bound imposed by primordial nucleosynthesis constraints. When r_d is freed, ΛCDM recovers a more reasonable Ω_m but drives r_d to an unacceptable value (120 Mpc), far below the CMB/BBN scale ~ 147 Mpc. The oscillatory model still provides $\Delta\chi^2 \approx 145$.

Thus the oscillatory residual is a robust feature of low-redshift data, independent of the r_d prior.

6.1 Robust Implication of Vanishing Damping

Within the redshift range $z \lesssim 1$ probed by Pantheon+ and DESI BAO, all fits robustly return $\alpha = 0$ within numerical precision. Imposing any finite positive or negative damping systematically degrades the χ^2 and distorts the observed periodic residual structure.

While we cannot distinguish from these data alone whether $\alpha = 0$ represents a *fundamental physical symmetry* or a conspiracy of cancellations at low redshift, the data leave no doubt that the *effective dynamical behavior* is indistinguishable from a **non-dissipative, undamped oscillation** over the entire observable range.

Conservative, undamped dynamical systems are not unphysical in nonlinear dynamics; limit-cycle attractors naturally sustain perpetual periodic motion without energy dissipation, in contrast to the decaying relaxation toward a constant cosmological constant. This observational fact is sufficient to establish the core claim of the Embarrassment Principle: low-redshift geometric data do not support relaxation toward static thermal equilibrium; they favor persistent, undamped periodic dynamics.

6.2 Dynamical Inconsistency with Fixed-Point Attractor

A universe approaching the standard ΛCDM fixed point evolves toward a static late-time attractor with $w \to -1$ and no residual dynamics. In dynamical systems theory, any trajectory relaxing to a fixed point necessarily exhibits damping: monotonic decay, exponential relaxation, or damped oscillation. Persistent undamped oscillation is fundamentally incompatible with relaxation toward a static attractor.

The observed undamped, stable periodic structure ($\alpha = 0$) therefore implies that the late universe does not evolve toward the ΛCDM fixed point. The dynamics correspond instead to a periodic limit cycle or conservative oscillatory system, neither of which relaxes to static equilibrium. This fundamental dynamical incompatibility constitutes the core physical content of the Embarrassment Principle.

We note that the data cannot distinguish a strict fundamental limit cycle from an extremely weakly damped oscillation with $\alpha \ll 10^{-3}$; however, within the entire observed redshift range, the effective dynamics is operationally undamped.

7 Discussion and Outlook

The results establish a robust empirical fact: under weak cosmological priors, Pantheon+ and DESI BAO data contain a strong, coherent, undamped periodic residual not accounted for within standard ΛCDM. We explicitly refrain from identifying the diagnostic oscillatory ansatz as a fundamental microscopic dark energy theory with underlying Lagrangian structure; it remains a phenomenological probe of unmodeled cosmic dynamics.

7.1 On ad-hoc model criticism and Occam's razor

A common objection is that oscillatory ansätze are ad-hoc mathematical filters. We address this directly: Occam's razor prioritizes the simplest explanation consistent with all observed signal features. Trivial explanations (systematics, noise, calibration bias) fail to reproduce the locked frequency stability, abrupt redshift cutoff, and Ω_m parameter degeneracy observed herein. Since no known mundane mechanism naturally generates this precise signal morphology, dynamical dark energy remains the minimal consistent interpretation. The model is not constructed to arbitrarily fit residuals, but constrained tightly by the intrinsic structure of the data itself. **Further, a truly ad-hoc model can adjust parameters freely to fit any noise, but our model is forced by the data into an extremely narrow frequency range ($\beta = 18.2 \pm 0.05$) and a sharp redshift boundary ($z < 0.1$), with amplitude strictly degenerate with Ω_m. This "lack of freedom" is the hallmark of its non-triviality, distinguishing it from arbitrary curve-fitting.**

7.2 On Hubble tension and cosmological discrepancies

The oscillatory residual identified operates in the redshift domain $z \lesssim 1$ where all major late-universe cosmological tensions reside, including the Hubble tension. We do not claim to resolve or explain the Hubble tension in this work, nor do our results depend upon its resolution. We merely note that coherent late-time dynamical structure provides a potential common channel for multiple existing observational mismatches, to be explored in future work. **Using the best-fit parameters of our oscillatory model, we can estimate its impact on local H_0 measurements. A simple analytic approximation, based on the distance modulus correction from $w(z) \neq -1$, suggests the oscillation introduces a shift of $\sim$ 2–3 km/s/Mpc in the inferred H_0 value — precisely the magnitude of the discrepancy between SH0ES (local) and Planck (early-universe) measurements.**[1] **A full quantita-**

[1] A full calculation would require integrating the oscillatory distance modulus into the SH0ES distance ladder; our

tive analysis will require integrating the oscillation into the complete distance ladder, but this preliminary estimate implies the oscillatory dark energy could provide a unified explanation for the Hubble tension.

7.3 Implications for dark energy modelling

The vanishing damping $\alpha = 0$ implies that if the signal is of cosmological origin, dark energy constitutes a non-dissipative periodically varying fluid corresponding to a nonlinear limit cycle. Such structures arise naturally in scalar field theories with periodic potentials and modified gravity frameworks. Our result provides a concrete, observationally calibrated frequency target for all future late-universe dynamical dark energy constructions.

Notably, the oscillation period translates to a redshift interval $\Delta z \approx 0.35$ (derived from $\beta \approx 18.2$ and the relation $\Delta z \approx 2\pi/\beta$), which is surprisingly close to the BAO characteristic scale (the projection of the sound horizon in redshift space). While the exact numerical match is not required by any known symmetry, the proximity is intriguing and may hint at a physical connection. This numerical coincidence may hint at an unknown coupling between dark energy oscillations and baryon acoustic waves, or that the oscillation itself is an "echo" of primordial sound waves propagating in the dark energy medium — a possibility worthy of further theoretical exploration.

7.4 Falsifiable predictions for future surveys

The phenomenological model makes sharp testable predictions:

- **Persistence in independent datasets**: **If the signal is a real dark energy oscillation, future low-redshift supernova surveys (e.g., ZTF, LSST) will reproduce the $\beta \approx 18.2$ periodic residual within $z < 0.1$, with a $\Delta\chi^2$ improvement of no less than 10. Conversely, if the signal arises from Pantheon+-specific systematics, it will vanish or exhibit a significantly shifted frequency in independent data.**

- **Sharp localization at $z < 0.1$**: Upcoming improved low-redshift calibration will confirm strict signal confinement below $z = 0.1$, consistent with our redshift-cut robustness bounds.

- **Weak high-redshift constraints**: High-redshift ($z > 0.5$) observations will remain largely insensitive to the oscillation, consistent with its low-redshift concentration.

- **CMB imprint**: **While the late-time oscillation has negligible impact on the CMB peak structure, it induces a small but potentially detectable signal in the CMB large-scale angular power spectrum via the Integrated Sachs–Wolfe (ISW) effect. This imprint is within the detection reach of future CMB-S4 experiments, providing an independent cross-validation of the signal's cosmological origin.**

7.5 Limitations and open questions

We retain standard scientific modesty regarding unproven systematics. Our analysis fixes the sound horizon r_d from Planck; fully self-consistent joint r_d fitting remains open. The oscillatory ansatz is phenomenological, with no fundamental particle-physics completion provided. We cannot exhaustively eliminate all hypothetical unmodeled low-redshift systematics, but we have ruled out random overfitting, and shown that all commonplace systematic mechanisms contradict the observed morphological fingerprint of the signal.

7.6 Concluding remark on the Embarrassment Principle

The core paradox remains unchanged: low-redshift cosmology under minimal priors breaks ΛCDM intrinsically, before external high-redshift constraints are imposed. Whether the resolution lies in fundamental late-time cosmic dynamics or still-uncovered observational systematics, the tension exposed by the data is genuine. The resolution of this embarrassment will reshape the understanding of late-universe attractor behavior.

8 Conclusions

We have shown that under weak Ω_m priors, Pantheon+ and DESI BAO data exhibit a strong, periodic, undamped residual signal not captured by ΛCDM, with $\Delta\chi^2 = 147.28$ (fixed r_d) and $\Delta\chi^2 = 145.12$ (free r_d). Signal amplitude decays continuously toward zero as Ω_m is forced to the Planck prior value. Monte Carlo null tests exclude random overfitting ($p < 0.03$). Redshift-cut analysis confirms locked frequency stability $\beta \approx 18.2$ for $z < 0.1$, with abrupt signal truncation above $z = 0.1$.

estimate is based on the linear approximation $\delta H_0/H_0 \approx -\delta\mu/5$ at $z = 0$.

Crucially, the signal exhibits three morphological properties incompatible with ordinary instrumental, calibration, sampling, and covariance systematics: narrow-band frequency locking, non-smooth redshift cutoff, and direct degeneracy with the fundamental cosmological parameter Ω_m. These empirical features establish the Embarrassment Principle: independent low-redshift observations demand non-fixed-point late-universe dynamics. The universe does not relax toward static thermal equilibrium; it resides in perpetual non-dissipative dynamical oscillation. **The universe is not a clock winding down to stillness, but a heart beating perpetually. Static equilibrium is an illusion; dynamic disequilibrium is its fundamental nature. This is the ultimate meaning of the Embarrassment Principle.**

Acknowledgments: The author thanks anonymous discussion participants for critical inquiries that improved defensive argumentation and physical interpretation bounds. Custom numerical analysis code is developed independently for this study.

References

[1] D. Scolnic et al. (Pantheon+ Collaboration), *The Pantheon+ Analysis: Supercalibration and Cosmological Constraints*, Astrophys. J. 938, 113 (2022), arXiv:2112.03863.

[2] DESI Collaboration (A. G. Adame et al.), *DESI 2024 VI: Cosmological Constraints from the Measurements of BAO*, arXiv:2404.03002.