



# NOBLE BEGINNER RECURVE BOW KIT OWNER'S MANUAL

**NOBLE SERIES**



Jiaozuo Sanlida Archery Equipment Co., Ltd  
Add: No.3033-2 Jiaohui Road, Shanyang District, Jiaozuo, Henan,  
China 454000

*sanlida*

# TABLE OF CONTENTS

Important Safety Information .....	02
Bow Terminology & Bow Parts .....	05
Installation .....	06
Bow Sight Installation .....	08
Limb Maintenance .....	10
Warranty .....	10



Officially Certified Products by World Archery



## THANK YOU FOR CHOOSING SANLIDA ARCHERY

Congratulations on the purchase of your new Sanlida recurve product. You will be pleased to know that you have just purchased one of the world's best cost-effective bow. With proper use and some basic maintenance, your new Sanlida recurve product will provide you with years of great shooting and reliability.

Archery is a very enjoyable form of recreation for people of all ages and abilities. It is important to note that archery equipment, when not used properly, may cause danger, including death and serious personal injury for the archer or those around them. It is up to you to be a responsible archer protecting both you and others when enjoying this great sport. Whether you are an experienced archer or have never shot a bow, you must **READ THIS ENTIRE MANUAL CAREFULLY BEFORE USING YOUR BOW**. Following all warnings and instructions contained in this manual will help ensure you and others have the safest and most enjoyable shooting experience possible. Keep this owner's manual handy and reference it often. Should you lose this manual you can find a current manual online at [www.sanlidaarchery.com](http://www.sanlidaarchery.com). Good luck and safe shooting!

### BOW OWNER'S PERSONAL INFO

Fill in the following personal bow record for your reference.

Sanlida Riser Model: \_\_\_\_\_

Sanlida Limb Model: \_\_\_\_\_

Purchased From: \_\_\_\_\_

Purchase Date: \_\_\_\_\_

Length: \_\_\_\_\_ Weight: \_\_\_\_\_

### IMPORTANT!

The sales receipt is your proof of date-of-purchase. Proof of date-of-purchase will be required if your bow ever needs warranty service.

## SAFETY INFORMATION

READ THIS MANUAL CAREFULLY BEFORE HANDLING OR USING YOUR SANLIDA BOW.  
YOU ARE RESPONSIBLE FOR ARCHERY SAFETY.

**⚠ WARNING:** Always read the warning labels and manufacturer's instructions of all products being used in conjunction with a Sanlida bow, including but not limited to all archery accessories and components directly attached to the bow or used in conjunction with the bow such as targets, arrows, release aids, etc.

**⚠ WARNING:** An adult should always supervise minors when they are handling or shooting a bow.

**⚠ WARNING:** Never use alcohol or drugs while handling or shooting your bow.

**⚠ WARNING:** Never lose hand of the bow riser while drawing the bow, holding the bow at full draw, or shooting the bow. It is important that you are able to maintain a consistent and secure grip on the bow riser without slippage of your hand on the bow grip. Use of items such as hand lotions, sunscreens, and insect repellents may limit your ability to maintain control of the grip.

**⚠ WARNING:** Always ensure that the area around your bow is clear of any objects to prevent items from being caught in the moving parts of the bow. When shooting your bow, never wear loose clothing, jewelry, or other items worn on your body that may get caught in the bow or bow string when the bow is shot.

**⚠ WARNING:** Never point or aim a bow at another person. Be sure of your target and what lies beyond. Never shoot arrows straight up into the air. Make sure that the path from where you are shooting to the target and beyond is free from people and objects.

**⚠ WARNING:** Never dry fire your bow. To dry fire your bow, means to shoot the bow without an arrow. Never try drawing a bow that is too heavy for your death or serious injury to you or others. If your bow is dry-fired there could

be both seen and unseen damage and it should be returned to an Authorized Sanlida Retailer for inspection before any further use.

**⚠️WARNING:** Never loosen your limb weight adjustment bolts (Tiller Bolts) too much as it could cause the bow to violently disassemble.

**⚠️WARNING:** Do not perform any maintenance, adjustments, or have any work performed of any kind on any part of your bow while drawing or during any other part of the shooting cycle. Do not allow others to work on or touch any part of your bow during the shooting cycle.

**⚠️WARNING:** Never shoot a damaged arrow. Before each shot, inspect your arrows for damage. See the specific arrow manufacturer's warnings and instructions on proper arrow inspection methods. Discard all damaged arrows.

**⚠️WARNING:** Never mechanically alter or modify your bow. Drilling holes, cutting, filing, or sanding are examples of mechanically altering your bow which will likely cause the bow to break and could cause death or serious injury.

**⚠️WARNING:** Never draw or shoot a bow with frayed, worn, or damaged strings as it could break. Frayed, worn, or damaged bowstrings should be immediately replaced before the bow is used. Only Authorized Sanlida or use-branded strings should be used on your bow. Carefully inspect the string each time before shooting your bow.

**⚠️WARNING:** Never expose your string to sharp objects such as knives or broadheads, or direct heat sources such as open flame or extremely hot objects as they could easily cut or cause the string to break.

**⚠️WARNING:** Only use Authorized Sanlida manufactured replacement parts. Only Sanlida or a Authorized Sanlida Dealer should perform replacement of damaged parts. Failure to heed this warning could result in death or serious personal injury or death to yourself or bystanders.

**⚠️WARNING:** Never expose your bow to extreme heat or prolonged

moisture. Damage can occur to your bow from heat exposure, prolonged exposure to moisture and improper storage.


**⚠️WARNING:** When handling and using a bow, including all stages of the bow being drawn to full draw, the bowstring being released, or the bow being let down, the archer and all bystanders must keep all body parts outside of the path of the bowstring and away from all moving parts.

**BE SURE OF YOUR TARGET.** Make sure that there are no persons, livestock, buildings or other objects behind or near your target. Be absolutely sure of your target in low light conditions.



**THANK YOU FOR  
CHOOSING SANLIDA ARCHERY**

## Bow Terminology



## Takedown Bow Parts & Setup

First you need to make sure that you locate all of the contents for your Noble Bow. You should have 1 riser, 2 limbs, 6 arrows, 1 sight, 1 arrow rest, 1 target face, 1 finger tab, 1 quiver, 1 stringer and string. In order to get started, you need to hold the riser in your hand so that you can determine which side is up. Once you have that situated, you should place the limbs on the bow. The lower limb will be labeled "lower limb." Place the lower limb in the grooves of the riser and fasten the limb bolt. Repeat this process for the upper limb.

**VERY IMPORTANT: Do not over-tighten the limb bolts because this may cause limb damage.**

## Installation



STEP1

STEP2

#### STEP1

Assemble the limbs on the bow, the side with plastic washer on the top, then tighten the limb screw. The limb with information of the bow length and draw weight is the lower limb, the other is the upper limb.

#### STEP2

Comparing the size of the loops, the larger loop should go to the upper limb, and the smaller loop should stay on the lower limb.



STEP3.1


STEP3.2

#### STEP3.1

Place the upper limb between the two strings and the rubber side of the strap. Slide the stringer between the handle riser and the bowstring. Make sure it is as close to the bowstring as possible.

#### STEP3.2

Fit the stringer pocket over the lower limb tip. The pocket should cover the small string loop, keeping it secure in the groove.



STEP3.3

#### STEP3.3

Before stringing, your bow should be the same as above picture. The string should be in the notch on the lower limb.



STEP4.1

#### STEP4.1

Step on the bow stringer in the center with both feet. Pull the riser upward with one hand and with the other hand slide the string up the limb until it fits into the groove.




STEP4.2

#### STEP4.2

Slowly release the bow until the stringer is slack while making sure the bowstring stays in the string notch securely.

## Bow Sight Installation



STEP1

#### STEP1

This sight includes 1 sight frame, 1 sight frame rod, 1 slider, 4 screws, 2 nuts, and 2 wrenches.

#### STEP2

Secure the sight frame onto the sight frame rod using screws and nuts.



STEP2



STEP3

#### STEP3

Install the slider onto the sight frame, paying attention to the direction of the aiming needle.

#### STEP4

Secure the assembled sight onto the bow handle using screws, as shown in the diagram. Adjust the position of the slider and aim needle and secure them to achieve the desired aiming



STEP4

## Limb Maintenance

There is very few maintenance required with Sanlida limbs. However, a few simple steps can help keep them looking new and prevent minor problems. The most common limb issue is loose hardware. Over time, the stainless-steel button head screw holding the limb detent system in the limb can loosen. Use an Allen wrench to periodically re-tighten this screw. Do not over-tighten. The screw is designed to be removable to allow cleaning in the event of water immersion. However, the components are corrosion resistant and normal rainfall is not a problem. Lubricant is not required on any limb component when the limbs are used in Sanlida risers.

Sanlida limbs are water-resistant. Wooden limbs are potentially susceptible to moisture penetration if the protective finish is damaged (by a deep scratch, for example). The use of clear nail polish or clear automotive touch-up paint will help re-seal the limbs and prevent moisture problems. After use in wet conditions, towel dry your limbs and riser to prevent water damage (do not use a heat source).

## Warranty

**RECURVE BOW RISER AND RECURVE LIMB WARRANTY.**

**PLEASE READ THIS DOCUMENT CAREFULLY. IT CONTAINS VERY IMPORTANT INFORMATION ABOUT YOUR RIGHTS AND OBLIGATIONS, AS WELL AS LIMITATIONS AND EXCLUSIONS THAT MAY APPLY TO YOU.**


Sanlida warrants to the ORIGINAL OWNER that Sanlida Recurve Bow Risers will be free from defects in materials and workmanship for the lifetime of the product, and that Sanlida Recurve Limbs will be free from defects in materials and workmanship for two years from date of purchase. Sanlida Recurve Bow Riser and Sanlida Recurve Limb warranty is regulated under the following terms and conditions:

1. The original owner must retain and provide an original and dated proof of purchase (sales receipt).

**THIS WARRANTY IS NOT TRANSFERABLE.**

2. THE ORIGINAL OWNER MUST REGISTER THE RISER OR LIMBS WITH Sanlida WITHIN 30 DAYS OF PURCHASE. To register your product, visit

**<https://www.sanlidaoutdoor.com>** to complete the registration process online, or contact Sanlida at (86) 391-3216637 or [info@sanlidaarchery.com](mailto:info@sanlidaarchery.com) for assistance with registering your product.



**Exclusions from Warranty Coverage**

This Limited Warranty covers normal use of the product, and Sanlida does not warrant and is not responsible for:

1. The use of second hand products/accessories that alter Sanlida's specifications or design.
2. Damage to strings, damper materials, finish (including paint, anodize finishes etc.) resulting from normal wear-and tear.
3. If bow shows sign of misuse, alteration, or mishandling, this warranty will be void.
4. Use of arrows weighing less than 5 grains per pound of draw weight will void the warranty.
5. Damage to 'other' accessories in the kit.
6. Damage caused by dry fire & man-made.

**OBTAINING WARRANTY SERVICE**

To obtain warranty service, you must return your bow to a Authorized Sanlida Dealer. The dealer can help to determine if Sanlida factory service is required or if the dealer can complete the repair.

Authorized Sanlida Retailers may provide additional services and apply additional charges for service work performed by the dealer. If Sanlida determines, that a bow qualifies for warranty repair, Sanlida will make


every effort to repair the bow. Repairs may be performed with original parts when available. Sanlida reserves the right to make part substitutions on warranty coverage for any reason. If original parts are not available, suitable replacement parts/components may be used.


There is no other warranties expressed or implied that extend beyond those written here. No agent, employee or representative of Sanlida or its dealers have the authority to bind Sanlida to any Agreement not herein stated.



**LET EVERYONE ENJOY ARCHERY SHOOTING**

 Like us on facebook  
<https://www.facebook.com/Sanlidaarchery>

 Follow us on Instagram!  
<https://www.instagram.com/sanlidaarchery>

 Please search sanlida archery  
<https://www.youtube.com/@SanlidaArchery>

 Follow us on Tiktok! @Sanlidaarchery

No.3033-2 Jiaohui Road, Shanyang District, Jiaozuo, Henan, China 454000

TEL: +86-391-3216637 Email: [info@sanlidaarchery.com](mailto:info@sanlidaarchery.com)

**[www.sanlidaoutdoor.com](http://www.sanlidaoutdoor.com)/[www.sanlidaarchery.com](http://www.sanlidaarchery.com)**