BASIC COMMANDS AND SYNTAX

STUCTURED QUERY LANGUAGE (SQL) COMMANDS

DDL - Data Definition Language:

Command	Description
CREATE	Creates a new table, a view of a table, or other object in database
ALTER	Modifies an existing database object, such as a table.
DROP	Deletes an entire table, a view of a table or other object in the database.

STUCTURED QUERY LANGUAGE (SQL) COMMANDS

DML - Data Manipulation Language:

Command	Description
INSERT	Creates a record
UPDATE	Modifies records
DELETE	Deletes records

STUCTURED QUERY LANGUAGE (SQL) COMMANDS

DCL - Data Control Language:

Command	Description
GRANT	Gives a privilege to user
REVOKE	Takes back privileges granted from user

DQL - Data Query Language:

Command	Description
SELECT	Retrieves certain records from one or more tables

STUCTURED QUERY LANGUAGE (SQL) SYNTAX:

SQL SELECT Statement:

```
SELECT column1, column2....columnN
FROM   table_name;
```

SQL DISTINCT Clause:

```
SELECT DISTINCT column1, column2....columnN
FROM   table_name;
```

SQL WHERE Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  CONDITION;
```

SQL AND/OR Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  CONDITION-1 {AND|OR} CONDITION-2;
```

STUCTURED QUERY LANGUAGE (SQL) SYNTAX:

SQL IN Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  column_name IN (val-1, val-2,...val-N);
```

SQL BETWEEN Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  column_name BETWEEN val-1 AND val-2;
```

SQL LIKE Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  column_name LIKE { PATTERN };
```

SQL ORDER BY Clause:

```
SELECT column1, column2....columnN
FROM   table_name
WHERE  CONDITION
ORDER BY column_name {ASC|DESC};
```

STUCTURED QUERY LANGUAGE (SQL) SYNTAX:

SQL GROUP BY Clause:

```
SELECT SUM(column_name)
FROM   table_name
WHERE  CONDITION
GROUP BY column_name;
```

SQL COUNT Clause:

```
SELECT COUNT(column_name)
FROM   table_name
WHERE  CONDITION;
```

SQL HAVING Clause:

```
SELECT SUM(column_name)
FROM   table_name
WHERE  CONDITION
GROUP BY column_name
HAVING (arithematic function condition);
```