VIEWS



VIEWS

- virtual table whose contents are defined by a query
- based on the result set of a SELECT statement
- Contains rows and columns just like a real table
- The rows and columns of data come from tables referenced in the query defining the view and are produced dynamically when the view is referenced



VIEWS

- **you can add TSQL arguments to a view definition such as SELECT, WHERE, JOIN to present the data as if the data was coming from a single table**

- **A view can be used inside a query, a stored procedure or another view.**



VIEWS

- **Restrict a user to specific rows in a table.**
- **Restrict a user to specific columns.**
- **Join columns from multiple tables so that they look like a single table.**
- **Aggregate information instead of supplying details.**



VIEWS

CREATE VIEW [*owner.*]*view_name*
AS
select_statement



```
CREATE VIEW VW_LIST_PRODUCT
AS
SELECT P.ProductID, P.ProductName,
        P.CategoryID, C.CategoryName,
       P.SupplierID, S.CompanyName
FROM  Production.Products P
INNER JOIN Production.Categories C
   ON P.CategoryID = C.CategoryID
INNER JOIN Production.Suppliers  S
   ON S. SupplierID = P.SupplierID
```

Referencing Views

```
SELECT * FROM VW_LIST_PRODUCT
```



Modifying View

ALTER VIEW [*db_name*.][*owner*.] *view_name*
AS
select_statement



Modifying View

DROP VIEW ***view_name***

