


Source: lushangel.com

© TemplatesWise.com



Source: lushangel.com

© TemplatesWise.com

Introduction to PHP

By: Abegail S. Comandao

College of Computer Studies

© TemplatesWise.com

Introduction to PHP



© TemplatesWise.com

What is PHP?

- PHP stands for **P**HP: **H**ypertext **P**reprocessor
- PHP is a server-side scripting language designed specifically for the Web
- Originally meant Personal Home Page, created in 1994 by Rasmus Lerdorf

© TemplatesWise.com

What is a PHP File?

- PHP files can contain text, HTML tags and scripts
- PHP files are returned to the browser as plain HTML
- PHP files have a file extension of ".php"

© TemplatesWise.com

Why PHP?

- PHP runs on different platforms (Windows, Linux, Unix, etc.)
- PHP is compatible with almost all servers used today (Apache, IIS, etc.)
- PHP supports many databases (MySQL, Informix, Oracle, Sybase, Solid, PostgreSQL, Generic ODBC, etc.)

© TemplatesWise.com


Why PHP?

- PHP is an open source software
- PHP is free to download and use
- PHP is easy to learn and runs efficiently on the server side



© TemplatesWise.com

How PHP works?



http://www.learnphp-tutorial.com/PHPBasics.cfm

© TemplatesWise.com

Where to Start?

- Install Apache (or IIS) on your own server
- Install PHP and MySQL



© TemplatesWise.com

Installing PHP, Apache and MySQL

- Apache, PHP and MySql can be installed easily by using installation package rather than installing them individually.
- XAMPP and XAMPPLITE are examples of PHP/MySQL package. They are available for free download.
- To install: Run and extract the package in a folder. Follow the installation wizard.

© TemplatesWise.com

Installing PHP, Apache and MySQL

- To test if the installation is working
  - Create a PHP document using Adobe Dreamweaver or Notepad with this content.

```
<?php
        Phpinfo();
?>
```

© TemplatesWise.com

Installing PHP, Apache and MySQL

Create a folder inside the htdocs found in XAMPP/XAMPPLITE's Folder and save as your php page as test.php



© TemplatesWise.com

Tools to Build PHP Scripts

- Programming Editor
  - Features: color highlighting, indentation, line numbers, multiple files
  - Examples: Dreamweaver, Notepad++, UltraEdit

© TemplatesWise.com

Tools to Build PHP Scripts

- Integrated Development Environment (IDE)
  - Features: programming editor, debugging, previewing, testing, FTP, Project Management
  - Examples: Dreamweaver, Zend

© TemplatesWise.com

```
<html>
    <head>
        <title> PHP Test: Using Numbers </title>
    </head>
    <body>
```



© TemplatesWise.com

```
<?php
        echo "<b>Using Numbers </b><br>";
        print "Today's date is" . gmdate("M d Y");
        echo "<br>";
        $quantity = 30; // 30 pcs.
        $price = 119.95; // $119.95
        $taxrate = .05; // 5% tax rate
        $total = $quantity * $price;
```

© TemplatesWise.com

```
$total = $total + ($total * $taxrate); // Add tax
// Format the results
$total = number_format ($total, 2);
        echo "You are purchasing <b> $quantity
    </b> widgets at a cost of <b>\$ $price</b>
                    each.<br>";
        echo "With tax, the total comes to <b>\$
    $total </b><br><br>";
    ?>
    </body>
</html>
```

© TemplatesWise.com

PHP Tags

- To open a block of PHP code in a page you can use one of these four sets of opening and closing tags:

Tags	Syntax
Short Style	<? [code here] ?>
XML Style	<?php [code here] ?>
Script Style	<script language="php"> [code here] </script>
ASP Style	<% [code here] %>

© TemplatesWise.com

PHP Statements and Whitespaces

- is an instruction that tells PHP to perform an action

Example:

```
echo “Hello World”;
```

- Each statement should end with a semi colon ;

© TemplatesWise.com

PHP Statements and Whitespaces

- The PHP interpreter condenses all sequential whitespace in PHP scripts to a single whitespace.



© TemplatesWise.com

PHP Functions

PHP Version 5.2.8

System	Windows NT MYPORTAL-B978C8 5.1 build 2600
Build Date	Dec 8 2008 19:30:48
Configure Command	cscript /nologo configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-snapshot-template=d:\php-sdk\snap_5_2\vc6\x86\template" "--with-php-build=d:\php-sdk\snap_5_2\vc6\x86\php_build" "--with-pdo-oci=D:\php-sdk\oracle\instantclient10\sdk,shared" "--with-oci8=D:\php-sdk\oracle\instantclient10\sdk,shared"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\WINDOWS
Loaded Configuration File	C:\xampp\apache\bin\php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	enabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.zlib, zip
Registered Stream Socket Transports	tcp, udp
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2008 Zend Technologies
with Zend Extension Manager v1.2.0, Copyright (c) 2003-2007, by Zend Technologies
with Zend Optimizer v3.3.3, Copyright (c) 1998-2007, by Zend Technologies

Powered By Zend Engine 2

© TemplatesWise.com

Code Block

- A code block is simply a series of statements enclosed between two braces:

```
{
        //Some Comments
        f(); // a function call
}
```

© TemplatesWise.com

Hello World!

- Code between **<?php and ?>** is processed by the PHP interpreter.

- The echo command is used to print text back to the browser.



© TemplatesWise.com

Introduction to PHP

By: Abegail S. Comandao

College of Computer Studies

© TemplatesWise.com