PHP Operators

By: Abegail S. Comandao

College of Computer Studies

© TemplatesWise.com

PHP Operators



© TemplatesWise.com

PHP Operators

Arithmetic Operators:

Operator	Name	Example
+	Addition	$a + $b;
-	Subtraction	$a - $b;
*	Multiplication	$a * $b;
/	Division	$a / $b;
%	Modulus / Remainder	$a % $b;

String Operators:

Operator	Name	Example
.	Concatenation	$a . $b;

© TemplatesWise.com

PHP Operators

Assignment Operators:

Operator	Name	Example
=	Assignment	$a = 1;
+= -= *= /=	Combination Assignment	$a += 1; $a -= 1; $a *= 1; $a /= 1;
++	Increment by 1	$a ++;
--	Decrement by 1	$a --;

© TemplatesWise.com

PHP Operators

Comparison Operators:

Operator	Name	Example
==	is equal	$a == $b
!=	is not equal	$a != $b
<	is less than	$a < $b
>	is greater than	$a > $b
<=	is less than or equal to	$a <= $b
>=	is greater than or equal to	$a >= $b
===	identical	$a === $b
!==	not identical	$a !== $b

© TemplatesWise.com

PHP Operators

Logical Operators:

Operator	Name	Example
!	NOT	!$a
&&	AND	$a && $b
||	OR	$a || $b



© TemplatesWise.com

```
<html>
    <head>
        <title> PHP Test: Using Numbers </title>
    </head>
    <body>
    <?php
        echo "<b>Using Numbers </b><br>";
        print "Today's date is" . gmdate("M d Y");
        echo "<br>";
        $quantity = 30; // 30 pcs.
        $price = 119.95; // $119.95
        $taxrate = .05; // 5% tax rate
        $total = $quantity * $price;
        $total = $total + ($total * $taxrate); // Add tax
        $total = number_format ($total, 2); // Format the results
echo "You are purchasing <b> $quantity </b> widgets at a cost of <b>\$ $price</b> each.<br>";
        echo "With tax, the total comes to <b>\$ $total </b><br><br>";
    ?>
    </body>
</html>
```

© TemplatesWise.com

Creating Dynamic Pages

Single Quotes vs. Double Quotes

- **Double quotation** marks will replace the variable name with its value and will escape a character (\$$total).

- **Single quotes** will always display exactly what is typed, except for the escaped single quote (\') and escaped backslash (\\).

© TemplatesWise.com

Single Quotes

```
<html>
    <head>
        <title>Single Quotes</title>
    </head>
    <body>
        <?php
                $quantity = "12";
                $price = "3.50";
                $total = $quantity * $price;
        echo 'You are purchasing $quantity widget(s) at a cost of \$$price each. With tax, the total comes to \$$total.\n';
        ?>
    </body>
</html>
```

© TemplatesWise.com

Single Quotes

Output:

You are purchasing $quantity widget(s) at a cost of \$$price each. With tax, the total comes to \$$total.\n



© TemplatesWise.com

Double Quotes

```
<html>
    <head>
        <title>Double Quotes</title>
    </head>
    <body>
        <?php
                $quantity = "12";
                $price = "3.50";
                $total = $quantity * $price;
        echo “You are purchasing $quantity widget(s) at a cost of \$$price each. With tax, the total comes to \$$total.\n”;
        ?>
    </body>
</html>
```

© TemplatesWise.com

Double Quotes

Output:

You are purchasing 12 widget(s) at a cost of $3.50 each. With tax, the total comes to $42.



© TemplatesWise.com

PHP Operators

By: Abegail S. Comandao

College of Computer Studies

© TemplatesWise.com