- 1. K-means variants. [152], [151], [146], [149], [137], [96], [90], [31], [87], [140], [134], [49], [57], [19], [70], [183], [28], [34], [58], [110], [125], [99], [173]
- 2. Spectral clustering. [85], [50], [95], [18], [156], [154], [155], [182], [20], [117], [118], [44], [62], [179], [61], [45], [113], [114], [132]
- 3. Other clustering algorithms. hierarchical clustering [54], [162], [72], [73], [168], [80], DBSCAN [65], [120], density-based clustering [165], [136], [107], meanshift [21],[147], neural network-based [89], multi-view and multi-source clustering [158], [27], [71], [40], or model selection [130]
- 4. Cluster ensembles. [17], [167], [157], [63], [92], [105], [174], [143], [175], [133], [88], [77], [63], [124], [60], [68], [93], [162], [166], [170], [176]
- Deep learning methods. [92], [111], [44], [138], [137], [148], [161], [133], [103], [115], [178]
- 6. Soft computing approaches. fuzzy k-means [78], [15], [104], [66], [116], evidential k-means [22], [23], evolutionary approaches [126], [74], [76], [75], [119], [116] ant colony optimisation [171]
- 7. Learning a distance metric. [141],[29], [30], [98], [163], [48], [37], [86], [172], [153], [111], [81], [14],
- 8. Incorporating the constraints into the criterion function. [59], [55], [129], [32], [84], [121], [69], [37], [33], [100], [46], [51], [53], [26], [41], [56], [35], [122], [142], [123], [127], [53], [52], [106], [97]
- 9. Active learning, user interaction, incremental clustering. [154], [169], [109], [112], [67], [16], [43], [25], [42], [47], [131], [139], [150], [168]
- 10. Applications. In addition to the theoretical and algorithmic advances in constrained clustering, we came across a beautiful variety of applications, among which: analysis of RNA [144], [44] gene expression data analysis [157], medical imaging [160], EEG data analysis [64], vegetation classification [145], regionalisation using spatial contiguity constraints [38], [80], [102], [128], text and document clustering [169], [135], [39], [148], information retrieval [177], object and face clustering in video [159], [94], [40], [101], [164], [24], tracking of moving objects using radar sensors [120], time series clustering [83], [106], tourism [36], financial analysis [82], [180], defect prediction [181], [108], cyber security [161], [91], [79], and malware clustering [65].

References

- 14. Abin, A.A., Bashiri, M.A., Beigy, H.: Learning a metric when clustering data points in the presence of constraints. Advances in Data Analysis and Classification 14(1), 29–56 (2020). https://doi.org/10.1007/s11634-019-00359-6
- Abin, A.A., Beigy, H.: Active constrained fuzzy clustering: A multiple kernels learning approach. Pattern Recognition 48(3), 953-967 (2015). https://doi.org/10.1016/j.patcog.2014.09.008, https://doi.org/10.1016/j.patcog.2014.09.008

- Abin, A.A., Vu, V.V.: A density-based approach for querying informative constraints for clustering. Expert Systems with Applications 161, 113690 (2020). https://doi.org/10.1016/j.eswa.2020.113690
- 17. Al-Razgan, M., Domeniconi, C.: Clustering ensembles with active constraints. Springer (2009)
- Alzate, C., Suykens, J.A.: A regularized formulation for spectral clustering with pairwise constraints. In: International Joint Conference on Neural Networks. pp. 141–148 (2009). https://doi.org/10.1109/IJCNN.2009.5178772
- de Amorim, R.C.: Constrained clustering with Minkowski weighted K-means. In: IEEE 13th International Symposium on Computational Intelligence and Informatics (CINTI). pp. 13–17 (2012). https://doi.org/10.1109/CINTI.2012.6496753
- 20. Anand, R., Reddy, C.K.: Graph-based clustering with constraints. In: Pacific-Asia Conference on Knowledge Discovery and Data Mining. pp. 51–62 (2011). https://doi.org/10.1007/978-3-642-20847-8_5
- Anand, S., Mittal, S., Tuzel, O., Meer, P.: Semi-supervised kernel mean shift clustering. IEEE Transactions on Pattern Analysis and Machine Intelligence 36(6), 1201–1215 (2014). https://doi.org/10.1109/TPAMI.2013.190
- 22. Antoine, V., Guerrero, J.A., Xie, J.: Fast semi-supervised evidential clustering. International Journal of Approximate Reasoning 133, 116–132 (2021). https://doi.org/10.1016/j.ijar.2021.03.008
- 23. Antoine, V., Quost, B., Masson, M.H., Denoeux, T.: CECM: Constrained evidential C-means algorithm. Computational Statistics & Data Analysis **56**(4), 894–914 (2012). https://doi.org/10.1016/j.csda.2010.09.021
- 24. Arachchilage, S.W., Izquierdo, E.: Adaptive aggregated tracklet linking for multi-face tracking. In: IEEE International Conference on Image Processing (ICIP). pp. 1366–1370 (2020). https://doi.org/10.1109/ICIP40778.2020.9190823
- 25. Awasthi, P., Balcan, M., Voevodski, K.: Local algorithms for interactive clustering. In: International Conference on Machine Learning. pp. 550-558 (2014). https://doi.org/10.48550/arXiv.1312.6724
- Babaki, B., Guns, T., Nijssen, S.: Constrained clustering using column generation.
 In: International Conference on Integration of Constraint Programming, Artificial Intelligence, and Operations Research. pp. 438–454 (2014). https://doi.org/10.1007/978-3-319-07046-9_31
- 27. Bai, L., Liang, J., Cao, F.: Semi-supervised clustering with constraints of different types from multiple information sources. IEEE Transactions on pattern analysis and machine intelligence 43(9), 3247–3258 (2020). https://doi.org/10.1109/TPAMI.2020.2979699
- 28. Banerjee, A., Ghosh, J.: https://doi.org/10.1007/s10618-006-0040-z
- Bar-Hillel, A., Hertz, T., Shental, N., Weinshall, D.: Learning distance functions using equivalence relations. In: Proceedings of the Twentieth International Conference on Machine Learning (ICML). pp. 11–18 (2003)
- 30. Bar-Hillel, A., Hertz, T., Shental, N., Weinshall, D., Ridgeway, G.: Learning a mahalanobis metric from equivalence constraints. Journal of Machine Learning Research 6(6), 937–965 (2005). https://doi.org/10.5555/1046920.1088704
- 31. Basu, S., Banerjee, A., Mooney, R.: Semi-supervised clustering by seeding. In: Proceedings of the 19th International Conference on Machine Learning (ICML). pp. 19–26 (2002). https://doi.org/10.5555/645531.656012
- 32. Basu, S., Banerjee, A., Mooney, R.J.: Active semi-supervision for pairwise constrained clustering. In: Proceedings of the 2004 SIAM International Conference on Data Mining. pp. 333–344 (2004). https://doi.org/10.1137/1.9781611972740.

- Basu, S., Bilenko, M., Mooney, R.J.: A probabilistic framework for semi-supervised clustering. In: Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining. pp. 59–68 (2004). https://doi.org/10. 1145/1014052.1014062
- 34. Bennett, K., Bradley, P., Demiriz, A.: Constrained K-means clustering. Microsoft Research **20**, 8 (2000)
- 35. Berg, J., Järvisalo, M.: Cost-optimal constrained correlation clustering via weighted partial maximum satisfiability. Artificial Intelligence **244**, 110–142 (2017). https://doi.org/10.1016/j.artint.2015.07.001
- 36. Bernini, C., Emili, S., Medei, R.: The spatial agglomeration of the MICE industry. International Journal of Tourism Research 23(5), 770–780 (2021). https://doi.org/10.1002/jtr.2440
- 37. Bilenko, M., Basu, S., Mooney, R.J.: Integrating constraints and metric learning in semi-supervised clustering. In: Proceedings of the twenty-first international conference on Machine learning. p. 11 (2004). https://doi.org/10.1145/1015330.1015360
- 38. Brenden, T., Wang, L., Seelbach, P., Clark Jr, R., Wiley, M.J., Sparks-Jackson, B.: A spatially constrained clustering program for river valley segment delineation from GIS digital river networks. Environmental Modelling & Software 23(5), 638–649 (2008). https://doi.org/10.1016/j.envsoft.2007.09.004
- 39. Buatoom, U., Kongprawechnon, W., Theeramunkong, T.: Document clustering using K-means with term weighting as similarity-based constraints. Symmetry 12(6), 967 (2020). https://doi.org/10.3390/sym12060967
- Cao, X., Zhang, C., Zhou, C., Fu, H., Foroosh, H.: Constrained multi-view video face clustering. IEEE Transactions on Image Processing 24(11), 4381–4393 (2015). https://doi.org/10.1109/TIP.2015.2463223
- 41. Chabert, M., Solnon, C.: Constraint programming for multi-criteria conceptual clustering. In: International Conference on Principles and Practice of Constraint Programming. pp. 460–476 (2017). https://doi.org/10.1007/978-3-319-66158-2_30
- 42. Chang, S., Dai, P., Hong, L., Sheng, C., Zhang, T., Chi, E.H.: AppGrouper: Knowledge-based interactive clustering tool for app search results. In: Proceedings of the 21st International Conference on Intelligent User Interfaces. pp. 348–358 (2016). https://doi.org/10.1145/2856767.2856783
- Chen, D.W., Jin, Y.H.: An active learning algorithm based on shannon entropy for constraint-based clustering. Neurorehabilitation and Neural Repair 34(12), 1078– 1087 (2020). https://doi.org/10.1177/1545968320962483
- 44. Chen, L., He, Q., Zhai, Y., Deng, M.: Single-cell rna-seq data semi-supervised clustering and annotation via structural regularized domain adaptation. Bioinformatics 37(6), 775–784 (2021). https://doi.org/10.1093/bioinformatics/btaa908
- 45. Chen, W., Feng, G.: Spectral clustering: A semi-supervised approach. Neurocomputing 77(1), 229-242 (2012). https://doi.org/10.1016/j.neucom.2011.09.002
- Cheng, H., Hua, K.A., Vu, K.: Constrained locally weighted clustering. Proceedings of the VLDB Endowment 1(1), 90–101 (2008). https://doi.org/10.14778/1453856.1453871
- Coden, A., Danilevsky, M., Gruhl, D., Kato, L., Nagarajan, M.: A method to accelerate human in the loop clustering. In: Proceedings of the 2017 SIAM International Conference on Data Mining. pp. 237–245 (2017). https://doi.org/10. 1137/1.9781611974973.27

- 48. Cohn, D., Caruana, R., McCallum, A.: Semi-supervised clustering with user feedback. Constrained Clustering: Advances in Algorithms, Theory, and Applications 4(1), 17–32 (2003). https://doi.org/10.1201/9781584889977.ch2
- 49. Covoes, T.F., Hruschka, E.R., Ghosh, J.: A study of K-means-based algorithms for constrained clustering. Intelligent Data Analysis 17(3), 485–505 (2013). https://doi.org/10.3233/IDA-130590
- Cucuringu, M., Koutis, I., Chawla, S., Miller, G., Peng, R.: Simple and scalable constrained clustering: A generalized spectral method. In: 19th International Conference on Artificial Intelligence and Statistics. pp. 445–454 (2016)
- 51. Dao, T.B.H., Duong, K.C., Vrain, C.: A declarative framework for constrained clustering. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases. pp. 419–434 (2013). https://doi.org/10.1007/978-3-642-40994-3_27
- 52. Dao, T.B.H., Khanh-ChuongDuong, Vrain, C.: Constrained clustering by constraint programming. Artificial Intelligence **244**, 70-94 (2017). https://doi.org/10.1016/j.artint.2015.05.006
- Dao, T., Vrain, C., Duong, K., Davidson, I.: A framework for actionable clustering using constraint programming. In: 22nd European Conference on Artificial Intelligence (ECAI). pp. 453–461 (2016). https://doi.org/10.3233/978-1-61499-672-9-453
- 54. Davidson, I., Ravi, S.S.: Agglomerative hierarchical clustering with constraints: Theoretical and empirical results. In: European Conference on Principles of Data Mining and Knowledge Discovery. pp. 59–70 (2005). https://doi.org/10.1007/11564126_11
- Davidson, I., Ravi, S.: Clustering with constraints: Feasibility issues and the K-means algorithm. In: Proceedings of the 2005 SIAM international conference on data mining. pp. 138–149 (2005). https://doi.org/10.1137/1.9781611972757.
 13
- 56. Davidson, I., Ravi, S., Shamis, L.: A sat-based framework for efficient constrained clustering. In: Proceedings of the 2010 SIAM international conference on data mining. pp. 94–105 (2010)
- Davidson, I., Wagstaff, K.L., Basu, S.: Measuring constraint-set utility for partitional clustering algorithms. In: European Conference on Principles of Data Mining and Knowledge Discovery. pp. 115–126 (2006). https://doi.org/10.1007/11871637_15
- Demiriz, A., Bennett, K.P., Bradley, P.S.: Using assignment constraints to avoid empty clusters in K-means clustering. Constrained Clustering: Advances in Algorithms, Theory, and Applications pp. 201–220. https://doi.org/10.1201/ 9781584889977
- Demiriz, A., Bennett, K.P., Embrechts, M.J.: Semi-supervised clustering using genetic algorithms. Artificial Neural Networks in Engineering (ANNIE) pp. 809–814 (1999)
- Dimitriadou, E., Weingessel, A., Hornik, K.: A mixed ensemble approach for the semi-supervised problem. In: International Conference on Artificial Neural Networks. pp. 571–576 (2002). https://doi.org/10.1007/3-540-46084-5_93
- 61. Ding, S., Jia, H., Du, M., Xue, Y.: A semi-supervised approximate spectral clustering algorithm based on HMRF model. Information Sciences **429**, 215–228 (2018). https://doi.org/10.1016/j.ins.2017.11.016
- 62. Ding, S., Qi, B., Jia, H., Zhu, H., Zhang, L.: Research of semi-supervised spectral clustering based on constraints expansion. Neural Computing and Applications **22**(1), 405–410 (2013). https://doi.org/10.1007/s00521-012-0911-8

- 63. Dong, X., Yu, Z., Cao, W., Shi, Y., Ma, Q.: A survey on ensemble learning. Frontiers of Computer Science 14(2), 241–258 (2020). https://doi.org/10.1007/s11704-019-8208-z
- 64. Du, Y., Sun, B., Lu, R., Zhang, C., Wu, H.: A method for detecting high-frequency oscillations using semi-supervised K-means and mean shift clustering. Neurocomputing **350**, 102–107 (2019). https://doi.org/10.1016/j.neucom.2019.03.055
- 65. Fang, Y., Zhang, W., Li, B., Jing, F., Zhang, L.: Semi-supervised malware clustering based on the weight of bytecode and API. IEEE Access 8, 2313–2326 (2019). https://doi.org/10.1109/ACCESS.2019.2962198
- 66. Fantoukh, N.I., Ismail, M.M.B., Bchir, O.: Automatic determination of the number of clusters for semi-supervised relational fuzzy clustering. International Journal of Fuzzy Logic and Intelligent Systems 20(2), 156–167 (2020). https://doi.org/10. 5391/IJFIS.2020.20.2.156
- 67. Fernandes, M.C., Covões, T.F., Pereira, A.L.V.: Improving evolutionary constrained clustering using active learning. Knowledge-Based Systems **209**, 106452 (2020). https://doi.org/10.1016/j.knosys.2020.106452
- 68. Forestier, G., Gançarski, P., Wemmert, C.: Collaborative clustering with background knowledge. Data & Knowledge Engineering 69(2), 211–228 (2010). https://doi.org/10.1016/j.datak.2009.10.004
- Ganji, M., Bailey, J., Stuckey, P.J.: Lagrangian constrained clustering. In: Proceedings of the 2016 SIAM International Conference on Data Mining. pp. 288–296 (2016). https://doi.org/10.1137/1.9781611974348.33
- Ge, R., Ester, M., Jin, W., Davidson, I.: Constraint-driven clustering. In: Proceedings of the 13th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining. pp. 320–329 (2007). https://doi.org/10.1145/1281192.1281229
- 71. Ghasemi, Z., Khorshidi, H.A., Aickelin, U.: Expert Systems with Applications, pages = 116551, number = , title = Multi-objective Semi-supervised clustering for finding predictive clusters, volume = 195, year = 2022, OPTurl = https://doi.org/10.1016/j.eswa.2022.116551 . https://doi.org/10.1016/j.eswa.2022.116551
- 72. Gilpin, S., Davidson, I.: Incorporating SAT solvers into hierarchical clustering algorithms: An efficient and flexible approach. In: Proceedings of the 17th ACM SIGKDD international conference on Knowledge discovery and data mining. pp. 1136–1144 (2011). https://doi.org/10.1145/2020408.2020585
- 73. Gilpin, S., Davidson, I.: A flexible ILP formulation for hierarchical clustering. Artificial Intelligence 244, 95–109 (2017). https://doi.org/10.1016/j.artint.2015.05.009
- González-Almagro, G., Luengo, J., Cano, J.R., García, S.: DILS: Constrained clustering through dual iterative local search. Computers & Operations Research 121, 104979 (2020). https://doi.org/10.1016/j.cor.2020.104979
- 75. González-Almagro, G., Luengo, J., Cano, J.R., García, S.: Enhancing instance-level constrained clustering through differential evolution. Applied Soft Computing 108, 107435 (2021). https://doi.org/10.1016/j.asoc.2021.107435
- González-Almagro, G., Rosales-Pérez, A., Luengo, J., Cano, J.R., García, S.: ME-MEOA/DCC: Multiobjective constrained clustering through decomposition-based memetic elitism. Swarm and Evolutionary Computation 66, 100939 (2021). https://doi.org/10.1016/j.swevo.2021.100939
- 77. Greene, D., Cunningham, P.: Constraint selection by committee: An ensemble approach to identifying informative constraints for semi-supervised cluster-

- ing. In: European Conference on Machine Learning. pp. 140-151 (2007). https://doi.org/10.1007/978-3-540-74958-5_16
- 78. Grira, N., Crucianu, M., Boujemaa, N.: Fuzzy clustering with pairwise constraints for knowledge-driven image categorisation. IEEE Proceedings-Vision, Image and Signal Processing 153(3), 299–304 (2006). https://doi.org/10.1049/ip-vis: 20050060
- Gu, Y., Li, K., Guo, Z., Wang, Y.: Semi-supervised K-means DDoS detection method using hybrid feature selection algorithm. IEEE Access 7, 64351–64365 (2019). https://doi.org/10.1109/ACCESS.2019.2917532
- Guo, D.: Regionalization with dynamically constrained agglomerative clustering and partitioning (redcap). International Journal of Geographical Information Science 22(7), 801–823 (2008). https://doi.org/10.1080/13658810701674970
- 81. Guo, L., Gan, H., Xia, S., Xu, X., Zhou, T.: Joint exploring of risky labeled and unlabeled samples for safe semi-supervised clustering. Expert Systems with Applications 176, 114796 (2021). https://doi.org/10.1016/j.eswa.2021.114796
- 82. Han, Y., Wang, T.: Semi-supervised clustering for financial risk analysis. Neural Processing Letters 53(5), 3561–3572 (2021). https://doi.org/10.1007/s11063-021-10564-0
- 83. He, G., Pan, Y., Xia, X., He, J., Peng, R., Xiong, N.N.: A fast semi-supervised clustering framework for large-scale time series data. IEEE Transactions on Systems, Man, and Cybernetics: Systems 51(7), 4201–4216 (2019). https://doi.org/10.1109/TSMC.2019.2931731
- 84. Hiep, T.K., Duc, N.M., Trung, B.Q.: Local search approach for the pairwise constrained clustering problem. In: Proceedings of the Seventh Symposium on Information and Communication Technology. pp. 115–122 (2016). https://doi.org/10.1145/3011077.3011114
- 85. Hoi, S.C., Jin, R., Lyu, M.R.: Learning nonparametric kernel matrices from pairwise constraints. In: Proceedings of the 24th international conference on Machine learning. pp. 361–368 (2007). https://doi.org/10.1145/1273496.1273542
- 86. Hoi, S.C., Liu, W., Chang, S.F.: Semi-supervised distance metric learning for collaborative image retrieval and clustering. ACM Transactions on Multimedia Computing, Communications, and Applications (TOMM) 6(3), 1–26 (2010). https://doi.org/10.1145/1823746.1823752
- 87. Hong, Y., Kwong, S.: Learning assignment order of instances for the constrained K-means clustering algorithm. IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics) 39(2), 568–574 (2009). https://doi.org/10.1109/TSMCB. 2008.2006641
- 88. Hosseini, M.J., Gholipour, A., Beigy, H.: An ensemble of cluster-based classifiers for semi-supervised classification of non-stationary data streams. Knowledge and information systems 46(3), 567–597 (2016). https://doi.org/10.1007/s10115-015-0837-4
- 89. Hsu, Y.C., Kira, Z.: Neural network-based clustering using pairwise constraints. arXiv (2016). https://doi.org/10.48550/arXiv.1511.06321
- 90. Huang, H., Cheng, Y., Zhao, R.: A semi-supervised clustering algorithm based on must-link set. In: International Conference on Advanced Data Mining and Applications. pp. 492–499 (2008). https://doi.org/10.1007/978-3-540-88192-6_48
- 91. Huda, S., Miah, S., Hassan, M.M., Islam, R., Yearwood, J., Alrubaian, M., Almogren, A.: Defending unknown attacks on cyber-physical systems by semi-supervised approach and available unlabeled data. Information Sciences **379**, 211–228 (2017). https://doi.org/10.1016/j.ins.2016.09.041

- 92. Ienco, D., Pensa, R.G.: Semi-supervised clustering with multiresolution autoencoders. In: 2018 International Joint Conference on Neural Networks (IJCNN). pp. 1–8 (2018). https://doi.org/10.1109/IJCNN.2018.8489353
- 93. Iqbal, A.M., Moh'd, A., Khan, Z.: Semi-supervised clustering ensemble by voting. In: The International Conference on Information and Communication Systems (ICICS) (2012)
- 94. Kalogeiton, V., Zisserman, A.: Constrained video face clustering using 1NN relations. In: 31st British Machine Vision Conference (BMVC). Virtual Event, UK (2020)
- 95. Kamvar, S.D., Klein, D., Manning, C.D.: Spectral learning. In: International Joint Conference of Artificial Intelligence. p. 10.1145/1756006.1756037 (2003)
- 96. Khashabi, D., Wieting, J., Liu, J.Y., Liang, F.: Clustering with side information: From a probabilistic model to a deterministic algorithm. arXiv (2015). https://doi.org/10.48550/arXiv.1508.06235
- 97. Khiari, M., Boizumault, P., Crémilleux, B.: Constraint programming for mining n-ary patterns. In: International Conference on Principles and Practice of Constraint Programming. pp. 552–567 (2010). https://doi.org/10.1007/978-3-642-15396-9_44
- 98. Klein, D., Kamvar, S.D., Manning, C.D.: From instance-level constraints to space-level constraints: Making the most of prior knowledge in data clustering (2002)
- 99. Kulis, B., Basu, S., Dhillon, I., Mooney, R.: Semi-supervised graph clustering: a kernel approach. Machine learning 74(1), 1–22 (2009). https://doi.org/10.1007/s10994-008-5084-4
- 100. Kulis, B., et al.: Metric learning: A survey. Foundations and Trends® in Machine Learning 5(4), 287–364 (2013). https://doi.org/10.1561/2200000019
- 101. Kulshreshtha, P., Guha, T.: An online algorithm for constrained face clustering in videos. In: IEEE International Conference on Image Processing (ICIP). pp. 2670–2674 (2018). https://doi.org/10.1109/ICIP.2018.8451343
- 102. Kupfer, J.A., Gao, P., Guo, D.: Regionalization of forest pattern metrics for the continental united states using contiguity constrained clustering and partitioning. Ecological Informatics 9, 11–18 (2012). https://doi.org/10.1016/j.ecoinf. 2012.02.001
- 103. Lafabregue, B., Weber, J., Gançarski, P., Forestier, G.: Deep constrained clustering applied to satellite image time series. In: Proceedings of MACLEAN: MAChine Learning for EArth Observation Workshop co-located with the European Conference on Machine Learning and Principles and Practice of Knowledge Discovery in Databases (ECML/PKDD) (2019)
- 104. Lai, D.T., Miyakawa, M., Sato, Y.: Semi-supervised data clustering using particle swarm optimisation. Soft Computing 24(5), 3499–3510 (2020). https://doi.org/10.1007/s00500-019-04114-z
- 105. Lai, Y., He, S., Lin, Z., Yang, F., Zhou, Q., Zhou, X.: An adaptive robust semi-supervised clustering framework using weighted consensus of random K-means ensemble. IEEE Transactions on Knowledge and Data Engineering 33(5), 1877–1890 (2019). https://doi.org/10.1109/TKDE.2019.2952596
- 106. Lampert, T., Dao, T.B.H., Lafabregue, B., Serrette, N., Forestier, G., Crémilleux, B., Vrain, C., Gançarski, P.: Constrained distance based clustering for time-series: A comparative and experimental study. Data Mining and Knowledge Discovery 32(6), 1663–1707 (2018). https://doi.org/10.1007/s10618-018-0573-y
- 107. Lelis, L., Sander, J.: Semi-supervised density-based clustering. In: Ninth IEEE International Conference on Data Mining. pp. 842–847 (2009). https://doi.org/doi.org/10.1109/ICDM.2009.143

- 108. Li, C., Zhou, J.: Semi-supervised weighted kernel clustering based on gravitational search for fault diagnosis. ISA transactions **53**(5), 1534–1543 (2014). https://doi.org/10.1016/j.isatra.2014.05.019
- 109. Li, H., Wang, Y., Li, Y., Xiao, G., Hu, P., Zhao, R., Li, B.: Learning adaptive criteria weights for active semi-supervised learning. Information Sciences **561**, 286–303 (2021). https://doi.org/10.1016/j.ins.2021.01.045
- Li, T., Ding, C., Jordan, M.I.: Solving consensus and semi-supervised clustering problems using nonnegative matrix factorization. In: Seventh IEEE International Conference on Data Mining (ICDM). pp. 577–582 (2007). https://doi.org/10. 1109/ICDM.2007.98
- 111. Li, X., Yin, H., Zhou, K., Zhou, X.: Semi-supervised clustering with deep metric learning and graph embedding. World Wide Web 23(2), 781–798 (2020). https://doi.org/10.1007/s11280-019-00723-8
- Li, Y., Wang, Y., Yu, D.J., Ye, N., Hu, P., Zhao, R.: ASCENT: Active supervision for semi-supervised learning. IEEE Transactions on Knowledge and Data Engineering 32(5), 868–882 (2019). https://doi.org/10.1109/TKDE.2019.2897307
- Li, Z., Liu, J., Tang, X.: Pairwise constraint propagation by semidefinite programming for semi-supervised classification. In: Proceedings of the 25th international conference on Machine learning. pp. 576–583 (2008). https://doi.org/10.1145/1390156.1390229
- Li, Z., Liu, J., Tang, X.: Constrained clustering via spectral regularization. In:
 2009 IEEE Conference on Computer Vision and Pattern Recognition. pp. 421–428
 (2009). https://doi.org/10.1109/CVPR.2009.5206852
- 115. Lin, T.E., Xu, H., Zhang, H.: Discovering new intents via constrained deep adaptive clustering with cluster refinement. In: Proceedings of the AAAI Conference on Artificial Intelligence. pp. 8360–8367
- 116. Liu, H., Huang, S.t.: Evolutionary semi-supervised fuzzy clustering. Pattern Recognition Letters 24(16), 3105–3113 (2003). https://doi.org/10.1016/S0167-8655(03)00177-6
- 117. Lu, Z., Carreira-Perpinan, M.A.: Constrained spectral clustering through affinity propagation. In: 2008 IEEE Conference on Computer Vision and Pattern Recognition. pp. 1–8 (2008). https://doi.org/10.1109/CVPR.2008.4587451
- 118. Lu, Z., Ip, H.H.: Constrained spectral clustering via exhaustive and efficient constraint propagation. In: European Conference on Computer Vision. pp. 1–14 (2010). https://doi.org/10.1007/978-3-642-15567-3_1
- Luo, J., Ma, H., Zhou, D.: A Pareto ensemble based spectral clustering framework.
 Complex & Intelligent Systems 7(1), 495–509 (2021). https://doi.org/10.1007/s40747-020-00215-7
- 120. Malzer, C., Baum, M.: Constraint-based hierarchical cluster selection in automotive radar data. Sensors **21**(10), 3410 (2021). https://doi.org/10.3390/s21103410
- 121. Melnykov, I., Melnykov, V.: A note on the formal implementation of the K-means algorithm with hard positive and negative constraints. Journal of Classification 37, 789–809 (2020). https://doi.org/10.1007/s00357-019-09349-x
- 122. Métivier, J.P., Boizumault, P., Crémilleux, B., Khiari, M., Loudni, S.: Constrained clustering using SAT. In: International Symposium on Intelligent Data Analysis. pp. 207–218 (2012). https://doi.org/10.1007/978-3-642-34156-4_20
- 123. Mueller, M., Kramer, S.: Integer linear programming models for constrained clustering. In: International Conference on Discovery Science. pp. 159–173 (2010). https://doi.org/10.1007/978-3-642-16184-1_12

- 124. Nan, F., Tang, Y., Yang, P., He, Z., Yang, Y.: A novel sub-kmeans based on cotraining approach by transforming single-view into multi-view. Future Generation Computer Systems 125, 831–843 (2021). https://doi.org/10.1016/j.future. 2021.07.019
- 125. Ng, M.K.: A note on constrained K-means algorithms. Pattern Recognition **33**(3), 515–519 (2000). https://doi.org/10.1016/S0031-3203(99)00057-6
- 126. de Oliveira, R.M., Chaves, A.A., Lorena, L.A.N.: A comparison of two hybrid methods for constrained clustering problems. Applied Soft Computing **54**, 256–266 (2017). https://doi.org/10.1016/j.asoc.2017.01.023
- 127. Ouali, A., Loudni, S., Lebbah, Y., Boizumault, P., Zimmermann, A., Loukil, L.: Efficiently finding conceptual clustering models with integer linear programming. In: 25th International Joint Conferences on Artificial Intelligence (ICAI). pp. 647–654 (2016)
- 128. Patil, G., Modarres, R., Myers, W., Patankar, P.: Spatially constrained clustering and upper level set scan hotspot detection in surveillance geoinformatics. Environmental and Ecological Statistics 13(4), 365–377 (2006). https://doi.org/10.1007/s10651-006-0017-5
- 129. Pelleg, D., Baras, D.: K-means with large and noisy constraint sets. In: European Conference on Machine Learning. pp. 674–682 (2007). https://doi.org/10.1007/978-3-540-74958-5_67
- 130. Pourrajabi, M., Moulavi, D., Campello, R.J., Zimek, A., Sander, J., Goebel, R.: Model selection for semi-supervised clustering. In: Proceedings of the 17th International Conference on Extending Database Technology (EDBT). pp. 331–342 (2014). https://doi.org/10.5441/002/edbt.2014.31
- 131. Prabakara Raj, S.R., Ravindran, B.: Incremental constrained clustering: A decision theoretic approach. In: Pacific-Asia Conference on Knowledge Discovery and Data Mining. pp. 475–486 (2013). https://doi.org/10.1007/978-3-642-40319-4_41
- 132. Rangapuram, S.S., Hein, M.: Constrained 1-spectral clustering. In: Artificial Intelligence and Statistics. pp. 1143–1151 (2012)
- 133. Ren, Y., Hu, K., Dai, X., Pan, L., Hoi, S.C., Xu, Z.: Semi-supervised deep embedded clustering. Neurocomputing 325, 121-130 (2019), https://www.sciencedirect.com/science/article/pii/S0925231218312049?via%3Dihub
- 134. Rutayisire, T., Yang, Y., Lin, C., Zhang, J.: A modified cop-kmeans algorithm based on sequenced cannot-link set. In: International Conference on Rough Sets and Knowledge Technology. pp. 217–225 (2011). https://doi.org/10.1007/978-3-642-24425-4_30
- 135. Sadjadi, S., Mashayekhi, H., Hassanpour, H.: A two-level semi-supervised clustering technique for news articles. International Journal of Engineering **34**(12), 2648–2657 (2021). https://doi.org/10.5829/IJE.2021.34.12C.10
- 136. Shental, N., Bar-hillel, A., Hertz, T., Weinshall, D.: Computing gaussian mixture models with EM using equivalence constraints. In: Advances in Neural Information Processing Systems (NIPS). pp. 465–472 (2003)
- 137. Shukla, A., Cheema, G.S., Anand, S.: Semi-supervised clustering with neural networks. In: 2020 IEEE Sixth International Conference on Multimedia Big Data (BigMM). pp. 152–161 (2020). https://doi.org/10.1109/BigMM50055. 2020.00030
- 138. Smieja, M., Struski, L., Figueiredo, M.A.: A classification-based approach to semi-supervised clustering with pairwise constraints. Neural Networks 127, 193–203 (2020). https://doi.org/10.1016/j.neunet.2020.04.017

- 139. Srivastava, A., Zou, J., Sutton, C.: Clustering with a reject option: Interactive clustering as bayesian prior elicitation. arXiv (2016). https://doi.org/10.48550/arXiv.1602.06886
- 140. Tan, W., Yang, Y., Li, T.: An improved COP-KMeans algorithm for solving constraint violation. In: Computational Intelligence: Foundations and Applications, pp. 690–696 (2010). https://doi.org/10.3233/FI-2013-883
- 141. Tang, W., Xiong, H., Zhong, S., Wu, J.: Enhancing semi-supervised clustering: A feature projection perspective. In: Proceedings of the 13th ACM SIGKDD international conference on Knowledge discovery and data mining. pp. 707–716 (2007). https://doi.org/10.1145/1281192.1281268
- 142. Tang, W., Yang, Y., Zeng, L., Zhan, Y.: Size constrained clustering with MILP formulation. IEEE Access 8, 1587–1599 (2019). https://doi.org/10.1109/ACCESS. 2019.2962191
- 143. Tian, J., Ren, Y., Cheng, X.: Stratified feature sampling for semi-supervised ensemble clustering. IEEE Access 7, 128669–128675 (2019). https://doi.org/10.1109/ACCESS.2019.2939581
- 144. Tian, T., Zhang, J., Lin, X., Wei, Z., Hakonarson, H.: Model-based deep embedding for constrained clustering analysis of single cell RNA-seq data. Nature communications 12(1), 1–12 (2021). https://doi.org/10.1038/s41467-021-22008-3
- 145. Tichỳ, L., Chytrỳ, M., Botta-Dukát, Z.: Semi-supervised classification of vegetation: Preserving the good old units and searching for new ones. Journal of Vegetation Science **25**(6), 1504–1512 (2014). https://doi.org/10.1111/jvs.12193
- 146. Tung, A.K., Han, J., Lakshmanan, L.V., Ng, R.T.: Constraint-based clustering in large databases. In: International Conference on Database Theory. pp. 405–419 (2001). https://doi.org/10.1007/3-540-44503-X_26
- 147. Tuzel, O., Porikli, F., Meer, P.: Kernel methods for weakly supervised mean shift clustering. In: IEEE 12th International Conference on Computer Vision. pp. 48–55 (2009). https://doi.org/10.1109/ICCV.2009.5459204
- 148. Vilhagra, L.A., Fernandes, E.R., Nogueira, B.M.: TextCSN: A semi-supervised approach for text clustering using pairwise constraints and convolutional siamese network. In: Proceedings of the 35th Annual ACM Symposium on Applied Computing. pp. 1135–1142 (2020). https://doi.org/10.1145/3341105.3374018
- 149. Vouros, A., Vasilaki, E.: A semi-supervised sparse K-means algorithm. Pattern Recognition Letters 142, 65-71 (2021). https://doi.org/10.1016/j.patrec. 2020.11.015
- 150. Vu, V.V., Labroche, N.: Active seed selection for constrained clustering. Intelligent Data Analysis 21(3), 537–552 (2017). https://doi.org/10.3233/IDA-150499
- 151. Wagstaff, K., Cardie, C.: Clustering with instance-level constraints. In: Proceedings of the Seventeenth International Conference on Machine Learning. pp. 1103–1110 (2000). https://doi.org/10.5555/645529.658275
- 152. Wagstaff, K., Cardie, C., Rogers, S., Schrödl, S.: Constrained K-means clustering with background knowledge. In: Proceedings of the Eighteenth International Conference on Machine Learning (ICML). pp. 577–584 (2001). https://doi.org/10.5555/645530.655669
- 153. Wang, Q., Yuen, P.C., Feng, G.: Semi-supervised metric learning via topology preserving multiple semi-supervised assumptions. Pattern Recognition 46(9), 2576–2587 (2013). https://doi.org/10.1016/j.patcog.2013.02.015
- 154. Wang, X., Davidson, I.: Active spectral clustering. In: 2010 IEEE International Conference on Data Mining. pp. 561–568 (2010). https://doi.org/10.1109/ICDM. 2010.119

- 155. Wang, X., Davidson, I.: Flexible constrained spectral clustering. In: Proceedings of the 16th ACM SIGKDD international conference on Knowledge discovery and data mining. pp. 563–572 (2010). https://doi.org/10.1145/1835804.1835877
- 156. Wang, X., Qian, B., Davidson, I.: On constrained spectral clustering and its applications. Data Mining and Knowledge Discovery **28**(1), 1–30 (2014). https://doi.org/10.1007/s10618-012-0291-9
- 157. Wang, Y., Pan, Y.: Semi-supervised consensus clustering for gene expression data analysis. BioData mining 7(1), 1–13 (2014). https://doi.org/10.1186/1756-0381-7-7
- 158. Whang, J.J., Du, R., Jung, S., Lee, G., Drake, B.L., Liu, Q., Kang, S., Park, H.: MEGA: Multi-view semi-supervised clustering of hypergraphs. In: Proceedings of the VLDB Endowment. pp. 698–711 (2020). https://doi.org/10.14778/3377369.3377378
- 159. Wu, B., Zhang, Y., Hu, B.G., Ji, Q.: Constrained clustering and its application to face clustering in videos. In: Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition. pp. 3507–3514 (2013). https://doi.org/10.1109/ CVPR.2013.450
- 160. Xia, K., Gu, X., Zhang, Y.: Oriented grouping-constrained spectral clustering for medical imaging segmentation. Multimedia Systems 26(1), 27–36 (2020). https://doi.org/10.1007/s00530-019-00626-8
- 161. Xian, G.: Cyber intrusion prevention for large-scale semi-supervised deep learning based on local and non-local regularization. IEEE Access 8, 55526–55539 (2020). https://doi.org/10.1109/ACCESS.2020.2981162
- 162. Xiao, W., Yang, Y., Wang, H., Li, T., Xing, H.: https://doi.org/10.1016/j.neucom.2015.09.009
- 163. Xing, E., Jordan, M., Russell, S.J., Ng, A.: Distance metric learning with application to clustering with side-information. In: Advances in neural information processing systems. pp. 521–528 (2002). https://doi.org/10.5555/2968618.2968683
- 164. Yan, R., Zhang, J., Yang, J., Hauptmann, A.G.: A discriminative learning framework with pairwise constraints for video object classification. IEEE Transactions on Pattern Analysis and Machine Intelligence 28(4), 578–593 (2006). https://doi.org/10.1109/TPAMI.2006.65
- 165. Yan, S., Wang, H., Li, T., Chu, J., Guo, J.: Semi-supervised density peaks clustering based on constraint projection. International Journal of Computational Intelligence Systems 14(1), 140–147 (2021). https://doi.org/10.2991/ijcis.d. 201102.002
- 166. Yang, F., Li, T., Zhou, Q., Xiao, H.: Cluster ensemble selection with constraints. Neurocomputing 235, 59-70 (2017). https://doi.org/10.1016/j.neucom.2017. 01.001
- 167. Yang, T., Pasquier, N., Precioso, F.: Semi-supervised consensus clustering based on closed patterns. Knowledge-Based Systems 235, 107599 (2022). https://doi. org/10.1016/j.knosys.2021.107599
- 168. Yang, W., Wang, X., Lu, J., Dou, W., Liu, S.: Interactive steering of hierarchical clustering. IEEE Transactions on Visualization and Computer Graphics **27**(10), 3953–3967 (2020). https://doi.org/10.1109/TVCG.2020.2995100
- 169. Yang, W., Wang, X., Lu, J., Dou, W., Liu, S.: Interactive steering of hierarchical clustering. IEEE Transactions on Visualization and Computer Graphics 27(10), 3953–3967 (2020). https://doi.org/10.1109/TVCG.2020.2995100
- 170. Yang, Y., Tan, W., Li, T., Ruan, D.: Consensus clustering based on constrained self-organizing map and improved Cop-Kmeans ensemble in intelligent decision

- support systems. Knowledge-Based Systems **32**, 101-115 (2012). https://doi.org/10.1016/j.knosys.2011.08.011
- 171. Yang, Y., Teng, F., Li, T., Wang, H., Wang, H., Zhang, Q.: Parallel semi-supervised multi-ant colonies clustering ensemble based on mapreduce methodology. IEEE Transactions on Cloud Computing 6(3), 857–867 (2015). https://doi.org/10.1109/TCC.2015.2511724
- 172. Yi, J., Jin, R., Jain, S., Yang, T., Jain, A.: Semi-crowdsourced clustering: Generalizing crowd labeling by robust distance metric learning. Advances in neural information processing systems 25 (2012)
- 173. Yin, X., Chen, S., Hu, E., Zhang, D.: Semi-supervised clustering with metric learning: An adaptive kernel method. Pattern Recognition 43(4), 1320–1333 (2010)
- 174. Yu, Z., Kuang, Z., Liu, J., Chen, H., Zhang, J., You, J., Wong, H.S., Han, G.: Adaptive ensembling of semi-supervised clustering solutions. IEEE Transactions on Knowledge and Data Engineering 29(8), 1577–1590 (2017). https://doi.org/10.1109/TKDE.2017.2695615
- 175. Yu, Z., Luo, P., You, J., Wong, H.S., Leung, H., Wu, S., Zhang, J., Han, G.: Incremental semi-supervised clustering ensemble for high dimensional data clustering. IEEE Transactions on Knowledge and Data Engineering 28(3), 701–714 (2016). https://doi.org/10.1109/TKDE.2015.2499200
- 176. Yu, Z., Wongb, H.S., You, J., Yang, Q., Liao, H.: Knowledge based cluster ensemble for cancer discovery from biomolecular data. IEEE transactions on nanobioscience 10(2), 76–85 (2011). https://doi.org/10.1109/TNB.2011.2144997
- 177. Zhan, J., Mao, J., Liu, Y., Guo, J., Zhang, M., Ma, S.: Learning discrete representations via constrained clustering for effective and efficient dense retrieval. In: Proceedings of the Fifteenth ACM International Conference on Web Search and Data Mining (WSDM). pp. 1328–1336 (2022). https://doi.org/10.1145/3488560.3498443
- 178. Zhang, H., Basu, S., Davidson, I.: A framework for deep constrained clustering Algorithms and advances. In: Joint European Conference on Machine Learning and Knowledge Discovery in Databases. pp. 57–72 (2019). https://doi.org/10.1007/978-3-030-46150-8_4
- 179. Zhang, T., Ando, R.K.: Analysis of spectral kernel design based semi-supervised learning. Advances in neural information processing systems 18, 1601–1608 (2005). https://doi.org/1783.1/98377
- 180. Zhang, X., Zheng, Y., Ye, X., Peng, Q., Wang, W., Li, S.: Clustering with implicit constraints: A novel approach to housing market segmentation. Transactions in GIS **26**(2), 585–608 (2022). https://doi.org/10.1111/tgis.12878
- 181. Zhang, Z.W., Jing, X.Y., Wang, T.J.: Label propagation based semi-supervised learning for software defect prediction. Automated Software Engineering 24(1), 47–69 (2017). https://doi.org/10.1007/s10515-016-0194-x
- Zhi, W., Wang, X., Qian, B., Butler, P., Ramakrishnan, N., Davidson, I.: Clustering with complex constraints Algorithms and applications. In: Proceedings of the Twenty-Seventh AAAI Conference on Artificial Intelligence. pp. 1056–1062 (2013)
- 183. Zhigang, C., Xuan, L., Fan, Y.: In: 2013 8th International Conference on Computer Science and Education. pp. 490–493