


Round Robin



☒ Use local time ☒ Enable query history ☒ Enable autocomplete ☒ Enable highlighting ☒ Enable linter

rate(http_request_duration_seconds_bucket[1m])



Execute

Load time: 8ms Resolution: 1s Result series: 12

Table Graph

1m

<

End time

>

Res. (s)



Show Exemplars




- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="1.0", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="1.0", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="1.0", method="GET")


Click to select series. CTRL + click to toggle multiple series.










Least connections












Ip Hash







Weighted round robin

Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

Q http_requests_total

Table Graph

Load time: 6ms Resolution: 1s Result series: 3

5m End time Res. (s) Show Exemplars

25.00
20.00
15.00
10.00
5.00
0.00

01:38:00 01:38:30 01:39:00 01:39:30 01:40:00 01:40:30 01:41:00 01:41:30 01:42:00 01:42:30

- http_requests_total(handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", method="GET", status="2xx")
- http_requests_total(handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", method="GET", status="2xx")
- http_requests_total(handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", method="GET", status="2xx")

☒ Use local time ☒ Enable query history ☒ Enable autocomplete ☒ Enable highlighting ☒ Enable linter

Q `rate(http_request_duration_seconds_bucket[1m])`

Execute

Load time: 7ms Resolution: 1s Result series: 12

Table Graph

1m

< End time >

Res. (s)



Show Exemplars



- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-1:8000", job="fastapi-app", le="1.0", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-2:8000", job="fastapi-app", le="1.0", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="+Inf", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="0.1", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="0.5", method="GET")
- ☒ (handler="/metrics", instance="log430-stock-3:8000", job="fastapi-app", le="1.0", method="GET")

Click to select series, CTRL + click to toggle multiple series





