

Segmentation sémantique en télédétection

GRETSI 2027

Martina PASTORINO^{1,2}, Gabriele MOSER², Josiane ZERUBIA¹

¹ Centre Inria d'Université Côte d'Azur, équipe AYANA

² Università di Genova, DITEN

Merci.



Références

- [1] R. O. DUDA et P. E. HART. *Pattern Classification and Scene Analysis*. Wiley, 1973.
- [2] P. H. SWAIN et S. M. DAVIS. *Remote Sensing : The Quantitative Approach*. McGraw-Hill, 1978.
- [3] J. A. RICHARDS. *Remote Sensing Digital Image Analysis*. Springer, 1986.
- [4] R. SCHOWENGERDT. *Remote Sensing : Models and Methods for Image Processing*. Academic Press, 2007.
- [5] D. A. LANDGREBE. *Signal Theory Methods in Multispectral Remote Sensing*. John Wiley & Sons, Ltd, 2003.
- [6] F. ULABY et D. LONG. *Microwave Radar and Radiometric Remote Sensing*. 1^{re} éd. Artech House, 2015.
- [7] P. M. MATHER. *Computer Processing of Remotely-Sensed Images*. Wiley, 2004.
- [8] G. HUGHES. « On the mean accuracy of statistical pattern recognizers ». In : *IEEE Transactions on Information Theory* 14.1 (1968), p. 55-63.
- [9] S. GEMAN et D. GEMAN. « Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images ». In : *IEEE Transactions on Pattern Analysis and Machine Intelligence* 6.6 (1984), p. 721-741.
- [10] J. BESAG. « On the statistical analysis of dirty pictures ». In : *Journal of the Royal Statistical Society : Series B* 48.3 (1986), p. 259-302.
- [11] A. H. S. SOLBERG, T. TAXT et A. K. JAIN. « A Markov random field model for classification of multisource satellite imagery ». In : *IEEE Transactions on Geoscience and Remote Sensing* 34.1 (1996), p. 100-113.
- [12] G. MOSER, S. B. SERPICO et J. A. BENEDIKTSSON. « Land-cover mapping by Markov modeling of spatial-contextual information in very-high-resolution remote sensing images ». In : *Proceedings of the IEEE* 101.3 (2013), p. 631-651.
- [13] V. N. VAPNIK. *Statistical Learning Theory*. Wiley, 1998.
- [14] C. CORTES et V. VAPNIK. « Support-vector networks ». In : *Machine Learning* 20 (1995), p. 273-297.
- [15] B. SCHÖLKOPF et A. J. SMOLA. *Learning with Kernels*. MIT Press, 2002.
- [16] G. CAMPS-VALLS et L. BRUZZONE. *Kernel Methods for Remote Sensing Data Analysis*. Wiley, 2009.
- [17] G. MOUNTRAKIS, J. IM et C. OGOLE. « Support vector machines in remote sensing : A review ». In : *ISPRS Journal of Photogrammetry and Remote Sensing* 66.3 (2011), p. 247-259.
- [18] L. BREIMAN. « Random forests ». In : *Machine Learning* 45.1 (2001), p. 5-32.
- [19] P. O. GISLASON, J. A. BENEDIKTSSON et J. R. SVEINSSON. « Random forests for land cover classification ». In : *Pattern Recognition Letters* 27.4 (2006), p. 294-300.
- [20] M. BELGIU et L. DRĂGUȚ. « Random forest in remote sensing : A review of applications and future directions ». In : *ISPRS Journal of Photogrammetry and Remote Sensing* 114 (2016), p. 24-31.

Références II

- [21] R. M. HARALICK, K. SHANMUGAM et I. DINSTEIN. « Textural features for image classification ». In : *IEEE Transactions on Systems, Man, and Cybernetics* 3.6 (1973), p. 610-621.
- [22] R. M. HARALICK et L. G. SHAPIRO. « Image segmentation techniques ». In : *Computer Vision, Graphics, and Image Processing* 29.1 (1985), p. 100-132.
- [23] T. BLASCHKE. « Object based image analysis for remote sensing ». In : *ISPRS Journal of Photogrammetry and Remote Sensing* 65.1 (2010), p. 2-16.
- [24] R. AZENCOTT et C. GRAFFIGNE. « Non-supervised segmentation using multi-level Markov random fields ». In : *11th IAPR International Conference on Pattern Recognition, Vol. III, Conference C : Image, Speech and Signal Analysis*. 1992, p. 201-204.
- [25] X. LI, H. ZHAO, X. HAN et al. « A survey of semantic segmentation ». In : *arXiv preprint arXiv:1412.7062* (2014).
- [26] G. CSURKA, D. LARLUS, F. PERRONNIN et F. MEYLAN. « What is a good semantic segmentation model ? A survey ». In : *International Journal of Computer Vision* (2023).
- [27] L. BRUZZONE et S. B. SERPICO. « An iterative technique for the detection of land-cover transitions in multitemporal remote-sensing images ». In : *IEEE Transactions on Geoscience and Remote Sensing* 35.4 (1997), p. 858-867.
- [28] L. BRUZZONE et S. B. SERPICO. « A neural-statistical approach to multitemporal and multisource remote-sensing image classification ». In : *IEEE Transactions on Geoscience and Remote Sensing* 37.3 (1999), p. 1350-1359.
- [29] Z. KATO et J. ZERUBIA. « Markov random fields in image segmentation ». In : *Foundations and Trends in Signal Processing* 5.1 (2012), p. 1-155.
- [30] S. KIRKPATRICK. « Optimization by simulated annealing : Quantitative studies ». In : *Journal of Statistical Physics* 34.5 (1984), p. 975-986.
- [31] Y. BOYKOV, O. VEKSLER et R. ZABIH. « Fast approximate energy minimization via graph cuts ». In : *IEEE Transactions on Pattern Analysis and Machine Intelligence* 23.11 (2001), p. 1222-1239.
- [32] K. TANAKA, J.-i. INOUE et D. M. TITTERINGTON. « Loopy belief propagation and probabilistic image processing ». In : *2003 IEEE XIII Workshop on Neural Networks for Signal Processing*. 2003, p. 329-338.
- [33] H. DERIN et H. ELLIOTT. « Modeling and segmentation of noisy and textured images using Gibbs random fields ». In : *IEEE Transactions on Pattern Analysis and Machine Intelligence* 9.1 (1987), p. 39-55.
- [34] G. MOSER et S. B. SERPICO. « Combining support vector machines and Markov random fields in an integrated framework for contextual image classification ». In : *IEEE Transactions on Geoscience and Remote Sensing* 51.5 (2013), p. 2734-2752.
- [35] J. LAFFERTY, A. MCCALLUM et F. PEREIRA. « Conditional random fields : Probabilistic models for segmenting and labeling sequence data ». In : *International Conference on Machine Learning (ICML)*. 2001.
- [36] P. KRÄHENBÜHL et V. KOLTUN. « Efficient inference in fully connected CRFs with Gaussian edge potentials ». In : *Advances in Neural Information Processing Systems (NeurIPS)*. 2011.

Références III

- [37] S. ZHENG, S. JAYASUMANA, B. ROMERA-PAREDES et al. « Conditional random fields as recurrent neural networks ». In : *IEEE International Conference on Computer Vision (ICCV)*. 2015.
- [38] M. PASTORINO, A. MONTALDO, L. FRONDA et al. « Multisensor and multiresolution remote sensing image classification through a causal hierarchical Markov framework and decision tree ensembles ». In : *Remote Sensing* 13.5 (2021), p. 849.
- [39] M. PASTORINO, G. MOSER, S. B. SERPICO et J. ZERUBIA. « Semantic segmentation of remote-sensing images through fully convolutional neural networks and hierarchical probabilistic graphical models ». In : *IEEE Transactions on Geoscience and Remote Sensing* 60 (2022), p. 1-16.
- [40] M. PASTORINO, G. MOSER, S. B. SERPICO et J. ZERUBIA. « CRFNet : A deep convolutional network to learn the potentials of a CRF for the semantic segmentation of remote sensing images ». In : *IEEE Transactions on Geoscience and Remote Sensing* (2024).
- [41] A. VOISIN, V. A. KRYLOV, G. MOSER et al. « Classification of very high resolution SAR images of urban areas using copulas and texture in a hierarchical Markov random field model ». In : *IEEE Geoscience and Remote Sensing Letters* 10.1 (2013), p. 96-100.
- [42] S. DELLEPIANE, D. D. GIUSTO, S. B. SERPICO et G. VERNAZZA. « SAR image recognition by integration of intensity and textural information ». In : *International Journal of Remote Sensing* 12.9 (1991), p. 1915-1932.
- [43] J. SERRA. *Image Analysis and Mathematical Morphology*. Academic Press, 1982.
- [44] P. SOILLE. *Morphological Image Analysis*. Springer, 2003.
- [45] J. A. BENEDIKTSSON, J. A. PALMASON et J. R. SVEINSSON. « Classification of hyperspectral data from urban areas based on extended morphological profiles ». In : *IEEE Transactions on Geoscience and Remote Sensing* 43.3 (2005), p. 480-491.
- [46] M. DALLA MURA, J. A. BENEDIKTSSON, B. WASKE et L. BRUZZONE. « Morphological attribute profiles for the analysis of very high resolution images ». In : *IEEE Transactions on Geoscience and Remote Sensing* (2010).
- [47] M. FAUVEL, J. A. BENEDIKTSSON, J. CHANUSSOT et J. R. SVEINSSON. « Spectral and spatial classification of hyperspectral data using SVMs and morphological profiles ». In : *IEEE Transactions on Geoscience and Remote Sensing* 46.11 (2008), p. 3804-3814.
- [48] A. PLAZA, J. A. BENEDIKTSSON, J. W. BOARDMAN et al. « Recent advances in techniques for hyperspectral image processing ». In : *Remote Sensing of Environment* 113 (2009), S110-S122.
- [49] G. CAMPS-VALLS, D. TUIA, L. BRUZZONE et J. A. BENEDIKTSSON. « Advances in hyperspectral image classification ». In : *IEEE Signal Processing Magazine* (2014).
- [50] Y. TARABALKHA, J. A. BENEDIKTSSON et J. CHANUSSOT. « Spectral-spatial classification of hyperspectral imagery based on partitional clustering techniques ». In : *IEEE Transactions on Geoscience and Remote Sensing* 47.8 (2009), p. 2973-2987.
- [51] D. MUMFORD et J. SHAH. « Optimal approximations by piecewise smooth functions and associated variational problems ». In : *Communications on Pure and Applied Mathematics* 42.5 (1989), p. 577-685.

Références IV

- [52] C. SAMSON, L. BLANC-FÉRAUD, G. AUBERT et J. ZERUBIA. « A variational model for image classification and restoration ». In : *IEEE Transactions on Pattern Analysis and Machine Intelligence* 22.5 (2000), p. 460-472.
- [53] M. KASS, A. WITKIN et D. TERZOPOULOS. « Snakes : Active contour models ». In : *International Journal of Computer Vision* 1.4 (1988), p. 321-331.
- [54] S. OSHER et J. A. SETHIAN. « Fronts propagating with curvature-dependent speed : Algorithms based on Hamilton–Jacobi formulations ». In : *Journal of Computational Physics* 79.1 (1988), p. 12-49.
- [55] T. F. CHAN et L. A. VESE. « Active contours without edges ». In : *IEEE Transactions on Image Processing* 10.2 (2001), p. 266-277.
- [56] A. KRIZHEVSKY, I. SUTSKEVER et G. E. HINTON. « ImageNet classification with deep convolutional neural networks ». In : *Advances in Neural Information Processing Systems (NeurIPS)*. 2012.
- [57] Y. CHEN, Z. LIN, X. ZHAO et al. « Deep learning-based classification of hyperspectral data ». In : *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 7.6 (2014), p. 2094-2107.
- [58] M. CASTELLUCCIO, G. POGGI, C. SANSONE et L. VERDOLIVA. « Land use classification in remote sensing images by convolutional neural networks ». In : *arXiv preprint arXiv:1508.00092* (2015).
- [59] J. LONG, E. SHELHAMER et T. DARRELL. « Fully convolutional networks for semantic segmentation ». In : *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. 2015, p. 3431-3440.
- [60] M. PASTORINO, G. MOSER, S. B. SERPICO et J. ZERUBIA. « Probabilistic graphical models meet deep learning for semantic segmentation : Mathematical connections and recent developments ». In : *IEEE Signal Processing Magazine* 43.2 (2026), p. 51-63.
- [61] O. RONNEBERGER, P. FISCHER et T. BROX. « U-Net : Convolutional networks for biomedical image segmentation ». In : *Medical Image Computing and Computer-Assisted Intervention (MICCAI)*. 2015, p. 234-241.
- [62] N. AUDEBERT, B. LE SAUX et S. LEFÈVRE. « Beyond RGB : Very high resolution urban remote sensing with multimodal deep networks ». In : *ISPRS Journal of Photogrammetry and Remote Sensing* 140 (2018), p. 20-32.
- [63] Z. ZHANG, Q. LIU et Y. WANG. « Road extraction by deep residual U-Net ». In : *IEEE Geoscience and Remote Sensing Letters* 15.5 (2018), p. 749-753.
- [64] F. ISIKDOGAN, A. C. BOVIK et P. PASSALACQUA. « Surface water mapping by deep learning ». In : *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 10.11 (2017), p. 4909-4918.
- [65] K. HE, X. ZHANG, S. REN et J. SUN. « Deep residual learning for image recognition ». In : *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. 2016, p. 770-778.
- [66] L.-C. CHEN, G. PAPANDREOU, F. SCHROFF et H. ADAM. « Rethinking atrous convolution for semantic image segmentation ». In : *arXiv preprint arXiv:1706.05587* (2017).

Références V

- [67] L.-C. CHEN, Y. ZHU, G. PAPANDREOU et al. « Encoder-decoder with atrous separable convolution for semantic image segmentation ». In : *European Conference on Computer Vision (ECCV)*. 2018, p. 801-818.
- [68] T.-Y. LIN, P. DOLLÁR, R. GIRSHICK et al. « Feature pyramid networks for object detection ». In : *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. 2017, p. 2117-2125.
- [69] L. MA, Y. LIU, X. ZHANG et al. « Deep learning in remote sensing applications : A meta-analysis and review ». In : *ISPRS Journal of Photogrammetry and Remote Sensing* 152 (2019), p. 166-177.
- [70] A. VASWANI, N. SHAZEER, N. PARMAR et al. « Attention is all you need ». In : *Advances in Neural Information Processing Systems (NeurIPS)*. 2017.
- [71] A. DOSOVITSKIY et al. « An image is worth 16x16 words : Transformers for image recognition at scale ». In : *International Conference on Learning Representations (ICLR)*. 2021.
- [72] Z. LIU, Y. LIN, Y. CAO et al. « Swin transformer : Hierarchical vision transformer using shifted windows ». In : *IEEE International Conference on Computer Vision (ICCV)*. 2021, p. 10012-10022.
- [73] E. XIE, W. WANG, Z. YU et al. « SegFormer : Simple and efficient design for semantic segmentation with transformers ». In : *Advances in Neural Information Processing Systems (NeurIPS)*. 2021.
- [74] K. HE, X. CHEN, S. XIE et al. « Masked autoencoders are scalable vision learners ». In : *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. 2022, p. 16000-16009.
- [75] C. BROWN, M. KAZMIERSKI, V. PASQUARELLA et al. « AlphaEarth Foundations : An embedding field model for accurate and efficient global mapping from sparse label data ». In : *arXiv preprint arXiv:2507.22291* (2025).
- [76] Y. CONG, S. KHANNA, C. MENG et al. « SatMAE : Pre-training transformers for temporal and multi-spectral satellite imagery ». In : *Advances in Neural Information Processing Systems (NeurIPS)*. 2022.
- [77] J. JAKUBIK et al. « Foundation models for geospatial artificial intelligence ». In : *arXiv preprint arXiv:2310.18660* (2023).
- [78] D. WANG, J. ZHANG, B. DU et al. « An empirical study of remote sensing pretraining ». In : *IEEE Transactions on Geoscience and Remote Sensing* (2023).
- [79] A. KIRILLOV, E. MINTUN, N. RAVI et al. « Segment anything ». In : *IEEE International Conference on Computer Vision (ICCV)*. 2023, p. 4015-4026.