

MINDBREEZE INSPIRE

WWW.MINDBREEZE.COM

ABOUT ME



Patrick Geschwentner Customer Success Manager



Mindbreeze GmbH

Honauerstrasse 2 t: +43.732.606162-620 4020 Linz, Austria f: +43.732.606162-609

www.mindbreeze.com e: patrick.geschwentner@mindbreeze.com



AND YOU?

- What's your name, where are you coming from?
- What is your profession?
- You have experience with search?
- You have experience with coding, administrating, Linux,...?
- You want to share some of your interests/hobbies?



Agenda

- Web Connector
- Search
- Semantics
- Search Apps
- 360 Degree Workshop

Information and Training documentation

All the training information will be put into a secure Fabasoft Cloud Teamroom



Mindbreeze InSpire Training

Infrastructure



RDP Connection

- Open RDP connection
 - 192.84.221.166
 - Username: trainX (X== number you get from the trainer)
 - Password: Faba8888
- ATTENTION: Please always logout before exiting the RDP-App



Training

- Laptop
 - Username: .\mindbreeze
 - Password: Faba8888
- Appliance
 - Name: https://try.inspire.mindbreeze.com:8443
 - Username: admin
 - Password: Appliance123



Important Sources for you

- Mindbreeze Website
- Mindbreeze Help Site
- Mindbreeze FAQ
- Mindbreeze Developer
- Social Media
 - Twitter
 - Facebook



Web connector



Choose which pages to index

- Crawling Root(s)
- URL Exclude Pattern
 - Pages are not downloaded
 - No link following
 - Example: Javascript, CSS, ...
- Exclude URLs from Filtering
 - Pages are downloaded
 - Link following
 - Examples: product listings, blog categories, ...
- Exclude Tags From Content:
 - Remove elements from content
 - Examples:
 - Header, Footer, ...
 - if content area cannot be matched



Sitemap

- Allows for efficient delta indexing
- Short index runs
- Short interval



Metadata

- XPath + Entity Recognition
- XPath examples:
 - //div[@id='content']
 - //div[@class='breadcrumbs']//a
 - //div[contains(@class, 'breadcrumbs']//a
- Test in Chromium Browser using \$x("<XPath>")
 - Warning: the browser executes JavaScript, the Filter Plugin does not



Metadata

- Title: only the first matching element is used
 - In document order
 - Default: h1, title, file name
- Content:
 - Every matching element



Metadata

- mesthumbnailurl => Type: Url, for instnace //img/@src
- breadcrumbs
- mes:date => Typ: Date
 - Format: 3. Jänner 2015 => d. MMMM yyyy&de-AT
 - Format: 3. Januar 2015 => d. MMMM yyyy&de-DE
 - Java SimpleDateFormat



Best Practices

- Exclude elements that are contained on every page
 - Menus
 - Footer
 - Header
- Use breadcrumbs
 - If they are implemented
 - Otherwise active menu entries



Crawling Root: https://www.udacity.com/sitemap.xml



• Name: time

XPath: //li[h6[contains(text(),'Time')]]//h5

• **Format**: String



- Name: classroomopens
- XPath: //li[h6[contains(text(),'Classroom')]]//h5
- Format: Date
- Format Options: MMMM dd, yyyy



• Name: prerequisites

• **XPath**: //li[h6[contains(text(),'Prerequisites')]]//h5

• **Format**: String



• Name: salary

XPath: //li[h6[contains(text(),'Salary')]]//h5

• **Format**: String



- Name: mesthumbnailurl
- XPath: //div[contains(@class,'features')]//img[contains(@src,'png') or contains (@src,'jpg')]|//div[contains(@class,'contain')]/*/img[contains(@src,'png') or contains (@src,'jpg')]//@src
- Format: Url



Google on/of

<!--googleoff: all-->

I do not want to index this content

<!--googleon: all-->

Thats what I want

<!--googleoff: all-->

Please Ignore the rest

Web Connector: Extract the main content of HTML sites


Crawling sites such as news sites often indexes useless content like menus or footers. Now you can enable an alternative extraction mode that uses heuristics to detect only useful main content.

→ You do not need to define extensive XPath rules anymore

Documentation: https://help.mindbreeze.com/en/?topic=doc/Configuration---Web-Connector/index.htm#extract-main-content-with-alternative-filter-mode



Web Connector: Extract the main content of HTML sites



Search



Training

- https://try.inspire.mindbreeze.com/apps/client
- Login: david.porter; mindbreeze



Components of the client

- Restriction
- Search
- Facets
- Context actions
- Notifications

- https://www.mindbreeze.com/Cheat_Sheet.html
- Case insensitive
- Sof
 - Starts of words with 3 letters
 - Whole words
 - Part of title with 3 letters
- Hits: **soft**, **Software**, im Titel auch: Micro**sof**t



- mindbreeze ins
 - Both terms must occur
 - Order does not matter
- Hits: Mindbreeze... InSpire, insurance ... Mindbreeze



Quotes: "mindbreeze inspire"

Query for exact words and phrases

Hits: The European Enterprise Search Appliance | Mindbreeze InSpire

blog extension:html

All html documents that contain blog

Hits: https://www.mindbreeze.com/blog/search-information-access-as-easy-as-1-2-3.html... blog



"insurance" AND "classify"

Hits: Companies in the **insurance** industry don't...and can automatically **classify** it

("insurance" OR "pattern") AND "classify"

Hits:

Companies in the **insurance** industry don't...and can automatically **classify** it

Classifying by identifying patterns



perfect NEAR service

Words must be in short distance Hits: **Perfect** community **service**

service NOT blog

Documents must not contain blog



• (a AND b) OR (c AND d)

Precendence without parantheses: NEAR, NOT, AND, OR

- content:2011 TO 2013
- mes:size:[1KB TO 4KB]

Ranges with units



mes:date:[2015-01-01 TO 2015-12-31]

date range

(url:blog^2.0 OR Mindbreeze^0.5) AND "service"

Boost blog matches by a factor of 2 and negative boost Mindbreeze by factor 0.5



Query Language

• title:Integration ...metadata, value

all Metadata < metadata >: < value>

Name	Metadata	Description	Availability
Name	title	Query for title	All connectors
Extension	extension	Query for extension	All connectors
Directory	directory	Query for directory	Filesystem, Exchange
Subject	subject	Query for subject	Exchange



Query Language

• title:Integration from:bauernf extension:doc

combinable

Name	Metadata	Description	Availability
From	from	Query for senders	Exchange
То	to	Query for recipients	Exchange
Address	url	Query for URL of a document	Web
	content	Query for content	All connectors



Client Service

- Query Engines to search
- HTTP(s) Port: 443
- URL of Help-Website: tailored page or <u>https://www.mindbreeze.com/Cheat_Sheet.html</u>
- Language



Find out existing Metadata

- "Export"-button at the clientservice in comination with categorydescriptors
- "documents" Servlet at the unrestricted privileged servlets
 - Find out docid: https://inspiretrain:8443/index/<Indexport>/find
 - Find out metadata: https://inspiretrain:8443/index/<Indexport>/documents



How to start: Know your use cases

- Which data sources?
 - Folio
 - Microsoft Exchange
 - Filesystem
 - Share Point (2007-2013)
 - •

Preconditions

- Service user must have full-read-access to
 - File shares
 - Microsoft Exchange
 - Microsoft SharePoint
 - Fabasoft Folio
 - •

Preconditions

- More (Authentication,..)
 - Preparations



Mindbreeze InSpire – Search Appliance

• 500K

small Appliance, big Appliance, more than one big Appliance

- 1M
- 2M
- 5M
- 10M
- 20M,...

Authorization

- AuthorizedWeb vs. Web
- CN of users or groups with sitemap or url-backreferences



Semantics



Semantics

- Entity Recognition
 - Recognizes patterns
 - Partial Index rebuild necessary (reinvertation)
 - Add custom metadata
 - Use existing metadata as foundation
 - Use CategoryDescriptor and/or Information Pairing to display
 - E.g. product numbers, order numbers, dates

Semantics

- Pattern Rules
- Examples
 - lang=/(de|en)/.
 - langInTitle=/-/ lang /\$/.
 - If Rule Matches: langInTitle
 - Name: shortlang => add to Aggregated Metadata Keys as well
 - Value: {{lang}}
 - Format: String
 - In Existing Metadata: title
 - Date=/\d\d.\d\d\d\d\d\.
 - DateString=/am / Date.



Metadata Definition

- If Rule Matches definition is used if Pattern Rule matches
- Name Name for the metadata
- **Value** Mustache template for constructing the value, use names of rules
 - e.g. {{Date}}
- Format Data type
- **Format Options** Date format
- **Locale** e.g. for dates
- In Existing Metadata Only apply if rule matches in existing metadata



CSV Transformation

- Map values to different values
- Example
 - CSV File Path: /data/transform/languages.csv
 - If Expression Matches: {{ShortName}}
 - In Property: shortlang
 - Name: Language => add to Aggregated Metadata Keys as well
 - Value: {{FullName}}




Search Apps



The context is crucial

Contextualization

- Location-dependent content
- Personalized content
- Consideration of time/meetings
- Considering my Input device and the Available functions
- Consideration of form factors



Search Apps

- Tailored to users tasks
- Simple templates
- Implement search everywhere HTML is possible, e.g.
 - Microsoft SharePoint
 - Website
 - Mobile App
 - ...

Editor

- <Client Service URL>/apps/editor
- Generates Snippet
 - Copy & Paste
 - Adaptable
 - Save



Mustache Templates

Highlighting

```
{{{xyz}}} display property xyz including highlighting, try to find best representation display property xyz without highlighting
```



lf

```
{{#xyz?}}...{{/xyz?}} if xyz defined

{{^xyz?}}...{{/xyz?}} if xyz not defined

{{#xyz.abc?}}...{{/xyz.abc?}} if the value of xzy is abc
```

Loops

```
{{#xyz}}...{{/xyz}} iterate xyz
```

Mustache

```
{{xyz}}} isplay property xyz including highlighting, try to find best representation
{{xyz}} display property xyz without highlighting

{{#xyz?}}...{{/xyz?}} if xyz defined

{{^xyz?}}...{{/xyz?}} if xyz not defined

{{#xyz.abc?}}...{{/xyz.abc?}} if the value of xzy is abc

{{#xyz}}...{{/xyz}} iterate xyz
```



SearchApp Styling

CSS Framework

Bootstrap 2.2.2 http://getbootstrap.com/2.2.2/



Main Structure

http://getbootstrap.com/2.2.2/scaffolding.html#fluidGridSystem

.container .row-fluid

.span9

.span3



Search Field

form.search-field

input

button



Results

media object component (http://getbootstrap.com/2.2.2/components.html#media):

.media

.media-heading

h3

.media-object

.media-body



Filters

Stacked pills-component (http://getbootstrap.com/2.2.2/components.html#navs):

.nav.nav-stacked.nav-pills

The header of each filter is an h3 element.



Collapsible

- ARIA role tablist + multiselectable (http://www.w3.org/TR/wai-aria/roles#tablist)
- Title collapsed
 - .mb-role[role=tablist][aria-multiselectable=true][role=tab]
- Title opened
 - .mb-role[role=tablist][aria-multiselectable=true] [role=tab][aria-expanded=true]



Tabs

Basic Navbar component (http://getbootstrap.com/2.2.2/components.html#navbar)

.navbar .nav



Header

Basic Navbar component (http://getbootstrap.com/2.2.2/components.html#navbar)

.mb-header.navbar.navbar-inverse .mb-top-menu .nav




.mb-computing is added while searching

```
.mb-progress-indicator {
 display: none;
.mb-computing .mb-progress-indicator {
 display: block;
```

SearchApp Widgets

applists





breadcrumb

Refinement

Living Room



collect

Collected Results

-	Manual	MIDA	DemoData	•
8	Manual	IVILEA	Demodala	0

constraints

Refinement













Task

Note

Post



datasources

Sources












dribbble



Web



inputdate



feedbackbutton

feedback



Activate the feedbackbutton at the clientservice

Fabasoft app.telemetry Web API URL

http://localhost/web.telemetry




filteredfacets





filteredfacet



map






pagination

Load more results

charts





preview



Datum: 22.10.13 09:42

Die futurezone at zählt mit über 1 Million Visits pro Monat zu den führenden Technologie-Newsportalen in Osterreich. Themen aus Politik: Wintschaft und IT werden kompalat aufbereitet und den Leserinnen und Lesern zur Verfügung gestellt. Die Inhalte ändern sich mehrmals am Tag oft sogar mehrmals pro Stunde. Permanente Aktualität der Sucherpebnisse ist damit ein wesentlicher Erfolgsfaktor. Um sich von den Mitbewerbern mit einer professionellen Suche abzufeben, wurden markführende Suchlösungen evaluiert. Es wurde eine Losung gesucht, die nicht nur benutzerferundlich ist, sondem den Leserinnen und Lesern der futurezone at auch einen Mehrwert im Vergleich zur eingesetzten Suche bietet.

Aufgabenstellung

Das Portal nutzte ursprünglich Google als Suche auf der Website. Diese lieferte zwar Treffer aber oft ohne erwarteten Mehrwert für den Leser. Die einfache Auflistung von Suchergebnissen war der futurezone at als Lesersenice zu wenig. Daher entschied das Management Mindbreeze InSite zu implementieren, um den Website-Besuchern einem Mehrwert bieten zu können und den Lesersenice zu steigern.

"Als österreichisches Technologie-Portal

freut es mich, eine österreichische Suche

auf der futurezone integrieren zu können.

Es passt perfekt zu unserem Konzept,

vor allem österreichische Ideen und

Firmen vor den Vorhang zu bitten. Mit

Mindbreeze haben wir nun einen der

führenden Suchmaschinen-Entwickler als



results



Mindbreeze 3.0.pdf

Open - Download - Preview - Collect

1/29/08 9:23 PM - Directory: Handbuch - Folder - Size: 1.29 MB - Extension: pdf

www.mindbreeze.com KNOWLEDGE IN...meet this challenge Mindbreeze Enterprise Search enables...software solution. The Mindbreeze Enterprise Search Platform

Memorina de America de Conseguir de Consegui

Market on transpare is the information and transpare in the other country light of the countr

MINDBREEZE.doc

Open - Download - Preview - Collect

2/26/08 4:56 PM - Directory: Marketing - Size: 46 kB - Extension: doc - Title: MINDBREEZE - KNOWLEDGE IN A MATTER... -

Author: Sabrina - Version: 3 - Pages: 5 - Words: 1594 - Characters: 10047

MINDBREEZE – KNOWLEDGE IN...zu meistern, unterstützt Mindbreeze Enterprise Search

Firmen...zu organisieren. Die Mindbreeze Enterprise Search Plattform



Mustache example: result

```
<script type="text/x-mustache-template">
  <h3>{{{icon}}} {{{title}}}</h3>

    {{{content}}}

</script>
```

resultsprogress

23%



savedsearches

Gespeicherte Suchen

Speichern Sie Ihre Suche mit

Reports letzte Woche

Ŵ

Meine Dokumente





searchform





searchinfo

No results found

Did you mean: pdf



sortswitch

Sortieren nach

Relevanz • JA Z

stack



suggest



customized suggests

Suggest Settings				
Enable <mark>Suggest</mark> ing of Similar Queries		Enable suggestions of similar queries from the App.Telemetry database.		
Enable <mark>Suggest</mark> ing from CSV File		Enable Suggestions of Concepts from a CSV File.		
Enable <mark>suggest</mark> ions of Tabs	€	Enable Suggestions of Tabs to search for the current search term in all available tabs.		
Enable <mark>Suggest</mark> ions of Document Property	€	Enable Suggestions of Document Property to provide suggestions from metadata.		
Enable <mark>Suggest</mark> ions of Recent Queries		Enable <mark>Suggest</mark> ions of Recent Queries to provide <mark>suggest</mark> ions from the last searches.		

tabs

Alles Documents Wikipedia (Deutsch)




timeline





suggestlist



view

<div data-template="view" data-count="5">...</div>

<div data-template="view" data-count="5" dataconstraint="extension:pdf">...</div>



Category

- Category for every data source type
 (EMC Documentum, Microsoft Exchange, ...)
- CategoryInstance for every data source (\\MYSERVER\SHARE, ...)
- CategoryClass categories of documents

(Email, Contact, Appointment, ...)



Documentation and Support

- http://help.mindbreeze.com
- https://tickets.mindbreeze.com
- answers.mindbreeze.com
- developer.mindbreeze.com



Contact & News

- Contact
 - support@fabasoft.com /
 - info@mindbreeze.com
- News
 - blog.mindbreeze.com
 - twitter.com/mindbreeze
 - facebook.com/mindbreeze
 - youtube.com/Mindbreeze
 - answers.mindbreeze.com





Please provide Feedback

• URL in teamroom



Copyright/Disclaimer

Copyright © Mindbreeze GmbH, 4020 Linz, Austria, 2020.

All rights reserved. All hardware and software names used are trade names and/or brand names of the respective manufacturer.

Fabasoft accepts in this document no explicit or implicit responsibilities, in particular not as regards the completeness and correctness of the document.

This presentation contains forward looking statements, including information using the words "believe", "assume", "expect" or formulations with a similar meaning. Such forward-looking statements comprise known and unknown risks, uncertainties and other factors, that can result in the fact that the real results, development, financial situation or achievements deviate considerably form those assumed implicitly or explicitly in those statements. These factors among other things include: competition through other companies, effects or risks of new software and technology, the company's ongoing capital needs, financing costs, changes in the operating expenses, engaging and keeping of qualified employees, disadvantageous changes in the applicable fiscal law, riots, cause beyond control, acts of war and other in this presentation named factors. In connection with these uncertainties investors should not rely on those forward-looking statements. The company does not accept any responsibilities, to comply with those forward-looking statements in the future or to adjust them to future events or developments.

E&OE.

