

User Manual — Phoenix Cell G-NEEX 1.7

Phoenix Cell G-NEEX is developed by **Luis Goire**, as a hobby and with a strong interest in programming, on the path toward working as a professional developer.

Updated: May 2026 (v1.7)

What's new in 1.7 (May 2026) — read first

If you're coming from 1.6, the points below are the only new pieces. The rest of the manual still applies.

- **Cinematic welcome splash (~6 s):** after login a "boot up" sequence runs; total length is driven by `--welcome-duration` in CSS (default **6 s**) and also acts as a **real loading buffer** for the app. A **Matrix-green scanner** (`#00ff41`) sweeps slowly down the screen, **orbital rings** close around the logo, **"WELCOME TO"** is revealed via clip-path wipe, **"G-neex"** flashes with a **strong neon flicker** before staying lit, and finally **"PHOENIX EVOLUTION"** and **your name** appear. A linear progress bar spans almost all of that useful time. It does not repeat on tab reload; it shows again on the next login.
- **Header logo as the "Update inventory" shortcut:** clicking the logo (header, top left) spins it counter-clockwise and triggers the unified **Update inventory** action, in this order:
 1. **Normalize locations and boxes** (free-text from older backups → canonical catalog; syncs `boxStocks` and `locationStocks`).
 2. **Reconcile main stock:** adjusts `mainStock = max(current, sum(boxes) + sum(locations))` . **Never reduces** main stock.
 3. **Refresh lot expiry:** lots whose expiry was *computed* are recomputed on the fly from the item's current shelf life. **Hand-typed expiries are preserved.**

A confirmation modal previews the per-section detail (up to 5 rows each) before applying. Same action is available from the tools menu (🔧) and via Enter / Space on the focused logo.

- **Boxes integrated into main stock:** consuming, moving or editing a box updates main stock automatically. Older backups can be repaired with **Update inventory**.
 - **Lots editor on the item:** in  → edit item there is a new **Lots (expiry per purchase)** section where you add, one per row, **expedition date + optional explicit expiry + quantity**. Effective expiry is computed on the fly from the item's **shelf-life in months** unless you type an explicit one.
 - **Expiration: expired or soon-to-expire — new "Affected quantity" column:** sum of units in expired + soon-to-expire lots, with a breakdown tooltip.
 - **Lot tooltip in the table:** when at least one explicit lot exists, a synthetic "Unassigned (rest of main stock)" row appears so the sum reconciles to main stock.
 - **Stock-only template (export/import):** two new options in the tools menu:
 -  **Export stock-only template** → XLSX with `Code` , `Description` , `MainStock` (editable).
 -  **Import stock-only update** → reads that same XLSX back and only updates main-stock quantities.
 - **Equivalence (≈) badge** in the inventory table now has stronger contrast in both light and dark themes.
 - **Alignment with the future** `gneex-hosted-api` : the app stays 100 % offline; `GneexApiClient` is prepared to connect to the backend when it ships.
-

Background and purpose

Shop-floor need

Phoenix Cell G-NEEX comes from a real industrial need: **tighter inventory control** when the only technology available was a **PC**, without budget or infrastructure for anything else.

From spreadsheet to manager

It began as an **Excel workbook** that gained **macros and automation** as daily shop-floor issues and operational errors appeared, one by one. It grew from a control sheet into an **inventory manager** built inside that workbook.

Learning while automating

That work also became **hands-on training**: solving real problems with automation built **scripting and programming** skills. Operations and learning moved forward together.

The “Phoenix” name and project DNA

After **severe file damage**—and **recovery** after heavy work—the project was named **Phoenix**: rising from the ashes. That recovered workbook is the **direct predecessor** and, in many ways, the **DNA** of the **G-NEEX** web application.

Today and next steps

The **Phoenix spreadsheet** still supports operations wherever it adds value until **G-NEEX** is fully mature for everyday **web** use. This release is a deliberate step toward a tool intended to **keep evolving**.

*The same narrative appears in the app under  **Settings** → **Background** tab.*

SECTION 1: Settings (overview)

Under  **Settings** you will find data tools, lists, the article editor, receptions, preferences, and more. **This manual documents how the app works and what each screen does**; how your company deploys or governs the installation is not covered here.

1.1 Data, import, and export

Who can use Import/Export

The **Import/Export** tab is available only to the **administrator account**. Other permission profiles—or **temporary elevation**—do not show this tab; opening Settings lands on **Background** instead. That tab groups full JSON backup (export/import), movements-only merge, shipped transports merge, initial inventory CSV/XLSX, archive/re-import movements, delete database, and

the Daily consumption recipients quick view. Non-admin users rely on **Employees** and other tabs allowed for their profile.

Full backup

Path: ⚙ Settings → **Import/Export** tab (administrator only)

- **Export backup:** Creates a `GNEEX_Backup_YYYY-MM-DD_HH-MM-SS.json` file with all application data (inventory —per-item location text, per-location and per-box stock, warehouse location catalog included—; movements; daily consumption recipient lists —staff and occasional/external—; supplier list; transports; supplier order lines; users; reference counters; etc.)
- **Import backup:** Choose the JSON file, confirm, and follow the on-screen notice; it replaces the working data for this copy. Keys **missing** from that JSON do **not** erase unrelated local data (for example, the units catalog).

*Typical use for a full backup: a safety net or moving an entire working copy. To share only day-to-day activity with another copy, also use the **export / import movements only** flow below.*

Same web app on another PC, tablet, or phone

Open the deployed site (e.g. **HTTPS**) in any browser at the **same URL**. Data lives in each device's `localStorage` — nothing syncs automatically between your PC and phone. To carry the same working copy, an administrator **exports** the JSON on one device and **imports** it on the other (email, cloud, cable, etc.). Sign-in and other flows that rely on browser crypto need **HTTPS** or `localhost` ; if something fails when you only use `http://` with a LAN IP, use your public deploy URL or read the on-screen error.

Movements only (merging work): In the same place, **Export movements only**

(`GNEEX_Movements_....json`) and **Import and merge movements** exchange activity between copies. The merge **adds** only movements whose **id** is not already in the target copy and **applies** quantities to inventory (material receptions are recreated when the file has enough data). If the **id** already exists, the local movement is kept. It does not replace user lists, transports, or other data; item catalogs should match, and interleaved dates between copies can make stock order look inconsistent. Always confirm the dialog the app shows.

Note (backups and overdraft): The **full backup** and **movements-only** files serialize movements as stored locally (including the technical `hadOverdraft` field). The file format and merge behavior

are **unchanged**. On startup, the app may **normalize** inconsistent values for **Stock purchase** and **Material reception**. In **History**, **filters**, **XLSX reports**, and **human-readable exports**, the rule is consistent: a purchase or reception is **not** treated as overdraft solely because of an old incorrect flag.

Recipient lists (Daily consumption)

Quick view: Only the administrator sees this block under  Settings → **Import/Export** → "Recipients (quick view)". **Adding and removing** staff and occasional names is on the **Employees** tab.

Supplier list (orders)

Path:  Settings → **Suppliers** tab to maintain the master name list.

Users with **Orders** access can enter a supplier on each line (free text or suggestions loaded from that list). The **PO/OC number** is not entered when creating the order; it is captured when **receiving** goods under Movements → **Stock purchase** (with packing slip).

Archive old movements

To free up space by removing old movements:

1. Select a **cutoff date** in the "Before" field
2. Click **Archive**
3. Confirm the number of movements
4. The file `GNEEX_Archived_Movements_FROM_to_TO_YYYY-MM-DD_HH-MM-SS.json` is downloaded
5. The archived movements are removed from the application

The JSON contains a readable `movements` summary and `_rawMovements` with the **full** movement objects as stored. The overdraft field in the readable part follows the **same rule** as on-screen history; `_rawMovements` keeps the raw technical data without reinterpretation.

Re-import archived movements

1. Click **Re-import file**
2. Select the archive JSON file
3. Confirm — the movements are reintegrated into the history sorted by date

4. Movements that already exist are not duplicated

Load initial inventory (CSV or XLSX)

Allows importing a **CSV** or **XLSX** file with the initial inventory. The columns must match the expected format.

You can use the **template icon button** to export a styled **.xlsx** sheet with the correct column order (orange header row) and one editable example row. You can also save as CSV from Excel using the same column order.

Delete database

1. Click **Delete database**
2. Enter the confirmation code: `DELETE ALL` (or `BORRAR TODO` / `SUPPRIMER TOUT`)
3. All data is deleted and the page reloads

A fixed confirmation phrase helps prevent accidental data loss; follow your site's runbook for production machines if applicable.

Security and browser-stored data

G-NEEX stores inventory, movements, users, and session data in the browser's **local storage** (for example `localStorage`). Passwords are stored as **salted hashes**; they do not appear in plaintext in the application source. Anyone with access to the device or user profile, or a **malicious browser extension**, could read or tamper with that data. The app **does not replace** a central server with corporate identity policies. Use **OS session lock**, personal accounts, and **exported backups** as your organization requires. When **importing a JSON backup**, verify it comes from a trusted source.

1.2 Article editor

Path:  Settings → **Article editing** tab

On entry, if the app asks for an **unlock code**, follow the on-screen prompt (create or confirm) and use **Unlock** to continue. Then search by code or description, change any field (code, description, category, default price, stocks, location, min, max, etc.), and **Save**.

For **Location**, you can compose text from **comma-separated labels**; the dropdown lists **effective warehouse slots** and **BOX1...BOX51** (grouped) to append with **Add**, alongside the editable location catalog on the same Settings tab.

Inventory consumable mode and the master «Consumables» list

If you check **Treat as inventory consumable** and click **Save**, the app **adds** the name (the article **description**, or **code** if there is no description) to the list under  **Settings** → **Consumables**, used for purchase receipts without inventory and consumable orders. If you **uncheck** that option and save, it **removes** from that list the entry that matched the description or code **before the change** (when it was only there through this link).

How stock behaves in consumable mode follows the on-screen rules and messages.

1.3 Expiration settings

Path:  Settings → **Expirations** tab

1. Set the global **alert days** (e.g., 30 = alert 30 days before expiration)
 2. Search for a specific article
 3. Assign a **shelf life in months** from the issue date
 4. Click **Save**
-

SECTION 2: Using the app

2.1 Accessing a session

Enter **username** and **password**. Session validation happens in the browser; the **administrator** account can manage users and passwords under  **Settings** → **Users**.


When **adding a user** with role **User**, you can pick a **template: Supervisor** and the built-in **reference profiles** (e.g. Keith Lake, Guest, Patrick). Legacy operator templates are no longer offered for new accounts. Each option has a short description on hover (`title`). For a new **administrator**, choose role **Administrator**; that role does not use a permission matrix template. Keys and behaviour are listed in `PlantillasPermisos.xlsx.csv` at the repository root (documentation and future API alignment).

Login **background images** are listed in `assets/login-bg-manifest.json` (paths under `assets/`). If the list is missing or empty, the logo is used. When several images are defined, they may **rotate** automatically.

After signing in, you reach the panel (see §2.2).

2.2 Dashboard (Summary panel)

Upon entering the application, a panel is displayed with today's information. The **top bar** has module buttons (e.g.  **Inventory** in §2.3,  **Movements** in §2.4):



Dashboard and main navigation

Card	What it shows
Movements today	Number of movements created today, with breakdown by type
Active alerts	Low stock + negative stock + articles about to expire
Pending transports	Transports that have not been dispatched or voided
Last backup	When the last backup was made (alerts if more than 7 days ago or never)

Click **Hide** / **Show** to collapse/expand the panel.

Hero carousel and tip of the day


Above the carousel, a fixed **Tip of the day** box shows a longer rotating hint: **366** variants tied to the **civil calendar day** in **local time** (including **29 February** in leap years), in the **selected language** (ES / EN / FR).

The **header carousel** (side arrows; auto-advances a few seconds; **pauses on hover**) cycles through cards: overview, today’s activity, transport previews when relevant, pending Stand-by / daily consumption, supplier order lines, soon-to-expire stock, and zero-quantity box rows — **without** duplicating the tip on a slide.

The **logo** in the top bar runs **Update inventory** (maintenance pass) — see inventory tools and README.

2.3 Inventory

View after clicking **Inventory** (📦): search, filters, stat cards, and the article table.



Inventory tab

Search articles

Type in the search field to filter by **code, description, category, or location**.

Tools menu (:)

Next to the search field, the **:** menu groups inventory actions: export XLSX, print, show or hide the inline filter strips (**Box / location, Depot, Consumable inv.**), problems-only and "low-stock alert ignored" filters, **Stock as-of date**, box summary, box stock management, and more.

The **first item** is **Hide inline filter bars** (right-pointing chevron): it closes all three filter strips in one step when any strip is open and resets each dropdown to **All** when needed. It is **disabled** when no inline strip is open; when a strip is open, use it to collapse the filter area without toggling each filter separately.

Inventory "as-of date" view

Use the **as-of date** filter to view inventory exactly as it was on a selected date. This affects table values, cards, and print/export outputs while active.

Statistics cards

The top cards display:

- **Total articles:** total count
- **Low stock:** articles with stock at or below the minimum
- **Expiration:** expired or soon-to-expire articles
- **Overstock:** articles above the maximum stock
- **Negative stock:** articles with stock below 0

*Clicking any card (except "totals") opens a **detail modal** with the list of affected articles, option to export XLSX, and print.*

In the **low stock** modal, the first columns are **Ignore low-stock alert**, **Actions** ( to add the item to the **purchase list**), **Code**, then the remaining fields (description, stocks, dates, location).

Inventory table

Columns: Code, Description, Category, Default price, Main Stock, Production Stock, Transformation Stock, Location, Expiration.

In the **Description** column, the  control (faded more when the item has no notes yet) opens a dialog to **view and edit** notes when it is active; **Save** persists changes. If editing is not offered but

the item **has** notes, you can often open the same dialog in **read-only** mode; if there are no notes, the cell is plain text.

Row and cell colours use **several layers**; more than one can apply.

Main stock pill

- **Strong red**: negative total stock.
- **Violet / purple**: over max (above configured maximum).
- **Orange**: expired insight (lots / dates).
- **Amber / yellow**: expiring soon (alert window), low stock, or mid band — use context or open the alerts modal.
- **Green**: comfortable level.
- **Emphasised red “zero”**: exactly zero stock.

Row-level bars and outline

- **Orange left inset bar**: quantity within the expiry alert window (soon).
- **Purple left inset bar**: expiry tracking on but no display date yet, or stock with tracking on and no expiry-related data.
- **Turquoise outline**: important article-editor fields missing for calculations (hover the row for the tooltip).

Other markers

- **Vertical accent on the code cell only**: inventory consumable item.
- **Red pulsing pill** on code/description: “Problems with this item” note in the editor.
- **Violet / indigo wash on the whole row** (thin outline or background): the row is **keyboard-selected** (↑/↓ in the table); by itself it is not a stock fault.

If the window is narrow, **scroll the table horizontally** to see all columns without squashing the headers.

Location (article text field): for validations (movements, imports, stock consistency) only **effective warehouse catalog** labels and **BOXn** references count as **canonical** location. If stored text cannot be fully normalized to those tokens, saving from the editor may show a **warning**; no automatic relocation placeholder is inserted anymore.

Use the **Box / location** dropdown for quick visual filtering by box number inferred from **Location** text and from **box numbers** that have stock in box management, and by **predefined warehouse**

locations in the app catalog (e.g. E1R, ETOP, BIN 8, CONTAINEUR CHANTIER, ARMOIRE AVEC CLE) when the location text matches **or** the same location appears only in **per-location stock** (quantity chips); tags appear next to the cell. Next to export and print, **Box summary (from location text)** groups items when **Location** looks like **BOX1, BOX 1**, or variants ("box", "caja" + number; optional space after BOX). Several boxes may appear in the same field, **comma-separated** (e.g. "BOX1, caja 2"). In that modal, **click a row** to see the article lines for that group. If an item has multiple boxes in location, it is counted under **each detected box**. Also, in **Box stock management**, you can **add, edit, delete, and redistribute** stock between **boxes** and **Production / Transformation** stock columns; you can also transfer from **box to direct location (no box)**. That action deducts from the origin box, appends the location to item text (without duplicates), and stores per-location quantity (chips such as `E2R: 12`) in the Location cell. You can still **export** all box stock (same layout as the template) for backup or editing and **re-import** it, download an empty template when needed, and import box quantities. The official first row is **Codigo, Caja, UbicacionCaja, CantidadCaja, CantidadCajas, Vacia** (**Datos** sheet, the one G-NEEX generates). In **Vacia**, use `1/true/yes` to mark a box as empty (forces quantity 0). For negative movements (consumption/output), box selection is optional: if selected, stock is discounted from both box and main inventory; if not selected, discount applies only to main inventory. When you **save** a quantity change in **Box stock management** for a **linked item**, the app also records an **Adjustment (AJUSTE)** movement in History (optional reason), in addition to updating box and main stock.

Recommended quick test (Location):

- `BOX1`
- `E1R` Or `e1r` (case-insensitive)
- `BIN 8` , `BIN2` , Or `BIN 2`
- `CONTAINEUR CHANTIER`
- `BOX1, BOX2`
- `caja 3, BOX4`
- `no box`
- `BOX52` (out of range, ignored)
- `BOX1, BOX1` (same box is not duplicated)

Export and print


- **Export XLSX:** Downloads the current inventory view (formatted table)
- **Print list:** Opens the print window with the formatted table

Print windows across the app use **A4 portrait** (standard margins); tables **do not compress every column to the same width** (the article **code** stays on one line and readable); other long text **wraps inside cells** as needed (inventory, history, movement detail, and other printable lists).

Export and print here need those buttons to be visible and active on your screen.

2.4 Movements

Movements () in the bar: type grid; choosing a type opens the overlay form. The **Receptions** tab () opens the receptions register under Settings; the **Material reception** movement type in the grid uses the same  icon in the app. All **18 types** are shown in a fixed **6-column × 3-row** grid; on narrow screens the grid area allows **horizontal scrolling** so the layout stays aligned.



Movements tab

Create a movement

1. Go to the **Movements** tab

2. Select the **movement type** by clicking its button — an **in-app overlay window** opens with the form for that type (the Movements view keeps showing only the type grid and recent list).
3. In that window, fill in **Project ID** (required or automatic depending on the type) and **Notes**
4. **Search articles**: type at least 2 characters → select an article → enter **quantity** as for other types → the line is added (**Quantity** column)
5. **Stock source** (types that **subtract** stock): if the **Stock source** column appears, choose **which depot** the quantity comes from: **General warehouse** (main stock, quantity shown); each **box** (same quantity as in **Box stock management**); **locations** from per-location stock (label only in the list); and when available, **production stock** or **transformation stock** (quantity shown). You can **add several lines** for the same item to split quantities across sources. For types that also show a **Destination** column (e.g. Hardware, E.M. Production, E.M. Site), **source** is the physical depot deducted; **destination** classifies the movement and may differ from the source. For **Direct sale** and **Stock dispatch**, you may only take stock from **main**, **boxes**, or **locations** (not production or transformation).
6. Review and adjust **quantities** in the list before processing
7. Click **Process movement**. For **Site E.M.**, you are asked for the **total boxes** for that shipment (not per item); boxes are allocated across lines by line quantity for Site E.M. stock

Quantity calculator ( opens a **modal** calculator: numbers, + − × ÷, parentheses, memory (**Mr**, **Mr−**, **Mr+**), square root, and % (appends `/100` to the expression). Tap **Use as quantity** to apply the result to that line; **Esc** or **Cancel** closes without changes.

If **all** quantities are **0**, the app **blocks** processing (no stock change).

*Use **Create** and **Process movement** when they appear; if they stay inactive, the form or action is not enabled for the current state.*

Movement types

Type	Effect on stock	Project
Adjustment	Add or subtract	Optional
Daily Consumption	Subtract	Automatic

Type	Effect on stock	Project
Hardware	Subtract	Required
Special	Add or subtract	Optional
Checklist	Subtract	Required
Waste	Subtract	Required
Return	Add	Optional
Dismantle	Add	Required
Transfer	Add or subtract	Optional
Transformation	Subtract	Optional
Send to Production	Subtract	Optional
E.M. Production	Subtract	Required
E.M. Site	Subtract	Required
Direct sale	Subtract	Optional
Stock dispatch	Subtract	Required
Stand-By	No effect (pending)	Optional
Stock Purchase	Add	Special form
Material Reception	Add (or provisional, depending on category rules)	Required

Direct sale and Stock dispatch

- **Internal references:** **VDT** (direct sale) and **EXP** (dispatch) prefixes + 6-digit sequence per type.
- **Direct sale:** when processing, **SO** is required: literal `so` + **4 to 6** digits (e.g. `so100450`). Project is optional.

- **Stock dispatch:** project and **PR** required when processing;  + **4 to 6** digits. Same source rules as direct sale. Type icon  (top-bar **Transport** stays ).
- In **History**, dedicated filters **SO (direct sale)** and **PR (dispatch)** (partial text).

Stand-By

Stand-By movements are saved as drafts without affecting inventory:

1. Create a **Stand-By** type movement
2. Select the **release type** (what type it will become when processed)
3. Process the movement

Stand-By list: Shows pending drafts with options:

- **Edit:** Modify articles and quantities
- **Process:** Apply the movement to the inventory
- **Cancel:** Delete the draft

Floating shortcuts (Stand-by and Daily consumption)

With an active session, there are up to two floating shortcuts (bottom-right by default), **hidden until you use them**. To show the **Stand-by** or **Daily consumption** shortcut, open **Movements** and select that type; it stays visible until you hide it.

Shortcut	Purpose
Stand-by ()	Quick access to pending Stand-by drafts; panel with list, go to Movements, or hide the shortcut.
Daily consumption ()	Panel of lines for Daily consumption not yet processed as a single movement.

- **Hide:** from each panel ( icon); the choice is stored in this browser.
- **Drag:** press and hold the **round button** and move it anywhere on screen; position is saved on this device. A short tap without movement opens or closes the panel as usual.

Daily consumption (close & catch-up): pending lines are tied to the **local calendar day**. If lines were left from a previous day (app closed overnight, date change with the tab open, etc.), on

return you may see a notice and an **automatic close/catch-up** may run when stock rules allow; if it cannot run due to overdraft, review the cart manually. **Daily consumption does not use a project number** in the form. **While Daily consumption is the selected movement type**, the nightly auto-close (~23:00) and midnight roll do **not** interrupt you; **when you switch to another movement type**, any pending automatic close runs if applicable.

Movement date/time (Daily consumption): each time you add a line to the cart, that moment is stored. When you **process**, the movement's saved timestamp is the **first line** added in that batch (if an older line had no stamp, the process time is used as a fallback).

Decimal quantities: quantities and stocks are shown and stored with **at most four digits** after the decimal separator (rounding).

Recipient with "Other (name not on list)": type the name freely when it is not in the dropdown. This section only requires identifying who receives the material; there is no extra classification.

Daily consumption by recipient (History): everyone with access can expand the section and filters; **editing the ledger, export, and print** from that block are **administrator only**.

Overdraft

Movements that **withdraw** more stock than available (consumption, transfers, send to production, etc.) may open a modal for a **mandatory reason** and are marked in history with the overdraft indicator (!) and a notice in the detail view).

Stock purchase and **Material reception** are **inbound** goods: they do **not** use that overdraft-justification flow. If older data incorrectly had an overdraft flag on those types, the app does **not** show them as overdraft in lists, filters, or detail, may **fix the stored value on load**, and reports follow the same rule.

When **releasing Stand-by**, the "would overdraft" check uses the Stand-by **target movement type** (not whichever type happened to be selected on the Movements form at that moment), avoiding false positives.


Stock purchase (detail)

- Same movement type whether created **only under Movements** or **after a receipt from the Orders panel** (see §2.5).
- Extra fields: **PO number** (required), **packing slip**, **supplier**.

- Each movement gets a **type prefix + 6-digit sequence per movement type** (e.g. adjustment `AJU000042` , purchase `COM000003`). Older refs with more digits, purely numeric (`000042`) or hyphen form (`COM-001`) normalize when history loads.
- Some reception categories require **PO** and are stored as **provisional reception** (not applied to main stock until corresponding logistics flow).

2.5 Supplier orders (order lines)

Path: Orders tab ( in the top bar).



The screenshot shows the G-NEEX Phoenix Evolution Inventory Manager interface. The top navigation bar includes links for Dashboard, Reminders, Inventory, Movements, History, Transport, Orders, and Receipts. The user is logged in as Luis Goire, Administrator. A yellow warning box states: "You opened the app as a file (file:///). Data exists only for this exact path and browser; opening via http://, another port, or another folder shows empty lists. Always use the same launch method (e.g. a fixed local server and bookmark)." The main section is titled "Supplier purchase orders". Under "Purchase suggestions (inventory)", it says "No products to purchase". A "New order line" form is visible, with fields for Item (inventory), Supplier, and Quantity. The "Consumable order (master list; not inventory)" checkbox is checked. The "Add line" button is orange. Below the form is a search bar and filter section. The table below has columns: Item, Supplier, PO / OC (on receipt), Qty ordered, Received, Remaining, Main stock, Status, Order / created date, Timeline (dates), and Actions. The table is currently empty, with a message "No order lines. Add one using the form above." and a "Receive selected" button.

Supplier purchase orders

Purchase suggestions (inventory)
No products to purchase

New order line ☐ Consumable order (master list; not inventory)

Item (inventory) Supplier Quantity

Type code or description. Optional; defaults from item 1 **Add line**

Search (ref, code, description, supplier, quantities)
Ref, code, description, supplier, quantities...

Status: All Key date from: dd/mm/yyyy Key date to: dd/mm/yyyy History: All **Clear filters**

Item	Supplier	PO / OC (on receipt)	Qty ordered	Received	Remaining	Main stock	Status	Order / created date	Timeline (dates)	Actions
No order lines. Add one using the form above.										

Receive selected

Orders

Plan supplier lines tied to inventory (code, description, supplier, quantity). The **PO/OC number** is captured when you **receive** in Stock purchase (packing slip), not when you create the draft.

List filters

Above the list, switch **View** between the full **details table** (default) and **tile** cards; the choice is stored in this browser.

Above the table you can filter by:

- **Text search** (reference, code, description, supplier, quantities only),
- **Status**,
- **Key date** range (from / to),
- **Timeline preset** (with/without receipt, ordered, cancelled).

Clear filters resets everything.

Line states

State	Meaning
Inactive	Draft; you can edit quantity and supplier.
Ordered	Order confirmed; order date stored; awaiting goods.
Partial / full receipt	According to quantity received vs ordered.
Cancelled	Only if nothing was received.

Receipt and stock purchase

When you use **Partial receipt** or **Full receipt (remaining)**, the app switches to **Movements**, selects **Stock purchase**, and fills the form. Review and click **Process movement**. If you change item or quantity incompatibly with the line, the purchase may still save without linking (a warning is shown).

Stock purchase entered only under Movements (not from Orders first): after **Process movement**, if there is an **Ordered** or **partial receipt** line for the **same inventory item** — and when a supplier was filled in on the purchase, the **same supplier** — you may get a prompt asking whether this purchase belongs to that open order. Buttons are **Yes / No** (**No** only skips linking; the movement remains saved). If you confirm, **Received qty**, **line status**, and **row actions** in Orders update like a receipt opened from the panel (including partial vs over-quantity prompts). If nothing links, you may be offered to **register** the purchase as a new order line (again **Yes / No**).

Timeline and export

Each line shows a reference like **#AJU000012** (prefix per type; legacy rows may still be digits-only) and a date timeline.


- **Export XLSX / Print table:** both use the **current filtered view** (visible rows only).
- **Bulk cleanup:** button removes lines in **full receipt** state older than 1 year.
- **Per-line removal:** for **full receipt** lines, a row action is available when receipt age is over 3 months.
- **Actual receipt date (optional):** in Stock purchase and Material reception, you may set a past "real receipt date" for traceability (notes/timeline reference), while movement registration timestamp remains the actual save time.

History (link)

If the purchase comes from the Orders panel, movement detail shows a banner; list cards may show .

*Managing lines, receipts, and the panel XLSX export depends on the actions and buttons you see when using **Orders** and **Movements** in your copy.*

2.6 History



History tab

View movements

The **History** tab shows filtered movements with color and icon according to the type.

Use the **View** control for **Tiles** (icon grid, default), **List** (compact rows, file-explorer style), **Details** (columnar table), or **Chronological carousel** (horizontal card sequence from newest to oldest; the top strip and each card show **day, 3-letter month, 4-digit year, and local time**; side arrows step **one movement**). Minimized cards also show the **Project ID** when applicable. The choice is stored in this browser.

Date format: throughout the app, on-screen dates use **day, 3-letter month, and 4-digit year**; when time is shown, it is **local time in 24-hour format** (inventory, tables, reminders, transport, readable export metadata, etc.).

Fully annulled movements and **partial annulments** (some lines annulled without voiding the whole movement) appear in **Tiles**, **List**, and **Carousel** as a **diagonal stamp** (dashed tilted frame); the label «**Partial annulment**» identifies the latter. In **Details** view and in the modal, **status** uses the same wording.

Filters

You can filter by:

- Movement type
- Reference (partial)
- Article code or description (partial)
- Movement notes text (partial; searches only the movement's **notes** field — use this instead of the code filter for text inside notes)
- Recipient (daily consumption, partial)
- Date range
- Location
- Project ID (partial)
- **SO (direct sale)** (partial; stored on the movement)
- **PR (dispatch)** (partial; stored on the movement)
- Performed by (partial)
- Overdraft (yes/no; matches movement detail — stock purchase and reception ignore erroneous legacy markers)
- Negative stock (yes/no — based on **current** stock)
- Annulment (all / not fully annulled / partial annulment / fully annulled)

Clear filters empties all criteria.

Movement detail

Click a card to see the full detail:

- Type, reference, project, date and time, status
- For **Direct sale**, the stored **SO**; for **Stock dispatch**, the stored **PR**
- Who performed it
- **Notes:** cumulative movement notes. With **movements** permission, existing notes are shown read-only; use **Add note** to append a new block (timestamp and user header) without replacing earlier text.
- List of articles with **previous stock**, **change** (+/-), and **resulting stock** per line (rebuilt from inventory and history)
- Overdraft information if applicable (see § **Overdraft** above)

- **Attachments** (📎): link PDFs, photos, or documents already on your PC; **nothing is copied** into the app folder. The app stores the link and can **open** them via «Open file» (Chrome or Edge). After restoring a backup on another machine you must **link the files again**. Very old attachments may still point to copies under `Adjuntos/...` ; use «Copy path (legacy)» and open from Explorer.
- **Print** opens a window with **tables** (movement header and lines aligned with **Export XLSX**), not a visual copy of the modal.

Void movement


In the detail modal:

- **Void entire movement:** Reverts all affected stock
- **Void individual line:** Reverts only a specific line

Voiding or rolling back in the detail view requires the modal to show those actions as active (depending on type and state).

2.7 Transport

Open the **Transport** (🚚) button. The tab shows the board and actions (create, ship, void, and so on) as enabled for your current screen.



Transport tab

Transport panel

Shows cards for each transport with: project, dispatch date, line status (Ready/Partial), linked receptions.

View switches between **Tiles** (card grid) and **List** (single column of full-width cards); the choice is stored in this browser.

Click a card to expand its detail. In the expanded detail, **Attachments** (📎) links shipment documents from any folder (no copy into the app); viewing works in Chrome/Edge like movement attachments.

At the top of the tab, **Cargo prepared to depart** summarizes each **active** transport (not yet shipped, not voided): counts of linked checklists, site and production electrical movements, and project material **receipts** that are **not** yet marked as shipped. Material may appear **queued** when no active transport exists yet for that project.

Dispatch and on-premise traceability

When you click **Ship truck**, the app records the shipment and marks the linked **checklist**, **site E.M.**, and **production E.M.** movements on that load, plus any **material receipts** for the same

project that were still pending shipment (when several trucks serve one project, each shipment marks only what was still pending). **Movement detail** in History shows the timestamp once it left with a transport. **Void dispatch**, **reopen planning**, or **delete transport** clears those marks tied to that transport.

Create manual transport

1. Click + **New transport**
2. Enter the **Project ID**
3. Set the **dispatch date**
4. The transport is created (can link pending site electrical material)

If an action is unavailable, the on-screen control is inactive or missing.

Automatic transport

Movements of type **Checklist** and **E.M. Site** automatically create or link transports. If an active transport already exists for the project, lines are added to the existing one.

Transport actions

- **Dispatch**: Only when the status is "Ready" (all lines resolved)
- **Void dispatch**: Reverts the dispatch status
- **Delete**: Deletes the entire transport
- **Merge lines**: Tool to combine or split lines within the transport
- **Truck cargo report**: In the truck detail you can use **Export cargo report** (XLSX) and **Print cargo report** with loaded materials, quantities, and dimensions. If a line has **several packages**, the XLSX and printout list each package on **consecutive rows** with fixed columns **Package**, **L**, **W**, **H** (the table does not grow sideways with "Package 1 L", "Package 2 L", ...).

*Critical actions (e.g. **Ship**, **Delete**) only become available when line status allows it.*

2.8 Reports and exports

Generate a report

1. Click the **report** button (available in History and Transport)
2. Select the report type:
 - **Transport summary**
 - **Transport lines**
 - **Filtered movements** (uses active history filters)
 - **Filtered movement lines**
 - **All movements**
 - **Consumption by article** (search by code or description; inventory suggestions as you type; picking one fills the item **code**)
3. Click **Download XLSX**

Files are descriptively named with the date range (`.xlsx` ; **Datos** sheet with themed styling and **Info** sheet with export metadata):

- `GNEEX_All_Movements_2024-03-15_to_2026-04-15.xlsx`
- `GNEEX_Item_Consumption_cable_2025-01-10_to_2026-03-20.xlsx`

Use the report or XLSX download when the button is visible; pick report types in the dialog.

2.9 Receptions

Path:  Settings → **Receptions** tab

Table with all registered receptions. They can be searched by text.

- **Export / Print** (filtered list): same layout when a reception has **multiple packages** — stacked rows with **Package, L, W, H**, without widening the sheet with many package columns.
- **Edit**: Modify data of an existing reception (reverts and reapplies stock)

- **Delete:** Delete reception and revert its effect on stock

Requires **Recep.** permission.

2.10 Theme, demo mode, and language

- **Theme:** Click 🌙 / ☀️ in the upper right corner to toggle between **dark** and **light** mode
- **Test / demo mode:** **Test** switch next to Help. Enables a **blue** theme and a **temporary working copy**: you can use the app normally (movements, inventory, settings, etc.). When you **turn the switch off**, the app **restores** inventory, movements, history, users, session, and all other data stored in the browser **to how it was when you turned demo mode on**; anything done only while demo mode was on is **discarded**. **Light/dark theme and language are not reverted** (whatever you chose during the demo stays). A **banner** appears under the header while the mode is on. **Confirmation** is required to exit
- **Language:** Select ES Español, us English, or FR Français in the language selector

Theme and language preferences are saved automatically. The demo snapshot is separate from the JSON backup file. **Note:** files you export to a folder on your computer during the demo (for example XLSX in the project folder) are **not** removed when you leave demo mode; only **localStorage** in the browser is reverted.

2.11 Session bar


The top bar shows, among other things, the active session label, a role or mode summary (as your build presents it), and **Log out** to return to the access screen.

2.12 Inactive buttons and messages

Depending on context (task, data state, current tab), some actions are dimmed or a short message explains that the action does not apply. That is not a fault of the app: in another flow or with other data, the same control can become available again.

2.13 Reminders

Path: reminders button in the top bar, **Reminders** tab when you can open it.



Reminders

You create and manage operational reminders with due date and priority from that screen when the module is available in your environment.

- Priorities: **When possible, Attention, Urgent**
- Priority can escalate automatically over working days
- Dashboard shows a reminders preview and quick access
- Completed reminders keep completion date for follow-up

- **Visibility:** each user only sees reminders **they created** (the JSON backup on the machine may hold everyone's reminders; the UI filters by session).
-
-

About the author

The application is created by **Luis Goire**, who builds it as a programming enthusiast and with the goal of growing into a developer role.

Email: blakillbyte@gmail.com

Summary

The manual walks through **Inventory, Movements, Orders, History, Transport, receptions in Settings, reports, data import/export**, and **demo mode**. Each module is used with the visible tabs and buttons: when something does not apply, the interface dims or hides it without blocking the rest of your work.