

Phoenix Cell G-NEEX 1.6

Comprehensive Inventory and Logistics Management System

Built by Luis Goire — programming enthusiast, aspiring professional developer.

Updated: May 2026

Project background

- **Industrial need:** tighter inventory control with only a PC—no other stack.
- **Excel roots:** a workbook that grew with macros as shop issues appeared; it became an embedded inventory manager.
- **Learning:** automate real problems while building scripting and programming skills.
- **Phoenix:** after serious file loss and recovery, the name means rising from the ashes—that sheet is G-NEEX's DNA.
- **Today:** the Phoenix spreadsheet still runs where it helps until G-NEEX is fully mature for daily web use.

Full narrative in the app:  **Settings** → **Background**.

The Problem

Electrical installation and industrial project companies face daily challenges:

- **Material chaos** — No one knows what's in stock or where it is
- **Untracked movements** — Materials leave without documenting who, when, or why
- **Disorganized transport** — Paper checklists, trucks without tracking
- **No traceability** — Impossible to trace the source of a shortage or excess
- **Internet dependency** — Cloud systems that fail when you need them most

The Solution: G-NEEX

G-NEEX is a web application that works **100% offline**, directly in the browser, with no need for external servers or internet connection.

Browser-stored data: inventory, movements, and session live in the browser's local storage. Lock the workstation, use personal accounts, export backups regularly, and only import JSON backups from trusted sources.

Backup & Import/Export: the Import/Export tab and critical backup actions are limited to the **administrator account**; temporary elevation does not replace that role. Login backgrounds may rotate per `assets/login-bg-manifest.json` . JSON import no longer removes unrelated local data when keys are absent from the file.

Stable URL: use one fixed address (e.g. `http://127.0.0.1:PORT/`) and do not mix `file://` with HTTP.

Units of measure: the catalog keeps reserved **U**; each article may have a stock unit or none (no automatic assignment).


It manages the entire material lifecycle:

Intake → Warehouse → Dispatch → Transport → Job Site



Login screen

Real-Time Inventory




Inventory tab (top bar)

Feature	Description
Full overview	Table with code, description, category, main/production/transformation stock, location, and expiration date
3 independent stocks	Main, Production, and Transformation — each with its own tracking
Instant search	Live filter by code, description, category, or location
Tools menu (:)	First item Hide inline filter bars (chevron): closes box / depot / consumable strips; disabled when no strip is open. The : menu groups export, print, filters, as-of date, summaries, etc.

Feature	Description
Box / location filter	Dropdown: BOX columns (from Location text and box-stock rows), warehouse catalog (E1R, ETOP, BIN 8, ARMOIRE...) and per-location stock chips; chips in the table
Box summary	Groups by inferred box number; modal row click for lines (E1R etc. still detected in filter and tags)
Operational box stock	Real per-item box management: add/edit/delete boxes, redistribute across boxes / prod. & trans. columns and transfer from box to direct location (no box) with per-location balances (E2R: 12); unified Datos sheet (Codigo, Caja, UbicacionCaja, CantidadCaja, CantidadCajas, Vacia) for template, full export, and re-import
Automatic alerts	Low stock, negative stock, overstock, and upcoming expirations
Low-stock detail modal	Columns: ignore alert, Actions ( add to purchase list), Code , then the rest of the item fields
As-of date mode	View inventory exactly as it was on a selected date
Color coding	Rows colored by item status for immediate visual identification
Export & print	Downloadable XLSX (themed table styling) and formatted print view

16 Movement Types



Movements tab — type grid

G-NEEX supports **16 movement types** covering all operations in an industrial warehouse:

Category	Types
Daily operations	Daily Consumption, Adjustment, Hardware, Special
Projects / Job site	Checklist, E.M. Job Site, E.M. Production, Waste
Reverse logistics	Return, Dismantle
Production	Send to Production, Transformation, Transfer
Supply	Stock Purchase, Material Reception
Planning	Stand-By (drafts with no effect until released)

On the **Movements** tab, choosing a type opens the form in an **in-app overlay window** (the type grid stays visible behind it).

For types that **subtract stock**, **Stock source** lets you choose **which depot** the quantity comes from: **main** (General warehouse), **boxes**, **locations** (labels only in the list), **production stock**, and **transformation stock** (quantity shown when applicable); the same SKU can appear on **multiple lines** with different sources. When both **Destination** and source appear, **source** drives the physical deduction and **destination** may differ.

Site E.M.: line **quantities** are inventory; **Process movement** asks for **total boxes** for the shipment (allocated across lines by quantity).

Each movement automatically records:

- **Who** performed it
- **When** it was executed
- **Previous stock** for each affected item
- **Justification** in case of overdraft

Floating shortcuts — Movements

Floating shortcuts (default: bottom-right) stay **hidden** until you select the type under **Movements**:

- **Stand-by** (): quick list of drafts; panel, go to Movements, or hide ().
- **Daily consumption** (): panel of pending lines until **Process all** in one movement.
- **Drag** the round button to place them on screen; position is saved on this device. Tap without dragging opens the panel.
- **Auto close**: lines tied to the local day; catch-up after a date change or if the app was closed (automatic flow does not force an overdraft modal). With **Daily consumption** selected under Movements, the form is not interrupted (~23:00 / midnight roll); switching movement types applies anything pending.
- **Movement date**: each line stores when it was added; on **process**, the movement time is the **first** cart line (fallback: process time if missing).
- **Decimals**: at most **four places** on screen and in saved values.
- **“Other” recipient**: type the name freely when it is not in the dropdown lists.

Supplier orders

The screenshot shows the 'Supplier purchase orders' interface in the G-NEEX Phoenix Evolution Inventory Manager. The top navigation bar includes links for Dashboard, Reminders, Inventory, Movements, History, Transport, and Orders (which is highlighted). The user is logged in as 'Luís Gore' with an 'Administrator' role. The main section is titled 'Supplier purchase orders' and includes a 'Purge received +1 year' button. Below this, there's a 'Purchase suggestions (inventory)' section showing 'No products to purchase'. A 'New order line' section allows adding items with fields for 'Item (inventory)', 'Supplier', and 'Quantity'. A search bar is available for finding items by reference, code, description, supplier, or quantities. Filter options for status, key dates, and history are provided. A table with columns for Item, Supplier, PO / OC (on receipt), Qty ordered, Received, Remaining, Main stock, Status, Order / created date, Timeline (dates), and Actions is shown, currently displaying 'No order lines. Add one using the form above.' and a 'Receive selected' button.


Orders tab

Orders tab: lines tied to inventory (supplier, quantity); **PO/OC** is captured on **receipt** in Stock purchase.

- **Filters**: status (inactive, ordered, partial, full, cancelled), supplier, and item (code or description).
- **States**: draft → ordered → partial/full receipt or cancelled; dates for tracking.
- **Receipt**: opens the same **Stock purchase** form as under Movements; confirm with **Process movement**.
- **Export / Print table**: use the current filtered view; there is bulk cleanup (+1 year) and per-line removal (>3 months).

- **References: type letters + 6-digit sequence per type** (e.g. `AJU000001` , `COM000002`); legacy refs normalize on load.
- **Provisional reception**: some categories require PO and are handled as provisional before main-stock impact.
- **Actual receipt date (optional)**: you can set a past date for traceability (notes/timeline), while movement registration time stays current.

List layouts



History tab (tiles / table / carousel)

History, **Transport**, and **Orders** include a **View** control for **tiles**, a compact **list**, and (where relevant) a **detailed table**; in **History**, a **Chronological carousel** is also available for horizontal card browsing. Minimized cards also show the **Project ID** when relevant.

In **History**, movements that are fully voided or **partial annulments** show a **diagonal stamp** (tilted dashed frame); filters also include annulment type.

On-screen dates (app-wide): day, 3-letter month, 4-digit year; with time, local **24-hour** clock.


In **History** → **Daily consumption by recipient**, the table now supports **editing recipients**, **saving changes**, and **clearing visible rows** using current filters.

Attachments (📎) in movement detail and expanded transport: link files from any folder (no copy into the app); open with Chrome/Edge. JSON backups do not include file bytes—re-link on another PC.

Print from movement detail opens **tables** (aligned with XLSX export), not an on-screen layout snapshot.

A4 portrait printing; tables avoid equal-width column squeeze; article **code** stays one-line and readable.

Smart Transport




Transport tab

The transport module automates shipment logistics to job sites:

- **Automatic creation** — Checklists and E.M. Job Site generate transports automatically
- **Multi-truck** — A project can have multiple transports if the load requires it
- **Visual board** — Cards with status, lines, and expedition date
- **Controlled shipping** — Can only ship when all lines are resolved
- **Manual creation** — For exceptional cases without an associated checklist
- **Full history** — Record of every action performed on the transport

- **Traceability** — Transport tab summary (receptions waiting to ship, quantities on active truck lines, recent shipments, stock on hand) plus an editable **manual list** by material family and phase (on-site / truck / departed)
- **Per-truck report** — Each truck can **Export** or **Print** a cargo table with materials, quantities, and current dimensions; with **multiple packages** per line, XLSX and print use **stacked rows** (fixed Package, L, W, H columns), not many horizontal columns.

Dashboard — Instant Overview




Main screen after login (**Summary** tab)

Upon login, a panel displays the current operational status:

MOVEMENTS TODAY	ACTIVE ALERTS	PENDING TRANSPORTS	LAST BACKUP
12	5	3	Today
► Consumption: 4	► Low stock: 2		
► Checklist: 3	► Negative: 1		
► Adjustment: 5	► Expiring: 2		

Visual indicators alert if there is critical stock or if the backup is more than 7 days old.


Reminders



Reminders tab

- **Dedicated tab** for operational reminders with due date and priority (per profile permissions)
- **Auto-escalation** of priorities by business-day aging
- **Dashboard preview** with quick navigation to reminders
- **Visibility:** each user only sees reminders **they created** (the machine's JSON backup may hold everyone's).

The app in use (on-screen)



Dashboard: navigation to the main modules

- G-NEEX groups daily work in modules you open from the top bar: inventory, movements, history, transport, orders, reminders, and settings.
- An administrator sets users under  **Settings** → **Users** using generic templates or **reference profiles** (same behaviour as built-in accounts); keys are documented in `PlantillasPermisos.xlsx.csv`.
- The user manual explains each screen and workflow. **How** access and copies are run on your site is an operational matter; the focus here is day-to-day **use** of the interface and inventory features.

Reports and Exports

6 report types as **.xlsx** workbooks (orange header row, centered bold data, column widths) with descriptive filenames:

- Transport summary
- Detailed transport lines
- Filtered movements (respects active filters)
- Filtered movement lines
- All movements
- Consumption by specific item

Files include the date range in their name:

```
GNEEX_All_Movements_2024-03-15_to_2026-04-15.xlsx
```

Receptions (Settings): exporting or printing the filtered list uses the same **packages-as-rows** layout as the truck cargo report.

Consumables: marking an item **inventory consumable** in the editor and saving adds its name to **Settings** → **Consumables**; unchecking removes the matching entry.

Data Protection

Feature	Description
Full backup	Exports the full database to JSON (inventory, movements, staff and occasional recipient lists, etc.)
Restore	Imports a previous backup and restores the full system
Archive movements	Exports old movements and removes them to free space
Reimport archives	Reintegrates archived movements without duplicating data
Movements-only export / merge	Export movement history alone; merge adds new ids only, applies stock (no full-db overwrite)
Initial inventory	Bulk upload via CSV or XLSX plus downloadable .xlsx template with correct columns and styling
Backup alert	Dashboard warns if more than 7 days without a backup

Multi-Language and Customization

3 full languages

- Español
- English
- Français

2 visual themes

- Dark mode
- Light mode

Demo mode (optional)

- **Test** switch: **blue** theme and full app use; when turned off, **previous data** is restored and demo changes are **discarded**
- **Light/dark** theme and **language** are not reverted
- Confirmation to exit; banner under the header

Responsive design

- Adapts to desktop, tablet, and mobile screens
- Optimized text without unnecessary line breaks

- Professional typography (Roboto + Orbitron)


Technical Specifications

Aspect	Detail
Technology	HTML5, CSS3, JavaScript (vanilla)
Storage	Browser localStorage
Connection	No internet or server required
Installation	Open <code>index.html</code> in any modern browser
Compatibility	Chrome, Edge, Firefox, Safari
References	Prefix + per-type digits (<code>AJU...</code> , <code>COM...</code> ...); legacy may be digits-only
Multiple PCs	Each browser keeps its own data; not shared just by opening the same URL
External dependencies	Optional web fonts; XLSX export uses bundled <code>xlsx-js-style</code> in <code>vendor/</code>
Size	Lightweight, loads in seconds

Why G-NEEX?

Advantage	Traditional competition	G-NEEX
Cost	High monthly licenses	Free
Internet	Requires permanent connection	100% offline
Installation	Servers, databases, IT	Open a file
Learning curve	Weeks of training	Intuitive immediate use
Customization	Rigid or expensive	Adapts to your workflow
Data	On third-party servers	On your machine, under your control

Module Overview



Contact

Phoenix Cell G-NEEX v1.6

Industrial inventory management — simple, secure, offline.

Author: **Luis Goire** — hobby development; passionate about programming and growing as a developer.

Email: blakillbyte@gmail.com