

# User Manual — Phoenix Cell G-NEEX 1.6

---

*Phoenix Cell G-NEEX is developed by **Luis Goire**, as a hobby and with a strong interest in programming, on the path toward working as a professional developer.*

*Updated: May 2026*

## Background and purpose

---

### Shop-floor need

Phoenix Cell G-NEEX comes from a real industrial need: **tighter inventory control** when the only technology available was a **PC**, without budget or infrastructure for anything else.

### From spreadsheet to manager

It began as an **Excel workbook** that gained **macros and automation** as daily shop-floor issues and operational errors appeared, one by one. It grew from a control sheet into an **inventory manager** built inside that workbook.

### Learning while automating

That work also became **hands-on training**: solving real problems with automation built **scripting and programming** skills. Operations and learning moved forward together.

### The “Phoenix” name and project DNA

After **severe file damage**—and **recovery** after heavy work—the project was named **Phoenix**: rising from the ashes. That recovered workbook is the **direct predecessor** and, in many ways, the **DNA** of the **G-NEEX** web application.

### Today and next steps

The **Phoenix spreadsheet** still supports operations wherever it adds value until **G-NEEX** is fully mature for everyday **web** use. This release is a deliberate step toward a tool intended to **keep**

evolving.

The same narrative appears in the app under  **Settings** → **Background** tab.

## SECTION 1: Settings (overview)

Under  **Settings** you will find data tools, lists, the article editor, receptions, preferences, and more. **This manual documents how the app works and what each screen does**; how your company deploys or governs the installation is not covered here.

### 1.1 Data, import, and export

#### Who can use Import/Export

The **Import/Export** tab is available only to the **administrator account**. Other permission profiles—or **temporary elevation**—do not show this tab; opening Settings lands on **Background** instead. That tab groups full JSON backup (export/import), movements-only merge, shipped transports merge, initial inventory CSV/XLSX, archive/re-import movements, delete database, and the Daily consumption recipients quick view. Non-admin users rely on **Employees** and other tabs allowed for their profile.

#### Full backup

**Path:**  Settings → **Import/Export** tab (administrator only)

- **Export backup:** Creates a `GNEEX_Backup_YYYY-MM-DD_HH-MM-SS.json` file with all application data (inventory —per-item location text, per-location and per-box stock, warehouse location catalog included—; movements; daily consumption recipient lists —staff and occasional/external—; supplier list; transports; supplier order lines; users; reference counters; etc.)
- **Import backup:** Choose the JSON file, confirm, and follow the on-screen notice; it replaces the working data for this copy. Keys **missing** from that JSON do **not** erase unrelated local data (for

example, the units catalog).

*Typical use for a full backup: a safety net or moving an entire working copy. To share only day-to-day activity with another copy, also use the **export / import movements only** flow below.*

**Movements only (merging work):** In the same place, **Export movements only**

( `GNEEX_Movements_....json` ) and **Import and merge movements** exchange activity between copies.

The merge **adds** only movements whose **id** is not already in the target copy and **applies** quantities to inventory (material receptions are recreated when the file has enough data). If the **id** already exists, the local movement is kept. It does not replace user lists, transports, or other data; item catalogs should match, and interleaved dates between copies can make stock order look inconsistent. Always confirm the dialog the app shows.

**Note (backups and overdraft):** The **full backup** and **movements-only** files serialize movements as stored locally (including the technical `hadOverdraft` field). The file format and merge behavior are **unchanged**. On startup, the app may **normalize** inconsistent values for **Stock purchase** and **Material reception**. In **History**, **filters**, **XLSX reports**, and **human-readable exports**, the rule is consistent: a purchase or reception is **not** treated as overdraft solely because of an old incorrect flag.

## Recipient lists (Daily consumption)

**Quick view:** Only the administrator sees this block under  Settings → **Import/Export** → "Recipients (quick view)". **Adding and removing** staff and occasional names is on the **Employees** tab.

## Supplier list (orders)

**Path:**  Settings → **Suppliers** tab to maintain the master name list.

Users with **Orders** access can enter a supplier on each line (free text or suggestions loaded from that list). The **PO/OC number** is not entered when creating the order; it is captured when **receiving** goods under Movements → **Stock purchase** (with packing slip).

## Archive old movements

To free up space by removing old movements:

1. Select a **cutoff date** in the "Before" field

2. Click **Archive**
3. Confirm the number of movements
4. The file `GNEEX_Archived_Movements_FROM_to_TO_YYYY-MM-DD_HH-MM-SS.json` is downloaded
5. The archived movements are removed from the application

The JSON contains a readable `movements` summary and `_rawMovements` with the **full** movement objects as stored. The overdraft field in the readable part follows the **same rule** as on-screen history; `_rawMovements` keeps the raw technical data without reinterpretation.

## Re-import archived movements

1. Click **Re-import file**
2. Select the archive JSON file
3. Confirm — the movements are reintegrated into the history sorted by date
4. Movements that already exist are not duplicated

## Load initial inventory (CSV or XLSX)

Allows importing a **CSV** or **XLSX** file with the initial inventory. The columns must match the expected format.

You can use the **template icon button** to export a styled **.xlsx** sheet with the correct column order (orange header row) and one editable example row. You can also save as CSV from Excel using the same column order.

## Delete database

1. Click **Delete database**
2. Enter the confirmation code: `DELETE ALL` (or `BORRAR TODO` / `SUPPRIMER TOUT` )
3. All data is deleted and the page reloads

*A fixed confirmation phrase helps prevent accidental data loss; follow your site's runbook for production machines if applicable.*

## Security and browser-stored data

G-NEEX stores inventory, movements, users, and session data in the browser's **local storage** (for example `localStorage`). Passwords are stored as **salted hashes**; they do not appear in plaintext in the application source. Anyone with access to the device or user profile, or a **malicious browser extension**, could read or tamper with that data. The app **does not replace** a central server with corporate identity policies. Use **OS session lock**, personal accounts, and **exported backups** as your organization requires. When **importing a JSON backup**, verify it comes from a trusted source.

---

## 1.2 Article editor

---

**Path:**  Settings → **Article editing** tab

On entry, if the app asks for an **unlock code**, follow the on-screen prompt (create or confirm) and use **Unlock** to continue. Then search by code or description, change any field (code, description, category, default price, stocks, location, min, max, etc.), and **Save**.

For **Location**, you can compose text from **comma-separated labels**; the dropdown lists **effective warehouse slots** and **BOX1...BOX51** (grouped) to append with **Add**, alongside the editable location catalog on the same Settings tab.

### Inventory consumable mode and the master «Consumables» list

If you check **Treat as inventory consumable** and click **Save**, the app **adds** the name (the article **description**, or **code** if there is no description) to the list under  **Settings** → **Consumables**, used for purchase receipts without inventory and consumable orders. If you **uncheck** that option and save, it **removes** from that list the entry that matched the description or code **before the change** (when it was only there through this link).

How stock behaves in consumable mode follows the on-screen rules and messages.

---

## 1.3 Expiration settings

---

**Path:**  Settings → **Expirations** tab

1. Set the global **alert days** (e.g., 30 = alert 30 days before expiration)
  2. Search for a specific article
  3. Assign a **shelf life in months** from the issue date
  4. Click **Save**
- 

## SECTION 2: Using the app

---

### 2.1 Accessing a session

---

Enter **username** and **password**. Session validation happens in the browser; the **administrator** account can manage users and passwords under  **Settings** → **Users**.

When **adding a user** with role **User**, you can pick a **template**: generic roles (picker, reception, supervisor, etc.) and **reference profiles** matching the project's built-in accounts (e.g. Keith Lake, Guest, Patrick). Each option has a short description on hover ( `title` ). For a new **administrator**, choose role **Administrator**; that role does not use a permission matrix template. Keys and behaviour are listed in `PlantillasPermisos.xlsx.csv` at the repository root (documentation and future API alignment).

Login **background images** are listed in `assets/login-bg-manifest.json` (paths under `assets/` ). If the list is missing or empty, the logo is used. When several images are defined, they may **rotate** automatically.


After signing in, you reach the panel (see §2.2).

---

### 2.2 Dashboard (Summary panel)

---

Upon entering the application, a panel is displayed with today's information. The **top bar** has module buttons (e.g.  **Inventory** in §2.3,  **Movements** in §2.4):




Dashboard and main navigation

| Card                      | What it shows                                                           |
|---------------------------|-------------------------------------------------------------------------|
| <b>Movements today</b>    | Number of movements created today, with breakdown by type               |
| <b>Active alerts</b>      | Low stock + negative stock + articles about to expire                   |
| <b>Pending transports</b> | Transports that have not been dispatched or voided                      |
| <b>Last backup</b>        | When the last backup was made (alerts if more than 7 days ago or never) |

Click **Hide** / **Show** to collapse/expand the panel.

## 2.3 Inventory

View after clicking **Inventory** (📦): search, filters, stat cards, and the article table.



Inventory tab

## Search articles

Type in the search field to filter by **code, description, category, or location**.

## Tools menu (:)

Next to the search field, the **:** menu groups inventory actions: export XLSX, print, show or hide the inline filter strips (**Box / location, Depot, Consumable inv.**), problems-only and "low-stock alert ignored" filters, **Stock as-of date**, box summary, box stock management, and more.

The **first item** is **Hide inline filter bars** (right-pointing chevron): it closes all three filter strips in one step when any strip is open and resets each dropdown to **All** when needed. It is **disabled** when no inline strip is open; when a strip is open, use it to collapse the filter area without toggling each filter separately.

## Inventory "as-of date" view



Use the **as-of date** filter to view inventory exactly as it was on a selected date. This affects table values, cards, and print/export outputs while active.

## Statistics cards

The top cards display:

- **Total articles**: total count
- **Low stock**: articles with stock at or below the minimum
- **Expiration**: expired or soon-to-expire articles
- **Overstock**: articles above the maximum stock
- **Negative stock**: articles with stock below 0

*Clicking any card (except "totals") opens a **detail modal** with the list of affected articles, option to export XLSX, and print.*

In the **low stock** modal, the first columns are **Ignore low-stock alert**, **Actions** ( to add the item to the **purchase list**), **Code**, then the remaining fields (description, stocks, dates, location).

## Inventory table

Columns: Code, Description, Category, Default price, Main Stock, Production Stock, Transformation Stock, Location, Expiration.

In the **Description** column, the  control (faded more when the item has no notes yet) opens a dialog to **view and edit** notes when it is active; **Save** persists changes. If editing is not offered but the item **has** notes, you can often open the same dialog in **read-only** mode; if there are no notes, the cell is plain text.

Row colors indicate the article's status (red = negative, yellow = low, orange = expiring, etc.).

If the window is narrow, **scroll the table horizontally** to see all columns without squashing the headers.

**Location (article text field)**: for validations (movements, imports, stock consistency) only **effective warehouse catalog** labels and **BOXn** references count as **canonical** location. If stored text cannot be fully normalized to those tokens, saving from the editor may show a **warning**; no automatic relocation placeholder is inserted anymore.

Use the **Box / location** dropdown for quick visual filtering by box number inferred from **Location** text and from **box numbers** that have stock in box management, and by **predefined warehouse locations** in the app catalog (e.g. E1R, ETOP, BIN 8, CONTAINER CHANTIER, ARMOIRE AVEC CLE) when the location text matches **or** the same location appears only in **per-location stock** (quantity chips); tags appear next to the cell. Next to export and print, **Box summary (from location text)** groups items when **Location** looks like **BOX1**, **BOX 1**, or variants ("box", "caja" + number; optional space after BOX). Several boxes may appear in the same field, **comma-separated** (e.g. "BOX1, caja 2"). In that modal, **click a row** to see the article lines for that group. If an item has multiple boxes in location, it is counted under **each detected box**. Also, in **Box stock management**, you can **add, edit, delete, and redistribute** stock between **boxes** and **Production / Transformation** stock columns; you can also transfer from **box to direct location (no box)**. That action deducts from the origin box, appends the location to item text (without duplicates), and stores per-location quantity (chips such as `E2R: 12`) in the Location cell. You can still **export** all box stock (same layout as the template) for backup or editing and **re-import** it, download an empty template when needed, and import box quantities. The official first row is **Codigo, Caja, UbicacionCaja, CantidadCaja, CantidadCajas, Vacia** (**Datos** sheet, the one G-NEEX generates). In **Vacia**, use `1/true/yes` to mark a box as empty (forces quantity 0). For negative movements (consumption/output), box selection is optional: if selected, stock is discounted from both box and main inventory; if not selected, discount applies only to main inventory.

Recommended quick test (Location):

- `BOX1`
- `E1R` or `e1r` (case-insensitive)
- `BIN 8` , `BIN2` , Or `BIN 2`
- `CONTAINER CHANTIER`
- `BOX1`, `BOX2`
- `caja 3`, `BOX4`
- `no box`
- `BOX52` (out of range, ignored)
- `BOX1`, `BOX1` (same box is not duplicated)

## Export and print


- **Export XLSX:** Downloads the current inventory view (formatted table)
- **Print list:** Opens the print window with the formatted table

Print windows across the app use **A4 portrait** (standard margins); tables **do not compress every column to the same width** (the article **code** stays on one line and readable); other long text **wraps inside cells** as needed (inventory, history, movement detail, and other printable lists).

*Export and print here need those buttons to be visible and active on your screen.*

## 2.4 Movements

**Movements** (  ) in the bar: type grid; choosing a type opens the overlay form.



Movements tab

### Create a movement

1. Go to the **Movements** tab
2. Select the **movement type** by clicking its button — an **in-app overlay window** opens with the form for that type (the Movements view keeps showing only the type grid and recent list).

3. In that window, fill in **Project ID** (required or automatic depending on the type) and **Notes**
4. **Search articles**: type at least 2 characters → select an article → enter **quantity** as for other types → the line is added (**Quantity** column)
5. **Stock source** (types that **subtract** stock): if the **Stock source** column appears, choose **which depot** the quantity comes from: **General warehouse** (main stock, quantity shown); each **box** (same quantity as in **Box stock management**); **locations** from per-location stock (label only in the list); and when available, **production stock** or **transformation stock** (quantity shown). You can **add several lines** for the same item to split quantities across sources. For types that also show a **Destination** column (e.g. Hardware, E.M. Production, E.M. Site), **source** is the physical depot deducted; **destination** classifies the movement and may differ from the source.
6. Review and adjust **quantities** in the list before processing
7. Click **Process movement**. For **Site E.M.**, you are asked for the **total boxes** for that shipment (not per item); boxes are allocated across lines by line quantity for Site E.M. stock

If **all** quantities are **0**, the app **blocks** processing (no stock change).

*Use **Create** and **Process movement** when they appear; if they stay inactive, the form or action is not enabled for the current state.*

## Movement types

| Type              | Effect on stock | Project   |
|-------------------|-----------------|-----------|
| Adjustment        | Add or subtract | Optional  |
| Daily Consumption | Subtract        | Automatic |
| Hardware          | Subtract        | Required  |
| Special           | Add or subtract | Optional  |
| Checklist         | Subtract        | Required  |
| Waste             | Subtract        | Required  |
| Return            | Add             | Optional  |

| Type               | Effect on stock                                   | Project      |
|--------------------|---------------------------------------------------|--------------|
| Dismantle          | Add                                               | Required     |
| Transfer           | Add or subtract                                   | Optional     |
| Transformation     | Subtract                                          | Optional     |
| Send to Production | Subtract                                          | Optional     |
| E.M. Production    | Subtract                                          | Required     |
| E.M. Site          | Subtract                                          | Required     |
| Stand-By           | No effect (pending)                               | Optional     |
| Stock Purchase     | Add                                               | Special form |
| Material Reception | Add (or provisional, depending on category rules) | Required     |

## Stand-By

Stand-By movements are saved as drafts without affecting inventory:

1. Create a **Stand-By** type movement
2. Select the **release type** (what type it will become when processed)
3. Process the movement

**Stand-By list:** Shows pending drafts with options:

- **Edit:** Modify articles and quantities
- **Process:** Apply the movement to the inventory
- **Cancel:** Delete the draft

## Floating shortcuts (Stand-by and Daily consumption)

With an active session, there are up to two floating shortcuts (bottom-right by default), **hidden until you use them**. To show the **Stand-by** or **Daily consumption** shortcut, open **Movements** and select that type; it stays visible until you hide it.

| Shortcut                                                                                                          | Purpose                                                                                          |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Stand-by ( II )</b>                                                                                            | Quick access to pending Stand-by drafts; panel with list, go to Movements, or hide the shortcut. |
| <b>Daily consumption</b><br>(  ) | Panel of lines for Daily consumption not yet processed as a single movement.                     |

- **Hide:** from each panel (  icon); the choice is stored in this browser.
- **Drag:** press and hold the **round button** and move it anywhere on screen; position is saved on this device. A short tap without movement opens or closes the panel as usual.

**Daily consumption (close & catch-up):** pending lines are tied to the **local calendar day**. If lines were left from a previous day (app closed overnight, date change with the tab open, etc.), on return you may see a notice and an **automatic close/catch-up** may run when stock rules allow; if it cannot run due to overdraft, review the cart manually. **Daily consumption does not use a project number** in the form. **While Daily consumption is the selected movement type**, the nightly auto-close (~23:00) and midnight roll do **not** interrupt you; **when you switch to another movement type**, any pending automatic close runs if applicable.

**Movement date/time (Daily consumption):** each time you add a line to the cart, that moment is stored. When you **process**, the movement's saved timestamp is the **first line** added in that batch (if an older line had no stamp, the process time is used as a fallback).

**Decimal quantities:** quantities and stocks are shown and stored with **at most four digits** after the decimal separator (rounding).

**Recipient with "Other (name not on list)":** type the name freely when it is not in the dropdown. This section only requires identifying who receives the material; there is no extra classification.

**Daily consumption by recipient (History):** everyone with access can expand the section and filters; **editing the ledger, export, and print** from that block are **administrator only**.

## Overdraft

Movements that **withdraw** more stock than available (consumption, transfers, send to production, etc.) may open a modal for a **mandatory reason** and are marked in history with the overdraft indicator (  and a notice in the detail view).

**Stock purchase** and **Material reception** are **inbound** goods: they do **not** use that overdraft-justification flow. If older data incorrectly had an overdraft flag on those types, the app does **not** show them as overdraft in lists, filters, or detail, may **fix the stored value on load**, and reports follow the same rule.

When **releasing Stand-by**, the “would overdraft” check uses the Stand-by **target movement type** (not whichever type happened to be selected on the Movements form at that moment), avoiding false positives.

## Stock purchase (detail)

- Same movement type whether created **only under Movements** or **after a receipt from the Orders panel** (see §2.5).
- Extra fields: **PO number** (required), **packing slip**, **supplier**.
- Each movement gets a **type prefix + 6-digit sequence per movement type** (e.g. adjustment `AJU000042` , purchase `COM000003` ). Older refs with more digits, purely numeric ( `000042` ) or hyphen form ( `COM-001` ) normalize when history loads.
- Some reception categories require **PO** and are stored as **provisional reception** (not applied to main stock until corresponding logistics flow).

---

## 2.5 Supplier orders (order lines)

---

**Path:** **Orders** tab (  in the top bar).

**Supplier purchase orders**

Purchase suggestions (inventory)  
No products to purchase

**New order line**  
 Item (inventory): 
 Supplier: 
 Quantity: 

☐ Consumable order (master list; not inventory)

Search (ref, code, description, supplier, quantities)

Status: 
 Key date from: 
 Key date to: 
 History:

| <input type="checkbox"/>                      | Item | Supplier | PO / OC (on receipt) | Qty ordered | Received | Remaining | Main stock | Status | Order / created date | Timeline (dates) | Actions |
|-----------------------------------------------|------|----------|----------------------|-------------|----------|-----------|------------|--------|----------------------|------------------|---------|
| No order lines. Add one using the form above. |      |          |                      |             |          |           |            |        |                      |                  |         |

## Orders

Plan supplier lines tied to inventory (code, description, supplier, quantity). The **PO/OC number** is captured when you **receive** in Stock purchase (packing slip), not when you create the draft.

## List filters

Above the list, switch **View** between the full **details table** (default) and **tile** cards; the choice is stored in this browser.

Above the table you can filter by:

- **Text search** (reference, code, description, supplier, quantities only),
- **Status**,
- **Key date** range (from / to),
- **Timeline preset** (with/without receipt, ordered, cancelled).

**Clear filters** resets everything.

## Line states



| State                         | Meaning                                             |
|-------------------------------|-----------------------------------------------------|
| <b>Inactive</b>               | Draft; you can edit quantity and supplier.          |
| <b>Ordered</b>                | Order confirmed; order date stored; awaiting goods. |
| <b>Partial / full receipt</b> | According to quantity received vs ordered.          |
| <b>Cancelled</b>              | Only if nothing was received.                       |

## Receipt and stock purchase

When you use **Partial receipt** or **Full receipt (remaining)**, the app switches to **Movements**, selects **Stock purchase**, and fills the form. Review and click **Process movement**. If you change item or quantity incompatibly with the line, the purchase may still save without linking (a warning is shown).

## Timeline and export

Each line shows a reference like **#AJU000012** (prefix per type; legacy rows may still be digits-only) and a date timeline.


- **Export XLSX / Print table:** both use the **current filtered view** (visible rows only).
- **Bulk cleanup:** button removes lines in **full receipt** state older than 1 year.
- **Per-line removal:** for **full receipt** lines, a row action is available when receipt age is over 3 months.
- **Actual receipt date (optional):** in Stock purchase and Material reception, you may set a past "real receipt date" for traceability (notes/timeline reference), while movement registration timestamp remains the actual save time.

## History (link)

If the purchase comes from the Orders panel, movement detail shows a banner; list cards may show .

*Managing lines, receipts, and the panel XLSX export depends on the actions and buttons you see when using **Orders** and **Movements** in your copy.*

## 2.6 History



History tab

### View movements

The **History** tab shows filtered movements with color and icon according to the type.

Use the **View** control for **Tiles** (icon grid, default), **List** (compact rows, file-explorer style), **Details** (columnar table), or **Chronological carousel** (horizontal card sequence from newest to oldest; the top strip and each card show **day, 3-letter month, 4-digit year, and local time**; side arrows step **one movement**). Minimized cards also show the **Project ID** when applicable. The choice is stored in this browser.

**Date format:** throughout the app, on-screen dates use **day, 3-letter month, and 4-digit year**; when time is shown, it is **local time in 24-hour format** (inventory, tables, reminders, transport, readable export metadata, etc.).

**Fully annulled** movements and **partial annulments** (some lines annulled without voiding the whole movement) appear in **Tiles, List, and Carousel** as a **diagonal stamp** (dashed tilted frame);

the label «**Partial annulment**» identifies the latter. In **Details** view and in the modal, **status** uses the same wording.

## Filters

You can filter by:

- Movement type
- Reference (partial)
- Article code or description (partial)
- Recipient (daily consumption, partial)
- Date range
- Location
- Project ID (partial)
- Performed by (partial)
- Overdraft (yes/no; matches movement detail — stock purchase and reception ignore erroneous legacy markers)
- Negative stock (yes/no — based on **current** stock)
- Annulment (all / not fully annulled / partial annulment / fully annulled)

**Clear filters** empties all criteria.

## Movement detail

Click a card to see the full detail:

- Type, reference, project, date and time, status
- Who performed it
- Notes
- List of articles with **previous stock**, **change** (+/-), and **resulting stock** per line (rebuilt from inventory and history)
- Overdraft information if applicable (see § **Overdraft** above)
- **Attachments** ( 📎 ): link PDFs, photos, or documents already on your PC; **nothing is copied** into the app folder. The app stores the link and can **open** them via «Open file» (Chrome or Edge). After restoring a backup on another machine you must **link the files again**. Very old

attachments may still point to copies under `Adjuntos/...` ; use «Copy path (legacy)» and open from Explorer.

- **Print** opens a window with **tables** (movement header and lines aligned with **Export XLSX**), not a visual copy of the modal.

## Void movement

In the detail modal:


- **Void entire movement:** Reverts all affected stock
- **Void individual line:** Reverts only a specific line

*Voiding or rolling back in the detail view requires the modal to show those actions as active (depending on type and state).*

---

## 2.7 Transport

Open the **Transport** () button. The tab shows the board and actions (create, ship, void, and so on) as enabled for your current screen.



Transport tab

## Transport panel

Shows cards for each transport with: project, dispatch date, line status (Ready/Partial), linked receptions.

**View** switches between **Tiles** (card grid) and **List** (single column of full-width cards); the choice is stored in this browser.

Click a card to expand its detail. In the expanded detail, **Attachments** ( 📎 ) links shipment documents from any folder (no copy into the app); viewing works in Chrome/Edge like movement attachments.

At the top of the tab, **Cargo prepared to depart** summarizes each **active** transport (not yet shipped, not voided): counts of linked checklists, site and production electrical movements, and project material **receipts** that are **not** yet marked as shipped. Material may appear **queued** when no active transport exists yet for that project.

## Dispatch and on-premise traceability

When you click **Ship truck**, the app records the shipment and marks the linked **checklist**, **site E.M.**, and **production E.M.** movements on that load, plus any **material receipts** for the same

project that were still pending shipment (when several trucks serve one project, each shipment marks only what was still pending). **Movement detail** in History shows the timestamp once it left with a transport. **Void dispatch**, **reopen planning**, or **delete transport** clears those marks tied to that transport.

## Create manual transport

1. Click + **New transport**
2. Enter the **Project ID**
3. Set the **dispatch date**
4. The transport is created (can link pending site electrical material)

*If an action is unavailable, the on-screen control is inactive or missing.*

## Automatic transport

Movements of type **Checklist** and **E.M. Site** automatically create or link transports. If an active transport already exists for the project, lines are added to the existing one.

## Transport actions

- **Dispatch**: Only when the status is "Ready" (all lines resolved)
- **Void dispatch**: Reverts the dispatch status
- **Delete**: Deletes the entire transport
- **Merge lines**: Tool to combine or split lines within the transport
- **Truck cargo report**: In the truck detail you can use **Export cargo report** (XLSX) and **Print cargo report** with loaded materials, quantities, and dimensions. If a line has **several packages**, the XLSX and printout list each package on **consecutive rows** with fixed columns **Package**, **L**, **W**, **H** (the table does not grow sideways with "Package 1 L", "Package 2 L", ...).

*Critical actions (e.g. **Ship**, **Delete**) only become available when line status allows it.*

## 2.8 Reports and exports

---

### Generate a report

1. Click the **report** button (available in History and Transport)
2. Select the report type:
  - **Transport summary**
  - **Transport lines**
  - **Filtered movements** (uses active history filters)
  - **Filtered movement lines**
  - **All movements**
  - **Consumption by article** (search by code or description; inventory suggestions as you type; picking one fills the item **code**)
3. Click **Download XLSX**

Files are descriptively named with the date range ( `.xlsx` ; **Datos** sheet with themed styling and **Info** sheet with export metadata):

- `GNEEX_All_Movements_2024-03-15_to_2026-04-15.xlsx`
- `GNEEX_Item_Consumption_cable_2025-01-10_to_2026-03-20.xlsx`

*Use the report or XLSX download when the button is visible; pick report types in the dialog.*

---

## 2.9 Receptions

**Path:**  Settings → **Receptions** tab

Table with all registered receptions. They can be searched by text.

- **Export / Print** (filtered list): same layout when a reception has **multiple packages** — stacked rows with **Package, L, W, H**, without widening the sheet with many package columns.
- **Edit**: Modify data of an existing reception (reverts and reapplies stock)

- **Delete:** Delete reception and revert its effect on stock

Requires **Recep.** permission.

---

## 2.10 Theme, demo mode, and language

---

- **Theme:** Click 🌙 / ☀️ in the upper right corner to toggle between **dark** and **light** mode
- **Test / demo mode:** **Test** switch next to Help. Enables a **blue** theme and a **temporary working copy**: you can use the app normally (movements, inventory, settings, etc.). When you **turn the switch off**, the app **restores** inventory, movements, history, users, session, and all other data stored in the browser **to how it was when you turned demo mode on**; anything done only while demo mode was on is **discarded**. **Light/dark theme and language are not reverted** (whatever you chose during the demo stays). A **banner** appears under the header while the mode is on. **Confirmation** is required to exit
- **Language:** Select ES Español, us English, or FR Français in the language selector

Theme and language preferences are saved automatically. The demo snapshot is separate from the JSON backup file. **Note:** files you export to a folder on your computer during the demo (for example XLSX in the project folder) are **not** removed when you leave demo mode; only **localStorage** in the browser is reverted.

---

## 2.11 Session bar

---

The top bar shows, among other things, the active session label, a role or mode summary (as your build presents it), and **Log out** to return to the access screen.

---

## 2.12 Inactive buttons and messages


---



Depending on context (task, data state, current tab), some actions are dimmed or a short message explains that the action does not apply. That is not a fault of the app: in another flow or with other data, the same control can become available again.

## 2.13 Reminders

**Path:** reminders button in the top bar, **Reminders** tab when you can open it.



### Reminders

You create and manage operational reminders with due date and priority from that screen when the module is available in your environment.

- Priorities: **When possible, Attention, Urgent**
- Priority can escalate automatically over working days
- Dashboard shows a reminders preview and quick access
- Completed reminders keep completion date for follow-up

- **Visibility:** each user only sees reminders **they created** (the JSON backup on the machine may hold everyone's reminders; the UI filters by session).
- 
- 

## About the author

---

The application is created by **Luis Goire**, who builds it as a programming enthusiast and with the goal of growing into a developer role.

**Email:** [blakillbyte@gmail.com](mailto:blakillbyte@gmail.com)

---

## Summary

---

The manual walks through **Inventory, Movements, Orders, History, Transport, receptions in Settings, reports, data import/export**, and **demo mode**. Each module is used with the visible tabs and buttons: when something does not apply, the interface dims or hides it without blocking the rest of your work.