

Phoenix Cell G- NEEX 1.7

Comprehensive Inventory and Logistics Management System

Built by Luis Goire — programming enthusiast, aspiring professional developer.

Updated: May 2026 (v1.7)

Project background

- **Industrial need:** tighter inventory control with only a PC—no other stack.
- **Excel roots:** a workbook that grew with macros as shop issues appeared; it became an embedded inventory manager.
- **Learning:** automate real problems while building scripting and programming skills.
- **Phoenix:** after serious file loss and recovery, the name means rising from the ashes—that sheet is G-NEEX's DNA.
- **Today:** the Phoenix spreadsheet still runs where it helps until G-NEEX is fully mature for daily web use.

Full narrative in the app:  **Settings** → **Background**.

The Problem

Electrical installation and industrial project companies face daily challenges:

- **Material chaos** — No one knows what's in stock or where it is
- **Untracked movements** — Materials leave without documenting who, when, or why
- **Disorganized transport** — Paper checklists, trucks without tracking
- **No traceability** — Impossible to trace the source of a shortage or excess
- **Internet dependency** — Cloud systems that fail when you need them most

The Solution: G-NEEX

G-NEEX is a web application that works **100% offline**, directly in the browser, with no need for external servers or internet connection.

Browser-stored data: inventory, movements, and session live in the browser's local storage. Lock the workstation, use personal accounts, export backups regularly, and only import JSON backups from trusted sources.

Backup & Import/Export: the Import/Export tab and critical backup actions are limited to the **administrator account**; temporary elevation does not replace that role. Login backgrounds may rotate per `assets/login-bg-manifest.json`. JSON import no longer removes unrelated local data when keys are absent from the file.

Stable URL: use one fixed address (e.g. `http://127.0.0.1:PORT/`) and do not mix `file://` with HTTP.

Units of measure: the catalog keeps reserved **U**; each article may have a stock unit or none (no automatic assignment).


It manages the entire material lifecycle:

Intake → Warehouse → Dispatch → Transport → Job Site



Login screen

Real-Time Inventory




Inventory tab (top bar)

Feature	Description
Full overview	Table with code, description, category, main/production/transformation stock, location, and expiration date
3 independent stocks	Main, Production, and Transformation — each with its own tracking
Instant search	Live filter by code, description, category, or location
Tools menu (:)	First item Hide inline filter bars (chevron): closes box / depot / consumable strips; disabled when no strip is open. The : menu groups export, print, filters, as-of date, summaries, etc.

Feature	Description
Box / location filter	Dropdown: BOX columns (from Location text and box-stock rows), warehouse catalog (E1R, ETOP, BIN 8, ARMOIRE...) and per-location stock chips; chips in the table
Box summary	Groups by inferred box number; modal row click for lines (E1R etc. still detected in filter and tags)
Operational box stock	Real per-item box management: add/edit/delete boxes, redistribute across boxes / prod. & trans. columns and transfer from box to direct location (no box) with per-location balances (E2R: 12); unified Datos sheet (Codigo, Caja, UbicacionCaja, CantidadCaja, CantidadCajas, Vacia) for template, full export, and re-import
Automatic alerts	Low stock, negative stock, overstock, and upcoming expirations
Low-stock detail modal	Columns: ignore alert, Actions ( add to purchase list), Code , then the rest of the item fields
As-of date mode	View inventory exactly as it was on a selected date
Color coding	Rows colored by item status for immediate visual identification
Export & print	Downloadable XLSX (themed table styling) and formatted print view

18 Movement Types



Movements tab — type grid

G-NEEX supports **18 movement types** covering all operations in an industrial warehouse:

The type buttons use a fixed **6 columns × 3 rows** layout; on narrow viewports the area supports **horizontal scrolling** without losing alignment.

Category	Types
Daily operations	Daily Consumption, Adjustment, Hardware, Special
Projects / Job site	Checklist, E.M. Job Site, E.M. Production, Waste
Sales / site shipment	Direct sale (SO required), Stock dispatch (project & PR required)
Reverse logistics	Return, Dismantle

Category	Types
Production	Send to Production, Transformation, Transfer
Supply	Stock Purchase, Material Reception
Planning	Stand-By (drafts with no effect until released)

On the **Movements** tab, choosing a type opens the form in an **in-app overlay window** (the type grid stays visible behind it).

For types that **subtract stock**, **Stock source** lets you choose **which depot** the quantity comes from: **main** (General warehouse), **boxes**, **locations** (labels only in the list), **production stock**, and **transformation stock** (quantity shown when applicable); the same SKU can appear on **multiple lines** with different sources. When both **Destination** and source appear, **source** drives the physical deduction and **destination** may differ. **Direct sale** and **Stock dispatch** allow **main, boxes, or locations only** (not production or transformation); direct sale requires **SO** (**so** + 4–6 digits); dispatch requires **project** and **PR** (**pr** + 4–6 digits). Movement refs: **VDT** and **EXP** prefixes + 6 digits per type.

Site E.M.: line **quantities** are inventory; **Process movement** asks for **total boxes** for the shipment (allocated across lines by quantity).

Each movement automatically records:

- **Who** performed it
- **When** it was executed
- **Previous stock** for each affected item


- **Justification** in case of overdraft

Floating shortcuts — Movements

Floating shortcuts (default: bottom-right) stay **hidden** until you select the type under **Movements**:

- **Stand-by** (): quick list of drafts; panel, go to Movements, or hide ().
- **Daily consumption** (): panel of pending lines until **Process all** in one movement.
- **Drag** the round button to place them on screen; position is saved on this device. Tap without dragging opens the panel.
- **Auto close**: lines tied to the local day; catch-up after a date change or if the app was closed (automatic flow does not force an overdraft modal). With **Daily consumption** selected under Movements, the form is not interrupted (~23:00 / midnight roll); switching movement types applies anything pending.
- **Movement date**: each line stores when it was added; on **process**, the movement time is the **first** cart line (fallback: process time if missing).
- **Decimals**: at most **four places** on screen and in saved values.
- **“Other” recipient**: type the name freely when it is not in the dropdown lists.

Supplier orders



G-NEEX
PHOENIX EVOLUTION
INVENTORY MANAGER

Dashboard Reminders Inventory Movements History Transport **Orders**

Luis Gale Administrator Sign out

Supplier purchase orders

Purchase suggestions (inventory)
No products to purchase

New order line

Item (inventory) Supplier Quantity ☐ Consumable order (master list, not inventory)

Type code or description Optional, defaults from item 1 **Add line**

Search (ref, code, description, supplier, quantities)
Ref, code, description, supplier, quantities

Status Key date from Key date to History

All dd/mm/yyyy dd/mm/yyyy All **Clear filters**

☐	Item	Supplier	PO / OC (on receipt)	Qty ordered	Received	Remaining	Main stock	Status	Order / created date	Timeline (dates)	Actions
No order lines. Add one using the form above.											

Receive selected

You opened the app as a file (file://). Data exists only for this exact path and browser; opening via http://, another port, or another folder shows empty lists. Always use the same launch method (e.g. a fixed local server and bookmark).


Orders tab

Orders tab: lines tied to inventory (supplier, quantity); **PO/OC** is captured on **receipt** in Stock purchase.

- **Filters**: status (inactive, ordered, partial, full, cancelled), supplier, and item (code or description).
- **States**: draft → ordered → partial/full receipt or cancelled; dates for tracking.
- **Receipt**: opens the same **Stock purchase** form as under Movements; confirm with **Process movement**.
- If you log a purchase **only** under Movements and a matching order line is open, **Yes / No** prompts link the movement and refresh the Orders panel.

- **Export / Print table:** use the current filtered view; there is bulk cleanup (+1 year) and per-line removal (>3 months).
- **References: type letters + 6-digit sequence per type** (e.g. `AJU000001` , `COM000002`); legacy refs normalize on load.
- **Provisional reception:** some categories require PO and are handled as provisional before main-stock impact.
- **Actual receipt date (optional):** you can set a past date for traceability (notes/timeline), while movement registration time stays current.

List layouts



History tab (tiles / table / carousel)

History, **Transport**, and **Orders** include a **View** control for **tiles**, a compact **list**, and (where relevant) a **detailed table**; in **History**, a **Chronological carousel** is also available for horizontal card browsing. Minimized cards also show the **Project ID** when relevant.

In **History**, movements that are fully voided or **partial annulments** show a **diagonal stamp** (tilted dashed frame); filters also include annulment type.

New **Movement notes** filter (text in the notes field only); **SO (direct sale)** and **PR (dispatch)** filters. In detail, with movements permission, **Add note** appends without erasing existing text (each block has date and user). **Box stock management** quantity saves also create an **Adjustment (AJUSTE)** in history.

On-screen dates (app-wide): day, 3-letter month, 4-digit year; with time, local **24-hour** clock.


In **History** → **Daily consumption by recipient**, the table now supports **editing recipients, saving changes**, and **clearing visible rows** using current filters.

Attachments (📎) in movement detail and expanded transport: link files from any folder (no copy into the app); open with Chrome/Edge. JSON backups do not include file bytes—re-link on another PC.

Print from movement detail opens **tables** (aligned with XLSX export), not an on-screen layout snapshot.

A4 portrait printing; tables avoid equal-width column squeeze; article **code** stays one-line and readable.

Smart Transport




Transport tab

The transport module automates shipment logistics to job sites:

- **Automatic creation** — Checklists and E.M. Job Site generate transports automatically
- **Multi-truck** — A project can have multiple transports if the load requires it
- **Visual board** — Cards with status, lines, and expedition date
- **Controlled shipping** — Can only ship when all lines are resolved
- **Manual creation** — For exceptional cases without an associated checklist
- **Full history** — Record of every action performed on the transport

- **Traceability** — Transport tab summary (receptions waiting to ship, quantities on active truck lines, recent shipments, stock on hand) plus an editable **manual list** by material family and phase (on-site / truck / departed)
- **Per-truck report** — Each truck can **Export** or **Print** a cargo table with materials, quantities, and current dimensions; with **multiple packages** per line, XLSX and print use **stacked rows** (fixed Package, L, W, H columns), not many horizontal columns.

Dashboard — Instant Overview




Main screen after login (**Summary** tab)

Upon login, a panel displays the current operational status:

MOVEMENTS TODAY	ACTIVE ALERTS	PENDING TRANSPORTS	LAST BACKUP
12	5	3	Today
► Consumption: 4	► Low stock: 2		
► Checklist: 3	► Negative: 1		
► Adjustment: 5	► Expiring: 2		

Visual indicators alert if there is critical stock or if the backup is more than 7 days old.


Reminders



Reminders tab

- **Dedicated tab** for operational reminders with due date and priority (per profile permissions)
- **Auto-escalation** of priorities by business-day aging
- **Dashboard preview** with quick navigation to reminders
- **Visibility:** each user only sees reminders **they created** (the machine's JSON backup may hold everyone's).

The app in use (on-screen)



Dashboard: navigation to the main modules

- G-NEEX groups daily work in modules you open from the top bar: inventory, movements, history, transport, orders, reminders, and settings.
- An administrator sets users under  **Settings** → **Users** using generic templates or **reference profiles** (same behaviour as built-in accounts); keys are documented in `PlantillasPermisos.xlsx.csv`.
- The user manual explains each screen and workflow. **How** access and copies are run on your site is an operational matter; the focus here is day-to-day **use** of the interface and inventory features.

Reports and Exports

6 report types as **.xlsx** workbooks (orange header row, centered bold data, column widths) with descriptive filenames:

- Transport summary
- Detailed transport lines
- Filtered movements (respects active filters)
- Filtered movement lines
- All movements
- Consumption by specific item

Files include the date range in their name:

```
GNEEX_All_Movements_2024-03-15_to_2026-04-15.xlsx
```

Receptions (Settings): exporting or printing the filtered list uses the same **packages-as-rows** layout as the truck cargo report.

Consumables: marking an item **inventory consumable** in the editor and saving adds its name to **Settings** → **Consumables**; unchecking removes the matching entry.

Data Protection

Feature	Description
Full backup	Exports the full database to JSON (inventory, movements, staff and occasional recipient lists, etc.)
Restore	Imports a previous backup and restores the full system
Archive movements	Exports old movements and removes them to free space
Reimport archives	Reintegrates archived movements without duplicating data
Movements-only export / merge	Export movement history alone; merge adds new ids only, applies stock (no full-db overwrite)
Initial inventory	Bulk upload via CSV or XLSX plus downloadable .xlsx template with correct columns and styling
Backup alert	Dashboard warns if more than 7 days without a backup

Multi-Language and Customization

3 full languages

- Español
- English
- Français

2 visual themes

- Dark mode
- Light mode

Demo mode (optional)

- **Test** switch: **blue** theme and full app use; when turned off, **previous data** is restored and demo changes are **discarded**
- **Light/dark** theme and **language** are not reverted
- Confirmation to exit; banner under the header

Responsive design

- Adapts to desktop, tablet, and mobile screens
- Optimized text without unnecessary line breaks

- Professional typography (Roboto + Orbitron)


Technical Specifications

Aspect	Detail
Technology	HTML5, CSS3, JavaScript (vanilla)
Storage	Browser localStorage
Connection	No internet or server required
Installation	Open <code>index.html</code> in any modern browser
Compatibility	Chrome, Edge, Firefox, Safari
References	Prefix + per-type digits (<code>AJU...</code> , <code>COM...</code> ...); legacy may be digits-only
Multiple PCs	Each browser keeps its own data; not shared just by opening the same URL
External dependencies	Optional web fonts; XLSX export uses bundled <code>xlsx-js-style</code> in <code>vendor/</code>
Size	Lightweight, loads in seconds

Why G-NEEX?

Advantage	Traditional competition	G-NEEX
Cost	High monthly licenses	Free
Internet	Requires permanent connection	100% offline
Installation	Servers, databases, IT	Open a file
Learning curve	Weeks of training	Intuitive immediate use
Customization	Rigid or expensive	Adapts to your workflow
Data	On third-party servers	On your machine, under your control

Module Overview



What's new in 1.7 (May 2026)

- **Cinematic welcome splash (~6 s):** "boot up" with Matrix scanner, neon flicker on "G-neex" and a real loading progress bar (~6 s per CSS).
- **Header logo as a shortcut:** click the logo → counter-clockwise spin and triggers *Update inventory* (normalize locations/boxes, reconcile main stock, refresh lot expiry).
- **Boxes integrated into main stock:** main stock auto-reconciles with boxes + locations; *Update inventory* repairs older backups.
- **Lots editor on the item:** multiple expedition / expiry / quantity rows per item; effective expiry computed on the fly from shelf-life in months.
- **Expiration insight:** new *Affected quantity* column with breakdown tooltip.
- **Stock-only template:** export/import XLSX that only updates main-stock quantities.
- **Alignment with** `gneex-hosted-api` : client ready to connect to the backend when it ships.

Contact

Phoenix Cell G-NEEX v1.7

Industrial inventory management — simple, secure, offline.

Author: **Luis Goire** — hobby development; passionate about programming and growing as a developer.

Email: blakillbyte@gmail.com