Start Lab 01:00:00

Exemplar: Manage files with Linux commands

Jeff Taylor · Linux · Introductory

You earned 100 points for completing an introductory lab!

Activity overview
Scenario
Start your lab
Task 1. Create a new directory
Task 2. Remove a directory
Task 3. Move a file
Task 4. Remove a file
Task 5. Create a new file
Task 6. Edit a file
Conclusion
End your lab

This lab may incorporate AI tools to support your learning.

Activity overview

In this lab activity, you'll use Linux commands to modify a directory structure and the files it contains.

You'll also use the nano text editor to add text to a file.

You previously learned that directories help you organize subdirectories and files in Linux. As a security analyst, creating, removing, and editing directories and files are core tasks you'll need to perform to help you to manage data.

When data is well organized, you can more easily detect issues and keep data safe.

With that in mind, you're now ready to practice what you've learned.

Scenario

In this scenario, you need to ensure that the `/home/analyst` directory is properly organized.

You have to make a few changes to the `/home/analyst` directory and the files it contains.

You also have to edit a file to record the changes or updates you make to the directory.

Note: *The lab starts with your user account, called* `analyst`*, already logged in in a Bash shell. This means you can start with the tasks as soon as you click the* ***Start Lab*** *button.*

When you start, the `/home/analyst` directory contains the following subdirectories and files:

```
home
└── analyst
    ├── archive
    │   ├── Q1updates.txt
    │   ├── temporary.txt
    │   └── reports
    │       ├── Q1updates.txt
    │       ├── Q2updates.txt
    │       ├── Q3updates.txt
    │       └── temp
```

You need to modify the `/home/analyst` directory to the following directory and file structure:

```
home
└── analyst
    ├── logs
    ├── notes
    │   └── tasks.txt
    └── reports
        ├── Q1updates.txt
        ├── Q2updates.txt
        ├── Q3updates.txt
        └── temp
```

Here's how you'll do this: **First**, you'll create a new subdirectory called `logs` in the `/home/analyst` directory. **Next**, you'll remove the `temp` subdirectory. **Then**, you'll move the file `Q1updates.txt` from the `notes` directory to the `reports` directory. `temporary.txt` file. **Finally**, you'll create a new `.txt` file called `tasks` in the `notes` subdirectory and add a note to the file describing the tasks you've performed.

You'll need to use the commands learned in the video lesson to complete these steps.

This might sound like quite a number of tasks to perform, but you'll be guided on how to do this.

Disclaimer: For optimal performance and compatibility, it is recommended to use either **Google Chrome** or **Mozilla Firefox** browsers while accessing the labs.

Start your lab

You'll need to start the lab before you can access the materials. To do this, click the green "Start Lab" button at the top of the screen.

Start Lab

After you click the **Start Lab** button, you will see a shell, where you will be performing further steps in the lab. You should have a shell like this:

```
analyst@rhodeslab:~ $
```

When you have completed all the tasks, refer to the End your Lab section that follows the tasks for information on how to end your lab.

Task 1. Create a new directory

First, you must create a dedicated subdirectory called `logs` in the `/home/analyst` directory.

1. Create a new subdirectory called `logs` in the `/home/analyst` directory.

The command to complete this step:

```
mkdir logs
```

2. List the contents of the `/home/analyst` directory to confirm that you've successfully created the new `logs` subdirectory.

The command to complete this step:

```
ls
```

The output should list the original three directories and the new `logs` subdirectory:

```
logs notes reports temp
```

Click **Check my progress** to verify that you have completed this task correctly.

Create a new directory
Check my progress

Task 2. Remove a directory

Next, you must remove the `temp` directory, as you'll no longer be placing items in it.

1. Remove the `/home/analyst/temp` directory.

The command to complete this step:

```
rmdir temp
```

2. List the contents of the `/home/analyst` directory to confirm that you have removed the `temp` subdirectory.

The command to complete this step:

```
ls
```

The `temp` directory should no longer be listed:

```
logs notes reports
```

Click **Check my progress** to verify that you have completed this task correctly.

Remove a directory
Check my progress

Task 3. Move a file

The `Q1updates.txt` file contains notes taken on third-quarter patches and is now in the correct reporting format.

You must move the `Q1updates.txt` file from the `notes` directory to the `reports` directory.

1. Navigate to the `/home/analyst/notes` directory.

The command to complete this step:

```
cd /home/analyst/notes
```

The previous command used the absolute path, you could use the relative path as follows:

```
cd notes
```

2. Move the `Q1updates.txt` file from the `/home/analyst/notes` directory to the `/home/analyst/reports` directory.

The command to complete this step:

```
mv Q1updates.txt /home/analyst/reports/
```

3. List the contents of the `/home/analyst/reports` directory to confirm that you have moved the file successfully.

The command to complete this step:

```
ls /home/analyst/reports
```

When you list the contents of the `reports` directory, it should show that three quarterly report files are now in the `reports` directory:

```
Q1updates.txt Q2updates.txt Q3updates.txt
```

Click **Check my progress** to verify that you have completed this task correctly.

Move a file
Check my progress

Task 4. Remove a file

Next, you must delete an unused file called `temporary.txt` from the `/home/analyst/notes` directory.

1. Remove the `temporary.txt` file from the `/home/analyst/notes` directory.

The command to complete this step:

```
rm temporary.txt
```

2. List the contents of the `/home/analyst/notes` directory to confirm that you've removed the file successfully.

The command to complete this step:

```
ls
```

No files should be listed in the `notes` directory.

Click **Check my progress** to verify that you have completed this task correctly.

Remove a file
Check my progress

Task 5. Create a new file

Now, you must create a file named `tasks.txt` in the `/home/analyst/notes` directory that you'll use to document completed tasks.

1. Use the `touch` command to create an empty file called `tasks.txt` in the `/home/analyst/notes` directory.

The command to complete this step:

```
touch tasks.txt
```

2. List the contents of the `/home/analyst/notes` directory to confirm that you have created a new file.

The command to complete this step:

```
ls
```

A file called `tasks.txt` should now exist in the `notes` directory:

```
tasks.txt
```

Click **Check my progress** to verify that you have completed this task correctly.

Create a new file
Check my progress

Task 6. Edit a file

Finally, you must use the nano text editor to edit the `tasks.txt` file and add a note describing the tasks you've completed.

1. Using the nano text editor, open the `tasks.txt` file that is located in the `/home/analyst/notes` directory.

The command to complete this step:

```
nano tasks.txt
```

Note: *This action changes the shell from the normal Bash interface to the nano text editor interface.*

2. Copy and paste the following text into the text input area of the nano editor:

```
Completed tasks
- Managed file structure in /home/analyst
```

3. Press **CTRL+O** to write the file.

This triggers a prompt asking **Save modified buffer?**

4. Press **Y** to confirm that you want to save the new file to your file. (Answering "no" will **discard** changes.)

5. Press **ENTER** to confirm that **File Name to Write** is `tasks.txt`.

Note: *The prompt displays the sequence of commands for saving a file with the nano text editor in its current state. Each set is in nano as the first and then just* **CTRL+X** *is used immediately.*

In this web-based lab environment, the **CTRL+X** *command is intercepted by your web browser and is interpreted as a request to save the web page. This sequence used here is a commonly used alternative that achieves the same end result.*

6. Use the `clear` command to clear the Bash shell window and remove any traces of the nano text input area.

The command to complete this step:

```
clear
```

Note: *Most Bash shells typically handle the screen cleanup after you exit nano. In this lab environment, nano sometimes leaves extra text cluster around the edges of the screen that the* `clear` *command cleans up for you.*

7. Display the contents of the `tasks.txt` file to confirm that it contains the updated task details.

```
cat tasks.txt
```

This file should now contain the contents of the `tasks.txt` file that you added and saved in previous steps:

```
Completed tasks
- Managed file structure in /home/analyst
```

Click **Check my progress** to verify that you have completed this task correctly.

Edit a file
Check my progress

Conclusion

Great work!

You now have practical experience in using basic Linux Bash shell commands to:

- create and remove directories,
- copy, move, and remove files, and
- edit files with the nano text editor.

You're well on your way to managing directories and files in a Linux environment!

End your lab

Before you end the lab, make sure you're satisfied that you've completed all the tasks, and follow these steps:

1. Click **End Lab**. A pop-up box will appear. Click **Submit** to confirm that you're done. Ending the lab will remove your access to the Bash shell. You won't be able to access the work you've completed in it again.
2. Another pop-up box will ask you to rate the lab and provide feedback comments. You can complete this if you choose to.
3. Close the browser tab containing the lab to return to your course.
4. Refresh the browser tab for the course to mark the **lab** as complete.