


Atividade 01 – Aula dia 21/08



Criar conta no github e instalar e configurar git

MINGW64:/c/Users/32513394/aula-git-github

```
32513394@UNA19DT424371 MINGW64 ~
$ git clone ^V
fatal: repository '?' does not exist

32513394@UNA19DT424371 MINGW64 ~
$

32513394@UNA19DT424371 MINGW64 ~
$ git clone https://github.com/LuisApo12/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

32513394@UNA19DT424371 MINGW64 ~
$ cd aula-git-github

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ ls -la
total 14
drwxr-xr-x 1 32513394 1049089  0 Aug 28 20:31 ./
drwxr-xr-x 1 32513394 1049089  0 Aug 28 20:31 ../
drwxr-xr-x 1 32513394 1049089  0 Aug 28 20:31 .git/
-rw-r--r-- 1 32513394 1049089 314 Aug 28 20:31 .gitignore
-rw-r--r-- 1 32513394 1049089  17 Aug 28 20:31 README.md

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   teste/src/teste/teste.java

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   teste/src/teste/teste.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .idea/
    teste/src/Main.java
    teste/teste.iml

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git add .
```

```
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of 'teste/src/Main.java', LF will be replaced by CRLF the next time Git
touches it
```

```
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   .idea/.gitignore
    new file:   .idea/aula-git-github.iml
    new file:   .idea/misc.xml
    new file:   .idea/modules.xml
    new file:   .idea/vcs.xml
    new file:   teste/src/Main.java
    new file:   teste/src/teste/teste.java
    new file:   teste/teste.iml
```

```
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
[main ca4b859] Primeiro commit do projeto: classe Java Teste vazia.
  Committer: Luis Gustavo Apolinário Lima <32513394@ulife.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
```

```
    git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
    git commit --amend --reset-author
```

```
8 files changed, 66 insertions(+)
create mode 100644 .idea/.gitignore
create mode 100644 .idea/aula-git-github.iml
create mode 100644 .idea/misc.xml
create mode 100644 .idea/modules.xml
create mode 100644 .idea/vcs.xml
create mode 100644 teste/src/Main.java
create mode 100644 teste/src/teste/teste.java
create mode 100644 teste/teste.iml
```

```
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
```

```
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 4 threads
```

```

$ git push
info: please complete authentication in your browser...
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (14/14), 2.10 KiB | 431.00 KiB/s, done.
Total 14 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/LuisApo12/aula-git-github.git
   2abf7a2..ca4b859  main -> main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    teste/src/Main.java

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git commit -m "Remove arquivo Main.java desnecessario"
[main 6532ec6] Remove arquivo Main.java desnecessario
  Committer: Luis Gustavo Apolinário Lima <32513394@ulife.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 15 deletions(-)
delete mode 100644 teste/src/Main.java

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 404 bytes | 404.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/LuisApo12/aula-git-github.git
   ca4b859..6532ec6  main -> main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

```

```

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.15 KiB | 23.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   6532ec6..9cb5747  main       -> origin/main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
Updating 6532ec6..9cb5747
Fast-forward
   teste/src/teste/teste.java | 5 ++++-
   1 file changed, 4 insertions(+), 1 deletion(-)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean


32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.11 KiB | 27.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   9cb5747..b634353  main       -> origin/main
Updating 9cb5747..b634353
Fast-forward
   teste/src/teste/teste.java | 1 +
   1 file changed, 1 insertion(+)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean


32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ A

```




Registro de Prints

Atividade Git & GitHub — Introdução



1. Confirmação para abrir o projeto no IntelliJ (Trust Project)



A screenshot of a terminal window titled "MINGW64:/c:/Users/32513394/aula-git-github". The terminal shows the output of the command `$ git status`. It indicates that the branch is up to date with 'origin/main'. It lists changes to be committed: a new file `teste/src/teste/teste.java`. It also lists changes not staged for commit: the same file `teste/src/teste/teste.java` is modified. Finally, it lists untracked files: `.idea/`, `teste/src/Main.java`, and `teste/teste.iml`. The user then runs `$ git add .`, which triggers a warning about LF being replaced by CRLF in `teste/src/Main.java`. The prompt returns to `$ |`.

```
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   teste/src/teste/teste.java

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   teste/src/teste/teste.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .idea/
        teste/src/Main.java
        teste/teste.iml

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of 'teste/src/Main.java', LF will be replaced by CRLF the next time Git
touches it

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ |
```

IDE project settings can
[View Files](#) [Always Add](#)

2. git status / git add . — criação da classe Teste.java

```
git status

MINGW64:/c/Users/32513394/aula-git-github
[main ca4b859] Primeiro commit do projeto: classe Java Teste vazia.
Committer: Luis Gustavo Apolinário Lima <32513394@ulife.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

8 files changed, 66 insertions(+)
create mode 100644 .idea/.gitignore
create mode 100644 .idea/aula-git-github.iml
create mode 100644 .idea/misc.xml
create mode 100644 .idea/modules.xml
create mode 100644 .idea/vcs.xml
create mode 100644 teste/src/Main.java
create mode 100644 teste/src/teste/teste.java
create mode 100644 teste/teste.iml

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
```

6. Fazer o commit



+ Escreva uma mensagem...



Claude é uma IA e pode cometer erros. Verifique sempre as respostas.

Sonnet 5. Máximo

3. Commit realizado e git push travado (aguardando autenticação)

Dentro do terminal, aperte:

```
MINGW64:/c/Users/32513394/aula-git-github
Committer: Luis Gustavo Apolinário Lima <32513394@ulife.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

8 files changed, 66 insertions(+)
create mode 100644 .idea/.gitignore
create mode 100644 .idea/aula-git-github.iml
create mode 100644 .idea/misc.xml
create mode 100644 .idea/modules.xml
create mode 100644 .idea/vcs.xml
create mode 100644 teste/src/Main.java
create mode 100644 teste/src/teste/teste.java
create mode 100644 teste/teste.iml

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
```

Quer ser notificado quando Claude responder?

Notificar



+ Escreva uma mensagem...



4. git push aguardando autenticação no navegador

O que fazer

Connect to GitHub

×

GitHub

Sign in

Browser/Device

Token

Personal access token

Sign in

Don't have an account?

[Sign up](#)

5. Janela de login do GitHub (Browser/Device ou Token)



Authentication Succeeded

You may now close this tab and return to the application.

6. Autenticação concluída com sucesso (Authentication Succeeded)

2. volte pro terminal (a janela MINGW64)

3. O `git push` deve ter continuado sozinho e terminado. Confira o que aparece lá — se não

```
MINGW64: c:/Users/32513394/aula-git-github

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (14/14), 2.10 KiB | 431.00 KiB/s, done.
Total 14 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/LuisApo12/aula-git-github.git
  2abf7a2..ca4b859  main -> main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:   teste/src/Main.java

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$
```

Quer ser notificado quando Claude responder?

Notificar



7. git push concluído e git status mostrando Main.java deletado

aula-git-github

Public

Pin

Watch 0

Fork 0

Star 0

main 1 Branch 0 Tags

Go to file

Add file

Code

Luis Gustavo Apolinário Lima

Remove arquivo Main.java desnecessario

6532ec6 · 1 minute ago

3 Commits

.idea	Primeiro commit do projeto: classe Java Teste vazia.	10 minutes ago
teste	Remove arquivo Main.java desnecessario	1 minute ago
.gitignore	Initial commit	34 minutes ago
README.md	Initial commit	34 minutes ago

README

aula-git-github

About

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages


No packages published

Publish your first package

Contributors 1

LuisApo12

8. Repositório no GitHub após o Exercício 3 concluído



9. Janela de commit no GitHub (Exercício 4)

Edit

Preview

```
1  package teste;
2
3  public class Teste {
4      public static void main(String[] args) {
5          int num1 = 3, num2 = 5, soma;
6
7          soma = num1 + num2;
8
9      }
10 }
11
```

10. Conferência do conteúdo do arquivo Teste.java antes do commit

hub ▾

ests Agents Actions Projects Wiki Security and quality Insights Settings

aula-git-github / teste / src / teste / teste.java

LuisApo12 Update Teste.java 9cb5747 · now History

Code Blame 10 lines (7 loc) · 158 Bytes

```
1 package teste;
2
3 public class Teste {
4     public static void main(String[] args) {
5         int num1 = 3, num2 = 5, soma;
6
7         soma = num1 + num2;
8
9     }
10 }
```

11. Commit 'Update Teste.java' realizado no GitHub

```
MINGW64:/c/Users/32513394/aula-git-github
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.15 KiB | 23.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   6532ec6..9cb5747  main       -> origin/main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ |
```

12. git fetch e git status (branch behind, fast-forward disponível)

```
MINGW64:/c/Users/32513394/aula-git-github
32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.15 KiB | 23.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   6532ec6..9cb5747  main       -> origin/main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
Updating 6532ec6..9cb5747
Fast-forward
 teste/src/teste/teste.java | 5 ++++-
 1 file changed, 4 insertions(+), 1 deletion(-)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ |
```

13. git pull aplicando o fast-forward (Exercício 4 concluído)

```
MINGW64:/c/Users/32513394/aula-git-github
From https://github.com/LuisApo12/aula-git-github
 6532ec6..9cb5747  main    -> origin/main

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
Updating 6532ec6..9cb5747
Fast-forward
 teste/src/teste/teste.java | 5 ++++-
 1 file changed, 4 insertions(+), 1 deletion(-)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$
```

14. git status confirmando repositório atualizado

LuisApo12 Add println to Teste.java

b634353 · now History

Code Blame 11 lines (8 loc) · 192 Bytes

Raw Copy Download Edit View

```
1 package teste;
2
3 public class Teste {
4     public static void main(String[] args) {
5         int num1 = 3, num2 = 5, soma;
6
7         soma = num1 + num2;
8
9         System.out.println(soma);
10    }
11 }
```

15. Commit 'Add println to Teste.java' no GitHub (Exercício 5)

```
MINGW64:/c/Users/32513394/aula-git-github
Fast-forward
 teste/src/teste/teste.java | 5 ++++
 1 file changed, 4 insertions(+), 1 deletion(-)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.11 KiB | 27.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   9cb5747..b634353  main       -> origin/main
Updating 9cb5747..b634353
Fast-forward
 teste/src/teste/teste.java | 1 +
 1 file changed, 1 insertion(+)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ |
```

16. git pull direto aplicando fetch + merge

```
MINGW64:/c/Users/32513394/aula-git-github
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.11 KiB | 27.00 KiB/s, done.
From https://github.com/LuisApo12/aula-git-github
   9cb5747..b634353  main       -> origin/main
Updating 9cb5747..b634353
Fast-forward
 teste/src/teste/teste.java | 1 +
 1 file changed, 1 insertion(+)

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

32513394@UNA19DT424371 MINGW64 ~/aula-git-github (main)
$
```

17. git status final confirmando conclusão do Exercício 5