Distributional Dynamics

Data guide: what we provide, in plain English

Christian Bayer Luis Calderon Moritz Kuhn

October 2026 vintage ▪ distributionaldynamics.com

1 What this is

Household surveys measure consumption, income and wealth, but no single survey measures all three, every quarter, over decades. Wealth is surveyed every three years (SCF), consumption in another survey (CEX), income in several others (CPS, SIPP, PSID). Our method combines these five surveys with national accounts and estimates the **joint distribution of consumption, income and wealth of U.S. households, every quarter from 1962 to 2024**. "Joint" means we know not only how unequal each variable is, but also how they line up: for example, how much the income-rich consume, or how much wealth the consumption-poor hold.

Everything described here is publicly available under CC BY 4.0. Please cite: Bayer, C., L. Calderon and M. Kuhn, "Distributional Dynamics", CEPR Discussion Paper 19829.

2 Basics you need for every file

- **Unit:** the household. Consumption and income are annual amounts per household (measured every quarter); wealth is net worth (assets minus debts). Income is before taxes and includes transfers.
- **Dollars:** 2019Q4 U.S. dollars (deflated with the CPI-U). Totals are anchored to the national accounts, so the means per household match the national-accounts per-household values.
- **Time:** quarterly, written `YYYY-Qq` (for example `2019-Q4`).
- **Survey views.** Surveys measure the same households differently; the SCF, for example, captures the very rich much better. The model therefore reports the estimated distribution *as each survey would measure it*: one view per survey file (CEX, CPS, CPS2, PSID, SCF, SIPP1–3). All eight are published as coefficients (product 7). The ready-made statistics and micro data are for the two views that matter most:
  - **PSID view** (`psid`): the only survey that measures consumption, income and wealth together. Income from 1968, wealth from 1984-Q2, consumption from 1999-Q2.
  - **SCF view** (`scf`): income and wealth, 1962-Q3 to 2024-Q1. Best for the top tail.

  The SCF view has higher top shares than the PSID view; neither is "wrong".
- **Groups.** Households are ranked within each quarter. Deciles (`d1`–`d10`), quintiles (`0-20` … `80-100`) and the wealth groups the Federal Reserve uses (`bottom50`, `next40`, `top10`).
- **Between survey waves** the estimates are model-based: the model uses all surveys and the aggregate data to fill in the quarters a survey does not cover.

3 The products

1. Group statistics: inequality over time

What	Mean per household and share of the total, for consumption, income and wealth, by decile, quintile and bottom 50 / next 40 / top 10.
Coverage	1962-Q3 to 2024-Q1 (SCF view); PSID view as in Section 2.
Files	`dd_tidy_long.csv`: one row per quarter, survey view, variable and group (easiest to use). `dd_series.csv / .dta`: one row per quarter, with decile columns (means, totals, shares), also detrended (`_dt`).
Use it for	The top-10% wealth share since 1962; how the bottom half's consumption moved in the Great Recession.

2. Cross-tabulations: one variable by another's groups

What	Each variable within groups ranked by another variable: consumption by income quintile, wealth of the top 10% by income, income by wealth group, and so on.
Coverage	PSID view: all directions, quintiles and bottom 50 / next 40 / top 10. SCF view: income by wealth group and wealth by income group.
Files	`dd_tidy_long.csv`, rows where `ranked_by` differs from `variable`.
Use it for	The consumption gap between the top and bottom income quintile over time.

They come from the estimated joint distribution, so they are consistent with the totals every quarter.

3. Synthetic micro data: compute your own statistics

What	A household-level stand-in for the PSID view. Each quarter, households are grouped into 1,000 cells by their consumption, income and wealth decile. Each cell has a population weight (`cop_share`, summing to 1 per quarter) and its mean consumption, income and wealth.
Coverage	1984-Q2 to 2024-Q1; consumption from 1999-Q2 (before that, only the income-by-wealth cells have weight).
Files	`dd_microdata.csv / .dta`.
Use it for	Any weighted statistic or your own grouping. To merge with your data, rank your households into deciles and join on the quarter and the three deciles.

Always use the weight. There is no household identifier: the cells are population groups, not people.

4. Uncertainty: standard errors for anything you compute

What	**Implicates:** the micro data repeated at five draws from the model's posterior. **Factor draws:** 200 posterior draws of the factors (below) and 5/50/95% bands.
Files	`implicates/PSID_synthetic_microdata_imp1-5.csv`; `smoothed_factor_draws.csv`, `smoothed_factors_bands.csv`.
Use it for	Compute your statistic on each implicate. The estimate is the average; the standard error is the square root of $1.2\times$ the variance across the five (as with the SCF implicates). For precise bands, use the 200 factor draws with our scripts.

5. Factors: the quarterly drivers of the distribution

What	Eight latent distributional factors (`x1`–`x8`) that move the whole joint distribution, with their lags (`x9`–`x32`) and 11 aggregate factors (`x33`–`x43`). The factors have no economic labels.
Coverage	1962-Q3 to 2024-Q1: posterior mode, 200 draws, 5/50/95% bands.
Files	`smoothed_factors.csv`, `smoothed_factor_draws.csv`, `smoothed_factors_bands.csv`.
Use it for	Feed a factor path (ours, or a counterfactual you construct) to our scripts to get the distribution it implies; use the factors in your own time-series work.

6. Household balance sheets

What	Real estate, mortgages, consumer credit, pensions and stocks: mean per household and share of the total, by wealth group (as in the Fed's Distributional Financial Accounts), income quintile and own decile. SCF view.
Coverage	1962-Q3 to 2024-Q1; pensions from 1983-Q3. Stocks are published for the next 40% and top 10% of wealth only.
Files	`items/dd_items_SCF.csv / .dta` (all items); `items/<item>_SCF.csv` (one each).
Use it for	Who holds the mortgage debt; how housing wealth is spread across wealth groups.

Each item is estimated jointly with income and wealth. Households without the item are modelled explicitly, as a group with zero holdings.

7. Coefficients and scripts: any other statistic

What	Each quarter's distribution, stored as polynomial coefficients, one file per survey view (CEX, CPS, CPS2, PSID, SCF, SIPP1–3). Short Python and Julia scripts turn them into shares, means, quantiles, group means across variables, micro data, or posterior bands.
Files	`<survey>_coefficients_normal.csv` (in sample) and `_average.csv` (time-averaged trend, for counterfactuals); scripts in the `python/` and `julia/` folders.
Use it for	A percentile, a Gini coefficient, groups of your own choosing, or a counterfactual distribution.

8. Aggregate anchors

What	Consumption, income and wealth per household from the national accounts, and the number of households. They set the dollar levels of all outputs.
Files	`aggregate_anchors.csv`.

9. Inputs and replication

What	The cleaned survey files the model reads (CPS, PSID, CEX, SCF, SIPP), the estimation code and the estimated parameters. Reproducing the baseline results takes under 30 minutes; re-estimating the baseline model takes up to 24 hours.
Where	The DD_replication repository on GitHub. The survey files are derived from the original surveys, whose providers' terms apply.

4 Loading the data

All files are at https://www.distributionaldynamics.com/data/ and in the DD_data repository.

Python

```
import pandas as pd
t = pd.read_csv("https://www.distributionaldynamics.com/data/dd_tidy_long.csv")
t.query("survey == 'scf' and variable == 'wealth' and ranked_by == 'wealth' and group
    == 'top10'")
```

Stata

```
use "https://www.distributionaldynamics.com/data/dd_series.dta", clear
```

R

```
t <- read.csv("https://www.distributionaldynamics.com/data/dd_tidy_long.csv")
```

Julia

```
using CSV, DataFrames, Downloads
t = CSV.read(Downloads.download("https://www.distributionaldynamics.com/data/
    dd_tidy_long.csv"), DataFrame)
```

The codebook lists every column of every file.

5 Caveats

- These are **model-based estimates**, not survey tabulations. Between survey waves, and especially before 1989 when there are few SCF waves, the series are interpolations by the model. They step when a new survey wave enters.
- The **two survey views differ** by design (Section 2). Compare like with like.
- **Stocks** are published for the next 40% and top 10% of wealth only. **Pensions** start in 1983.
- **Survey definitions** differ somewhat across surveys (for example, which assets count as wealth); details are in the paper and the replication package.

6 License, citation, contact

Data and documentation: CC BY 4.0, publicly available. Code: MIT.
Cite: Bayer, C., L. Calderon and M. Kuhn, "Distributional Dynamics", CEPR Discussion Paper 19829.
Questions or requests: GitHub issues or luis.calderon@uni-bonn.de.